

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Certificate of Analysis

Jul 13, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

#FLOWERY

Kaycha Labs

Runtz 7.0g Runtz Matrix: Flower



Sample: DA20708011-001 Harvest/Lot ID: 20220607-PGR-H

> Batch#: 1000026570 Cultivation Facility: N/A Processing Facility: N/A

Seed to Sale# LFG-00000349 Batch Date: 07/08/22

Sample Size Received: 28 gram Total Batch Size: 2877 gram

> Retail Product Size: 7.0 gram Ordered: 07/08/22 Sampled: 07/08/22

Completed: 07/13/22

Sampling Method: SOP.T.20.010.FL

PASSED

Page 1 of 5

MISC.

PASSED

PRODUCT IMAGE

SAFETY RESULTS





Pesticides

PASSED







PASSED



PASSED



PASSED



Water Activity PASSED

THCV

0.02

0.2

0.001



Moisture **TESTED** PASSED



Cannabinoid

CBC

0.12

0.001

1.2

%



Total THC 30.89%

Total THC/Container: 2162.3 mg



CBDA

0.102

0.001

1.02

%

D8-THC

0.054

0.54

0.001

%

Total CBD 0.109% Total CBD/Container: 7.63 mg

0.153

1.53

0.001

%



CBN

ND

ND

%

0.001

Total Cannabinoids 5.818%

CBDV

ND

ND

%

0.001

Total Cannabinoids/Container: 2507.26



0.001

3404, 1665	
Analysis Method : SOP.T.40.031,	SOP.T.30.03
Analytical Batch: DA046658POT	
Instrument Used: DA-LC-007	

0.001

%

Running on: 07/11/22 17:28:27

mg/g

LOD

Dilution: 400
Reagent: 070722.R26; 050222.29; 070122.R19
Consumables: 239146; CE0123; 61633-125C6-125E Pipette: DA-092; DA-068; DA-078

Reviewed On: 07/12/22 07:15:30 Batch Date: 07/09/22 23:39:51

CBGA

0.307

3.07

0.001

%

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

0.001

%

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



07/13/22



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Kaycha Labs

Runtz 7.0g Runtz Matrix : Flower



Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA20708011-001 Harvest/Lot ID: 20220607-PGR-H

Batch#: 1000026570 Sampled: 07/08/22 Ordered: 07/08/22 Sample Size Received : 28 gram Total Batch Size : 2877 gram Completed : 07/13/22 Expires: 07/13/23

Sample Method : SOP.T.20.010


PASSED

Page 2 of 5



Terpenes

TESTED



Total (%) 2.53

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



07/13/22



Kaycha Labs

Runtz 7.0g Runtz Matrix : Flower



DAVIE, FL, 33314, US

Certificate of Analysis

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20708011-001 Harvest/Lot ID: 20220607-PGR-H

Batch#: 1000026570 Sampled: 07/08/22 Ordered: 07/08/22

Sample Size Received: 28 gram Total Batch Size: 2877 gram Completed: 07/13/22 Expires: 07/13/23

Sample Method: SOP.T.20.010

PASSED

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	PPM	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND				0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm			
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRETHRINS	0.01	ppm	0.5	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND					PASS	
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15		ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio	n data.		Extracted	llerer
THOPROPHOS	0.01	ppm	0.1	PASS	ND	3404, 585 0.8887g	07/11/22			585	by.
OFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL, SOP.T			1.FL. SOP.T.4		T.40.10
TOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL	1501102112, 0	,0111150125	2.1. 2, 501	.0.202 2, 30.	
NHEXAMID	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA046680PES					
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	te:07/11/22	09:34:26	
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Running on : 07/11/22 15:22:53					
PRONIL	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 071122.R01: 070522.R27: 0706	22 017, 002	020 50: 071	122 000		
LONICAMID	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02	22.K17; U92	820.59; 071	.122.KU8		
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	utilizina Liquid	Chromatoo	raphy Triple-	Ouadrupole Ma	SS
MAZALIL	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatography Tripl					
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	64ER20-39.					
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracte	d by:
ALATHION	0.01	ppm	0.2	PASS	ND	3404, 585, 450 0.8887g		22 15:01:41		585	
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.060, SOP.T.40 Analytical Batch: DA046682VOL		ovioused O	n:07/12/22 1	0.51.12	
THIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			07/11/22 09:		
ETHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A		uttii bate i	0./11/22 03	.41.00	
EVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 25					
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent: 071122.R01; 092820.59; 06302	2.R27; 0711	22.R17			
ALED	0.01	ppm	0.25	PASS	ND	Consumables: 6659831; 55447-U.119259					
KAMYL	0.01	ppm	0.5	PASS	ND	Pipette: DA-080; DA-146					
OXAMYL						Pipette: DA-080; DA-146 Testing for agricultural agents is performed to Spectrometry and Gas Chromatography Tripl 64ER20-39.					

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/13/22



Kaycha Labs

Runtz 7.0g Runtz Matrix: Flower



DAVIE, FL, 33314, US

Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample: DA20708011-001 Harvest/Lot ID: 20220607-PGR-H

Batch#: 1000026570 Sampled: 07/08/22 Ordered: 07/08/22

Reviewed On: 07/13/22 07:07:47

Batch Date: 07/09/22 08:23:01

Sample Size Received: 28 gram Total Batch Size: 2877 gram Completed: 07/13/22 Expires: 07/13/23 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIO	GELLA		Not Present	PASS	
SALMONELLA SPECIFIC	GENE		Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGAT	US		Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOL	D 10	CFU/g	240	PASS	100000
Analyzed by: 3404, 3621, 3390, 53	Weight: 1.1038a	Extraction 07/09/22 1		Extracte 3621	d by:

Analysis Method: SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL

Analytical Batch : DA046612MIC Instrument Used: DA-265 Gene-UP RTPCR

Running on : \mathbb{N}/\mathbb{A}

Dilution: 10 Reagent: 071122.R02 Consumables: N/A

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39...

Analyzed by:	Weight:	Extraction date:	Extracted by:
N/A	N/A	N/A	N/A
Analysis Method :	SOP.T.40.041		
Analytical Batch :	DA046648TYM	Reviewe	d On: 07/12/22 15:00:49
Instrument Used:	Incubator (25-27C) DA-097 Batch Da	ate: 07/09/22 14:34:18
Punning on : N/A			

Reagent: 053122.31; 060622.R29; 021921.29

Consumables: 006107; 006107 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Dilution: 10

Mycotoxins

PASSED

Analyte		ı	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		(0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		(0.002	ppm	ND	PASS	0.02
OCHRATOXIN A			0.002	ppm	ND	PASS	0.02
AFLATOXIN G1			0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		404	0.002	ppm	ND	PASS	0.02
Analyzed by: 3404, 585, 53	Weight: g	Extraction 07/11/22		28		xtracted 85	by:

Analysis Method: SOP.T.30.101.FL. SOP.T.40.101.FL. SOP.T.30.102.FL. SOP.T.40.102.FL Analytical Batch: DA046681MYC
Instrument Used: DA-LCMS-003 (MYC)
Running on: 07/11/22 15:23:06 Reviewed On: 07/12/22 13:40:43 Batch Date: 07/11/22 09:40:15

Bildion: 250 Reagent: 071122.R01; 070522.R27; 070622.R17; 092820.59; 071122.R08 Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level	
ARSENIC		0.02	PPM	ND	PASS	0.2	
CADMIUM		0.02	PPM	ND	PASS	0.2	
MERCURY		0.02	PPM	ND	PASS	0.2	
LEAD		0.05	PPM	ND	PASS	0.5	
Analyzed by: 3404, 1022, 53	Weight: 0.2617g	Extraction da 07/11/22 11:2			Extracted 1022	by:	

Analysis Method: SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA046664HEA Reviewed On: 07/12/22 15:46:15 Instrument Used: DA-ICPMS-003 Running on: 07/12/22 10:32:53 Batch Date: 07/10/22 11:33:27

Reagent: 062322.R23; 061622.R29; 070822.R09; 063022.R07; 070822.R10; 070822.R08; 061622.R30; 061622.R31; 071122.R05

Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



07/13/22



Kaycha Labs

Runtz 7.0g Runtz Matrix : Flower

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA20708011-001 Harvest/Lot ID: 20220607-PGR-H

Batch#: 1000026570 Sampled: 07/08/22 Ordered: 07/08/22 Sample Size Received: 28 gram Total Batch Size: 2877 gram Completed: 07/13/22 Expires: 07/13/23 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED



Moisture

PASSED

Analyte Filth and Foreign Material	LOD 1	Units %	Result ND	P/F PASS	Action Level 5	Analyte Moisture Content		LOD 1	Units %	Result 13.49	P/F PASS	Action Le
Analyzed by: Weight: 3404, 1879 NA		Extraction d	ate:	Extrac N/A	cted by:	Analyzed by: 3404, 1879	Weight: 0.514g		action date 1/22 00:32		Ext 187	racted by: 79
Analysis Method: SOP.T.30.074, SOP.T.40.074 Analytical Batch: DA046623FIL Reviewed On: 07/09/22 15:27:03 Instrument Used: Filth/Foreign Material Microscope Running on: 07/09/22 15:15:02 Reviewed On: 07/09/22 15:27:03 Batch Date: 07/09/22 12:00:36					Analysis Method : SOP.T.40.021 Analytical Batch : DA046622MOI Instrument Used : DA-003 Moisture Analyzer Running on : 07/11/22 00:30:30 Reviewed On : 07/11/22 00:37:12 Batch Date : 07/09/22 11:59:48							
Dilution: N/A Reagent: N/A Consumables: N/A						Dilution: N/A Reagent: N/A Consumables: N/A						

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

 $\label{thm:model} \mbox{Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S.~Rule~64ER20-39.$



Water Activity

PASSED

Analyte Water Activity	_	OD 0.1	Units aw	Result 0.56	P/F PASS	Action Level 0.65	
Analyzed by: 3404, 1879	Weight: NA		Extraction N/A	date:	Extracted by: N/A		
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA-	46629WAT 028 Rotronic Hyg	ıropa	lm	Reviewed O Batch Date			
Running on: 07/09/22 Dilution: N/A	22:42:18						

Reagent: N/A
Consumables: N/A
Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/13/22