

DAVIE, FL, 33314, US

Kaycha Labs

Bubba Diagonal Pre-Roll 1X1g **Bubbs** Diagonal Matrix: Flower



PASSED

Sample:DA20708011-002 Harvest/Lot ID: 20220523-BUD-H Batch#: 1000026556 **Cultivation Facility: N/A Processing Facility : N/A** Seed to Sale# LFG-00000348 Batch Date: 07/07/22 Sample Size Received: 26 gram Total Batch Size: 848 gram Retail Product Size: 1.0 gram Ordered : 07/08/22 Sampled : 07/08/22 Completed: 07/13/22 Sampling Method: SOP.T.20.010.FL


Jul 13, 2022 | The Flowery

Certificate

of Analysis

Samples From: Homestead, FL, 33090, US

FLOWERY



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PILA Testing 97164

Signature

07/13/22



4131 SW 47th AVENUE SUITE DAVIE, FL, 33314, US Kaycha Labs

Bubba Diagonal Pre-Roll 1X1g Bubbs Diagonal Matrix : Flower



PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA20708011-002 Harvest/Lot ID: 20220523-BUD-H Batch# : 1000026556 Sam Sampled : 07/08/22 Tota Ordered : 07/08/22 Com

Sample Size Received : 26 gram Total Batch Size : 848 gram Completed : 07/13/22 Expires: 07/13/23 Sample Method : SOP.T.20.010

Page 2 of 5

TESTED

Ô

Terpenes

Terpenes	LOD (%)	mg/g	% Result (%)	Terpenes	LOD (%)	mg/g	%	Result (%)
OTAL TERPINEOL	0.007	0.58	0.058	GERANIOL	0.007	0.39	0.039	
AMPHENE	0.007	<0.2	<0.02	PULEGONE	0.007	ND	ND	
ETA-MYRCENE	0.007	<0.2	<0.02	ALPHA-CEDRENE	0.007	<0.2	<0.02	
3-CARENE	0.007	ND	ND	ALPHA-HUMULENE	0.007	0.98	0.098	
LPHA-PHELLANDRENE	0.007	ND	ND	TRANS-NEROLIDOL	0.007	ND	ND	
CIMENE	0.007	<0.2	<0.02	GUAIOL	0.007	ND	ND	
UCALYPTOL	0.007	ND	ND	Analyzed by: Weight:	Extr	action d	ate:	Extracted by:
NALOOL	0.007	2.35	0.235	3404, 2651 0.847g		L1/22 12	:19:49	2651
ENCHONE	0.007	0.22	0.022	Analysis Method : SOP.T.30.061A.F	L, SOP.T.40			
OPULEGOL	0.007	ND	ND	Analytical Batch : DA046672TER Instrument Used : DA-GCMS-006				07/12/22 09:11:13 07/10/22 21:57:29
SOBORNEOL	0.007	<0.2	<0.02	Running on : 07/11/22 08:22:31		Bat	th pate :	07/10/22 21:57:29
IEXAHYDROTHYMOL	0.007	<0.2	<0.02	Dilution : 10			$\Lambda \Lambda$	
EROL	0.007	ND	ND	Reagent: 032322.18				
ERANYL ACETATE	0.007	0.24	0.024	Consumables : 210414634; MKCNS	9995; CE123	; 14725	401	
ETA-CARYOPHYLLENE	0.007	2.54	0.254	Pipette : N/A				AAAA
ALENCENE	0.007	<0.2	<0.02	Terpenoid testing is performed utilizing	Gas Chroma	ography	Mass Spec	strometry.
IS-NEROLIDOL	0.007	ND	ND					
EDROL	0.007	ND	ND					
ARYOPHYLLENE OXIDE	0.007	0.27	0.027					
ARNESENE	0	0.13	0.013					
LPHA-BISABOLOL	0.007	0.99	0.099					
LPHA-PINENE	0.007	<0.2	<0.02					
ABINENE	0.007	<0.2	<0.02					
ETA-PINENE	0.007	0.22	0.022					
LPHA-TERPINENE	0.007	<0.2	<0.02					
IMONENE	0.007	0.85	0.085					
AMMA-TERPINENE	0.007	<0.2	<0.02					
ERPINOLENE	0.007	<0.2	<0.02					
ABINENE HYDRATE	0.007	ND	ND					
AMPHOR	0.013	ND	ND					
AMPHOR								

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

07/13/22

0/IEC on PJLA-Signature



Kaycha Labs

Bubba Diagonal Pre-Roll 1X1g **Bubbs Diagonal** Matrix : Flower

Units

maa

ppm

Action Level

0.1

0.1

3

01

01

0.1

0.5

02

0.1

0.1

0.1



PASSED

Certificate of Analysis

The Flowery

R

0

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20708011-002 Harvest/Lot ID: 20220523-BUD-H Batch# : 1000026556 Sampled : 07/08/22 Ordered : 07/08/22

Sample Size Received : 26 gram Total Batch Size : 848 gram Completed : 07/13/22 Expires: 07/13/23 Sample Method : SOP.T.20.010

Page 3 of 5

PASSED

ND

Pass/Fail Result

PASS

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	PACLOBUTRAZOL	0.01
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PHOSMET	0.01
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PIPERONYL BUTOXIDE	0.01
TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND	PRALLETHRIN	0.01
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND		0.01
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRETHRINS	0.01
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01
BIFENAZATE	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01
BOSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID	0.01
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND		
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)	* 0.01 0.01
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CAPTAN *	0.07
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORDANE *	0.01
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01
DIAZINON	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05
DICHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	3404, 585 0.9212g	07/11/22 1
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL, SOP.	T.30.102.FL, S
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA046680PES	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)	
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Running on :07/11/22 15:22:53 Dilution : 250	
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 071122.R01; 070522.R27; 070	622 B17. 0928
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02	022.1117, 0320
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219	
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatography Tri	ple-Quadrupole
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	64ER20-39.	
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3404, 585, 450 0.9212g	Extract 07/11/2
MALATHION	0.01	ppm	0.2	PASS	ND		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.060, SOP.T.4 Analytical Batch :DA046682VOL	10.060 Re
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-006	Ba
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A	
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 25	
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent: 071122.R01; 092820.59; 0630	
NALED	0.01	ppm	0.25	PASS	ND	Consumables : 6659831; 55447-U.11925	903
OXAMYL	0.01	ppm	0.5	PASS	ND	Pipette : DA-080; DA-146 Testing for agricultural agents is performed	
						Spectrometry and Gas Chromatography Tri 64ER20-39.	ple-Quadrupole

	0.01	ppm	0.1	PASS	ND	
	0.01	ppm	0.1	PASS	ND	
	0.01	ppm	0.5	PASS	ND	
N	0.01	ppm	0.1	PASS	ND	
TROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND	
HYL *	0.01	PPM	0.1	PASS	ND	
	0.07	PPM	0.7	PASS	ND	
	0.01	PPM	0.1	PASS	ND	
	0.01	PPM	0.1	PASS	ND	
	0.05	PPM	0.5	PASS	ND	
	0.05	PPM	0.5	PASS	ND	
Weight: 0.9212g	Extractio 07/11/22			Extract 585	ed by:	
SOP.T.30.101.FL, SOP.T.30	.102.FL, S	50P.T.30.1	51.FL, SOP.T	.40.101.FL, S	OP.T.40.102.F	L,
DA046680PES DA-LCMS-003 (PES) 1/22 15:22:53			d On :07/12/ ate :07/11/22	/22 13:40:30 2 09:34:26		
.R01; 070522.R27; 070622 ;76024-02 DA-094; DA-219	.R17; 092	820.59; 07	/1122.R08			
ural agents is performed utili Gas Chromatography Triple-C						

tion date: Extracted by: 22 15:01:41 Reviewed On :07/12/22 10:51:18 Batch Date :07/11/22 09:41:00 22.R17

id Chromatography Triple-Quadrupole Mass le Mass Spectrometry in accordance with F.S. Rule

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

07/13/22



DAVIE, FL, 33314, US

Kaycha Labs

Bubba Diagonal Pre-Roll 1X1g **Bubbs** Diagonal Matrix : Flower



PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20708011-002 Harvest/Lot ID: 20220523-BUD-H Batch# : 1000026556 Sampled : 07/08/22 Ordered : 07/08/22

Sample Size Received : 26 gram Total Batch Size : 848 gram Completed : 07/13/22 Expires: 07/13/23 Sample Method : SOP.T.20.010

Page 4 of 5

	Microb	ial			PASS	SED	တို့စ	Mycoto	xins			PAS	SEI
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Actio Level
ESCHERICHIA C	OLI SHIGELLA			Not Present	PASS		AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02
SPP				NUE	PACC		AFLATOXIN B		0.002	ppm	ND	PASS	0.02
SALMONELLA S				Not Present Not Present	PASS		OCHRATOXIN		0.002	ppm	ND	PASS	0.02
ASPERGILLUS F				Not Present	PASS		AFLATOXIN G		0.002	ppm	ND	PASS	0.02
ASPERGILLUS T				Not Present	PASS		AFLATOXIN G	12	0.002	ppm	ND	PASS	0.02
ASPERGILLUS N TOTAL YEAST A	IIGER	10	CFU/q	Not Present 70	PASS	100000	Analyzed by: 3404, 585, 53	Weight: g	Extraction date: 07/11/22 12:26:	28		Extracted	by:
Analyzed by: 3404, 3621, 3390, Analysis Method :	53 1	.9319g	Extraction d 07/09/22 14	1:27:19	Extracted 3621	·/_	Analytical Batch Instrument Use	d:SOP.T.30.101.FL, 5 h:DA046681MYC d:DA-LCMS-003 (MY 1/11/22 15:23:06	Revi	ewed On :	02.FL, SOP 07/12/22 7/11/22 09	13:40:45	L.FL
		55	,	045, 50F.1.40.0.	50B, 50F.1.4	40.036.FL	Dilution 1250						
SOP.T.40.208 Analytical Batch : Instrument Used : Running on : N/A			Review	ved On : 07/13/2 Date : 07/09/22	2 07:07:59	+0.056.FL	Consumables :	22.R01; 070522.R27; 6676024-02 3; DA-094; DA-219	070622.R17; 0928	320.59; 07	'1122.R08	H	
Analytical Batch : Instrument Used :	DA-265 Gene-U .R02		Review	ved On : 07/13/2	2 07:07:59	+0.056.FL	Reagent : 0711 Consumables : Pipette : DA-09 Mycotoxins testi	6676024-02	XX	\mathcal{N}	X	H	in
Analytical Batch : Instrument Used : Running on : N/A Dilution : 10 Reagent : 071122. Consumables : N/A	DA-265 Gene-U .R02 A	JP RTPCR	Review Batch	ved On : 07/13/2 Date : 07/09/22	2 07:07:59 08:23:01	1	Reagent : 0711 Consumables : Pipette : DA-09 Mycotoxins testi	6676024-02 3; DA-094; DA-219 ng utilizing Liquid Chrom	hatography with Triple	\mathcal{N}	le Mass Spe	H	H
Analytical Batch : Instrument Used : Running on : N/A Dilution : 10 Reagent : 071122. Consumables : N/A Pipette : N/A Microbial testing is p	DA-265 Gene-U .R02 A	JP RTPCR g various techn ce with F.S. Ru	Review Batch	ved On : 07/13/2 Date : 07/09/22 ding: PCR, RTPCR, I	2 07:07:59 08:23:01 MPN, and tradi	1	Reagent : 0711 Consumables : Pipette : DA-09 Mycotoxins testi accordance with	6676024-02 3; DA-094; DA-219 ng utilizing Liquid Chrom F.S. Rule 64ER20-39.	hatography with Triple	\mathcal{N}	le Mass Spe	ectrometry PAS	Н
Analytical Batch : Instrument Used : Running on : N/A Dilution : 10 Reagent : 071122 Consumables : N/A Pipette : N/A Microbial testing is p culture based techni Analyzed by: N/A Analysis Method :	DA-265 Gene-U R02 A erformed utilizing iques in accordand Weight: N/A SOP.T.40.041	JP RTPCR g various techn ce with F.S. Ru Extra	Review Batch lologies includ le 64ER20-39 ction date:	ved On : 07/13/2 Date : 07/09/22 ding: PCR, RTPCR, I Ext N/4	2 07:07:59 08:23:01 MPN, and tradi	litional	Reagent : 0711 Consumables : Pipette : DA-09 Mycotoxins testi accordance with	6676024-02 3; DA-094; DA-219 ng utilizing Liquid Chrom F.S. Rule 64ER20-39.	hatography with Triple	2-Quadrupo Units	le Mass Spe	PAS Pass / Fail	SE
Analytical Batch : Instrument Used : Running on : N/A Dilution : 10 Reagent : 071122 Consumables : N/A Pipette : N/A Microbial testing is p culture based techni Analyzed by: N/A Analysis Method : Analytical Batch :	DA-265 Gene-U .R02 A berformed utilizing iques in accordann Weight: N/A SOP.T.40.041 DA046648TYM	yp RTPCR g various techn ce with F.S. Ru Extra N/A	Review Batch Inologies includ Ie 64ER20-39 ction date: Rev	ved On : 07/13/2 Date : 07/09/22 ding: PCR, RTPCR, I Ext N/A riewed On : 07/1.	2 07:07:59 08:23:01 MPN, and tradi tracted by: A 2/22 15:00:5	litional	Reagent : 0711 Consumables : Pipette : DA-09 Mycotoxins testi accordance with Hg Metal ARSENIC	6676024-02 3; DA-094; DA-219 ng utilizing Liquid Chrom F.S. Rule 64ER20-39.	hatography with Triple	e-Quadrupo Units PPM	le Mass Spe Result ND	PAS Pass / Fail PASS	SE Actic Leve 0.2
Analytical Batch : Instrument Used : Running on : N/A Dilution : 10 Reagent : 071122 Consumables : N/A Pipette : N/A Microbial testing is p culture based techni Analyzed by: N/A Analyzis Method : Analytical Batch : Instrument Used :	DA-265 Gene-U .R02 A berformed utilizing iques in accordann Weight: N/A SOP.T.40.041 DA046648TYM	yp RTPCR g various techn ce with F.S. Ru Extra N/A	Review Batch Inologies includ Ie 64ER20-39 ction date: Rev	ved On : 07/13/2 Date : 07/09/22 ding: PCR, RTPCR, I Ext N/4	2 07:07:59 08:23:01 MPN, and tradi tracted by: A 2/22 15:00:5	litional	Reagent : 0711 Consumables : Pipette : DA-09 Mycotoxins testi accordance with IHg Metal ARSENIC CADMIUM	6676024-02 3; DA-094; DA-219 ng utilizing Liquid Chrom F.S. Rule 64ER20-39.	Aletals LoD 0.02 0.02	e-Quadrupo Units PPM PPM	le Mass Spe Result ND ND	PASS / Fail PASS PASS	SE Action Levee 0.2 0.2
Analytical Batch : Instrument Used : Running on : N/A Dilution : 10 Reagent : 071122 Consumables : N/A Pipette : N/A Microbial testing is p culture based techni Analyzed by: N/A Analytical Batch : Instrument Used : Running on : N/A	DA-265 Gene-U .R02 A berformed utilizing iques in accordann Weight: N/A SOP.T.40.041 DA046648TYM	yp RTPCR g various techn ce with F.S. Ru Extra N/A	Review Batch Inologies includ Ie 64ER20-39 ction date: Rev	ved On : 07/13/2 Date : 07/09/22 ding: PCR, RTPCR, I Ext N/A riewed On : 07/1.	2 07:07:59 08:23:01 MPN, and tradi tracted by: A 2/22 15:00:5	litional	Reagent : 0711 Consumables : Pipette : DA-09 Mycotoxins testi accordance with IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	6676024-02 3; DA-094; DA-219 ng utilizing Liquid Chrom F.S. Rule 64ER20-39.	Aetals LoD 0.02 0.02 0.02	PPM PPM PPM	Result ND ND ND	Pass / Fail PASS PASS PASS PASS	SE Actic Leve 0.2 0.2 0.2 0.2
Analytical Batch : Instrument Used : Running on : N/A Dilution : 10 Reagent : 071122 Consumables : N/A Pipette : N/A Microbial testing is p culture based techni Analyzed by: N/A Analysis Method : Analytical Batch : Instrument Used : Running on : N/A Dilution : 10 Bilution : 053122 Consumables : 000	DA-265 Gene-U .R02 A berformed utilizing iques in accordann N/A SOP.T.40.041 DA046648TYM Incubator (25-2 .31; 060622.R29	JP RTPCR g various techn ce with F.S. Ru Extra N/A 27C) DA-097	Review Batch ologies incluc le 64ER20-39 ction date: Rev Bat	ved On : 07/13/2 Date : 07/09/22 ding: PCR, RTPCR, I Ext N/A riewed On : 07/1.	2 07:07:59 08:23:01 MPN, and tradi tracted by: A 2/22 15:00:5	litional	Reagent : 0711 Consumables : Pipette : DA-09 Mycotoxins testi accordance with IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	6676024-02 3; DA-094; DA-219 ng utilizing Liquid Chrom F.S. Rule 64ER20-39. Heavy N	LOD 0.02 0.02 0.02 0.05 Extraction dat	e-Quadrupo Units PPM PPM PPM PPM PPM	Result ND ND ND ND	PASS / Fail PASS PASS PASS PASS PASS PASS PASS PAS	SE Action Levee 0.2 0.2 0.2 0.2 0.5
Analytical Batch : Instrument Used : Running on : N/A Dilution : 10 Reagent : 071122. Consumables : N/A Pipette : N/A Microbial testing is p culture based techni Analyzed by: N/A Analysis Method : Analytical Batch : Instrument Used : Running on : N/A Dilution : 10 Reagent : 053122.	DA-265 Gene-U .R02 A berformed utilizing iques in accordann N/A SOP.T.40.041 DA046648TYM Incubator (25-2 .31; 060622.R29	JP RTPCR g various techn ce with F.S. Ru Extra N/A 27C) DA-097	Review Batch ologies incluc le 64ER20-39 ction date: Rev Bat	ved On : 07/13/2 Date : 07/09/22 ding: PCR, RTPCR, I Ext N/A riewed On : 07/1.	2 07:07:59 08:23:01 MPN, and tradi tracted by: A 2/22 15:00:5	litional	Reagent : 0711 Consumables : Pipette : DA-09 Mycotoxins testi accordance with IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	6676024-02 3; DA-094; DA-219 ng utilizing Liquid Chrom F.S. Rule 64ER20-39.	LOD 0.02 0.02 0.02 0.02 0.05 Extraction dai 07/11/22 11:2	e-Quadrupo Units PPM PPM PPM PPM PPM te: 22:52	Result ND ND ND	Pass / Fail PASS PASS PASS PASS PASS PASS Extracted 1022	SE Activ Leve 0.2 0.2 0.2 0.2 0.5 by :

Dilution: 100

Signature

Reagent : 062322.R23; 061622.R29; 070822.R09; 063022.R07; 070822.R10; 070822.R08; 061622.R30; 061622.R31; 071122.R05 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

07/13/22

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

kaycha [°]
4131 SW 47th AVENUE SUITE 1408

4131 SW 4/th AVENUE S

DAVIE, FL, 33314, US

Kaycha Labs

Bubba Diagonal Pre-Roll 1X1g Bubbs Diagonal Matrix : Flower



PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

Filth/Foreign

Material

Sample : DA20708011-002 Harvest/Lot ID: 20220523-BUD-H Batch# : 1000026556 Sam Sampled : 07/08/22 Tota Ordered : 07/08/22 Com

Sample Size Received : 26 gram Total Batch Size : 848 gram Completed : 07/13/22 Expires: 07/13/23 Sample Method : SOP.T.20.010





ΡΑ	SS	Ē	D
	24	-	

Page 5 of 5

Analyte Filth and Foreig	n Material	LOD 1	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 3404, 1879	Weight: NA		Extraction N/A	date:	Extra N/A	cted by:
Analysis Method : Analytical Batch : Instrument Used : Running on : 07/09	DA046623FIL Filth/Foreign Mate					0/22 15:27:04 22 12:00:36
Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign ma	terial inspection is p			spection utiliz	ing naked ey	ve and microscope
technologies in acco	Water A		-	4	PA	SSED
Analyte Water Activity		LOD 0.1	Units aw	Result 0.498	P/F PASS	Action Level 0.65
Analyzed by:	Weight:		Extraction	date:	Extra	cted by:

Analyte Moisture Conten	t	LOD 1	Units %	Result 9.72	P/F PASS	Action Leve
Analyzed by: 3404, 1879	Weight: 0.505g		action date 1/22 00:32		Ext 187	racted by: '9
Analysis Method : S Analytical Batch : D Instrument Used : [Running on : 07/11,	0A046622MOI DA-003 Moisture	e Analyzer		Reviewed Or Batch Date :		
Dilution : N/A Reagent : N/A	14	Π	m	M	111	M

Analyte Water Activity LOD 0.1 Units aw Result 0.498 P/F PASS Action Lev 0.65 Analyzed by: 3404, 1879 Weight: NA Extraction date: N/A Extracted by: N/A Analytical Batch : DA046629WAT Instrument Used : DA-028 Rotronic Hygropalm Running on : 07/09/22 22:42:18 Reviewed On : 07/11/22 00:28:15 Batch Date : 07/09/22 12:07:40 Dilution : N/A Reagent : N/A Consumables : N/A Hereit is the second secon

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/13/22