

# Certificate of Analysis

Jul 18, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

**#FLOWERY** 

### **Kaycha Labs**

Runtz 3.5g Runtz Matrix: Flower



Sample: DA20714009-001 Harvest/Lot ID: 20220607-PGR-H

> Batch#: 1000026782 Cultivation Facility: N/A Processing Facility: N/A Seed to Sale# LFG-00000354

Batch Date: 07/14/22

Sample Size Received: 31.5 gram Total Batch Size: 647 units

> Retail Product Size: 3.5 gram Ordered: 07/14/22 Sampled: 07/14/22

Completed: 07/18/22

Sampling Method: SOP.T.20.010.FL

PASSED

Page 1 of 5

PRODUCT IMAGE

SAFETY RESULTS





Pesticides

PASSED



Heavy Metals

**PASSED** 



Microbials

PASSED



PASSED



Residuals Solvents



Filth

PASSED





PASSED

THCV

ND

ND

0.001



PASSED



**PASSED** 

CBC

0.125

4.375

0.001

%

MISC.

FL OW



**Total THC** 

26.454%

1018.92

0.001



CBDA

0.119

4.165

0.001

%

D8-THC

0.071

2,485

0.001

%

**Total CBD** 0.104% Total CBD/Container: 3.64 mg

CBG

0.178

6.23

0.001

%



CBN

ND

ND

%

0.001

**Total Cannabinoids** 30.827%

CBDV

ND

ND

0/0

0.001

Total Cannabinoids/Container: 1078.945

D9-THC CBD THCA 0.923 29.112 ND

3404, 207	6, 3421, 1665
Analysis M	Method: SOP.T.40.031, SOP.T.30.031
Analytical	Batch: DA046901POT
Instrumer	t Used : DA-LC-002 (Flower)

32,305

0.001

Running on: 07/15/22 15:36:20

mg/unit

LOD

Dilution: 400
Reagent: 070722.R25; 071222.01; 070722.R23
Consumables: 239146; 280670723; CE0123; R1KB45277

Pipette: DA-092; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

ND

%

0.001

Reviewed On: 07/16/22 13:31:41 Batch Date: 07/15/22 08:31:14

CBGA

0.299

10.465

0.001



ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



07/18/22



#### **Kaycha Labs**

Runtz 3.5g Runtz Matrix: Flower



## PASSED

## **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20714009-001 Harvest/Lot ID: 20220607-PGR-H

Batch#: 1000026782 Sampled: 07/14/22 Ordered: 07/14/22

Sample Size Received: 31.5 gram Total Batch Size: 647 units Completed: 07/18/22 Expires: 07/18/23


Sample Method: SOP.T.20.010

Page 2 of 5



## **Terpenes**

**TESTED** 



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/18/22



#### **Kaycha Labs**

Runtz 3.5g Runtz Matrix : Flower



## **Certificate of Analysis**

Sample : DA20714009-001 Harvest/Lot ID: 20220607-PGR-H

Batch#: 1000026782 Sampled: 07/14/22 Ordered: 07/14/22

Sample Size Received: 31.5 gram Total Batch Size: 647 units Completed: 07/18/22 Expires: 07/18/23 Sample Method: SOP.T.20.010

**PASSED** 

Page 3 of 5



The Flowery Samples From:

Homestead, FL, 33090, US

**Telephone:** (321) 266-2467

Email: osivan@moozacapital.com

#### **Pesticides**

### **PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	PPM	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	mag	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND			1.1.		PASS	ND
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1		
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRETHRINS	0.01	ppm	0.5	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
OXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
SCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND		0.01		0.1	PASS	ND
ILORANTRANILIPROLE	0.01	ppm	1	PASS	ND	TRIFLOXYSTROBIN		ppm			
ILORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
METHOATE	0.01	ppm	0.1	PASS	ND			n deter	/	Fisher stars	
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3404, 585 0.9513q	Extraction 07/15/22			585	by:
OFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL, SOP.T			1 FL SOPT 4		T 40 10
OXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL	.50.102.11 L, 2	001.11.50.15	1.1 L, 301.11.4	0.101.1 L, 501	.1.40.10
NHEXAMID	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA046917PES		Reviewed	I On: 07/18/2	2 11:46:56	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Da	te:07/15/22	10:58:03	
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Running on : 07/15/22 14:52:11					
PRONIL	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ONICAMID	0.01	ppm	0.1	PASS	ND	Reagent: 071122.R08; 071222.R23; 0705 Consumables: 6676024-02	22.R27; 071	322.R01; 0	92820.59		
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
XYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	ıtilizina Liquia	Chromator	ranhy Trinle-(	Quadrupole Ma	ss
AZALIL	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatography Tripl					
IDACLOPRID	0.01	ppm	0.4	PASS	ND	64ER20-39.	1/	\ /	\ \ /		
ESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracte	d by:
LATHION	0.01	ppm	0.2	PASS	ND	<b>3404, 585, 450</b> 0.9513g		22 14:51:03		585	
TALAXYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.060, SOP.T.40			07/10/22 1	0.11.04	
THIOCARB	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA046919VOL Instrument Used : DA-GCMS-006			n:07/18/22 1:07/15/22 10:		
THOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A	В	attn Date	07/13/22 10:	39.34	
VINPHOS	0.01	ppm	0.1	PASS	ND	Dilution: 25					
CLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent: 071222.R23; 092820.59; 06302	2.R27; 0630	22.R28			
LED	0.01	ppm	0.25	PASS	ND	Consumables: 6676024-02; 55447-U.119					
AMYL	0.01	ppm	0.5	PASS	ND	<b>Pipette :</b> DA-080; DA-146					
						Testing for agricultural agents is performed u Spectrometry and Gas Chromatography Tripl 64ER20-39.					

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/18/22



**Kaycha Labs** 

Runtz 3.50 Runtz

Matrix: Flower



## **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

**DAVIE, FL, 33314, US** 

Sample : DA20714009-001 Harvest/Lot ID: 20220607-PGR-H

Batch#: 1000026782 Sampled: 07/14/22 Ordered: 07/14/22

Reviewed On: 07/18/22 14:55:03

Batch Date: 07/15/22 08:56:49

Sample Size Received: 31.5 gram Total Batch Size: 647 units Completed: 07/18/22 Expires: 07/18/23 Sample Method: SOP.T.20.010

Page 4 of 5



#### Microbial

#### **PASSED**



### Mycotoxins

#### **PASSED**

Action Level

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	4000	PASS	100000
	eight: 0193g	<b>Extraction</b> d 07/15/22 15		Extracte 3336	d by:

Analysis Method: SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL

Analytical Batch : DA046906MIC Instrument Used: DA-265 Gene-UP RTPCR

Running on :  $\mathbb{N}/\mathbb{A}$ 

Dilution: 10

Reagent: 071122.R02; 032922.12; 091621.07

Consumables: N/A

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39..

Analyzed by: N/A	Weight: N/A	Extraction date: N/A	Extracted by: N/A				
Analysis Method : 9	SOP.T.40.041						
Analytical Batch:	A046945TYM	Reviewed On: 07/18/22 15:06:35					
Instrument Used :	V/A	Batch Date: 07/15/22 16:05:14					
Running on : $N/A$							

**Dilution:** 10 **Reagent:** 071122.R02; 032922.12; 091621.07

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

<i>Y</i> ,	MyCocoxiiis	)			FAS
alyte		LOD	Units	Result	Pass / Fail
ATOXIN	B2	0.002	ppm	ND	PASS
ATOXIN	B1	0.002	ppm	ND	PASS

Analyzed by: 3404, 585, 53	<b>Weight:</b> g	Extraction date: 07/15/22 14:47:	00		Extracted 585	by:
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02

Analysis Method: SOP.T.30.101.FL. SOP.T.40.101.FL. SOP.T.30.102.FL. SOP.T.40.102.FL Analytical Batch: DA046918MYC
Instrument Used: DA-LCMS-003 (MYC)
Running on: 07/15/22 14:52:28 Reviewed On: 07/18/22 11:47:22 Batch Date: 07/15/22 10:59:50

Reagent: 071122.R08; 071222.R23; 070522.R27; 071322.R01; 092820.59 Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## **Heavy Metals**

### **PASSED**

Metal		LOD	Units	Result	Pass / Fail	Action Level
ARSENIC		0.02	PPM	ND	PASS	0.2
CADMIUM		0.02	PPM	ND	PASS	0.2
MERCURY		0.02	PPM	ND	PASS	0.2
LEAD		0.05	PPM	ND	PASS	0.5
Analyzed by: 3404, 1022, 3605, 53	<b>Weight:</b> 0.2507g	Extraction date: 07/15/22 10:00:36		$\bigvee$	Extracte 3605	ed by:
Analysis Mathed , COD T 2	0 001 EL CORT :	20 002 EL C	OR T 40 0	D1 EL COD	T 40 00	) EI

Analytical Batch: DA046907HEA Reviewed On: 07/18/22 15:00:20 Instrument Used: DA-ICPMS-003 Running on: 07/15/22 14:42:50 Batch Date: 07/15/22 09:28:08

Dilution: 100

Reagent: 062322.R23; 061622.R29; 071122.R05; 071522.R05; 071122.R12; 071522.R03; 071522.R04; 061622.R30; 061622.R31

Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



07/18/22



#### **Kaycha Labs**

Runtz 3.5c Runtz Matrix: Flower



## **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20714009-001 Harvest/Lot ID: 20220607-PGR-H

Batch#: 1000026782 Sampled: 07/14/22 Ordered: 07/14/22

Sample Size Received: 31.5 gram Total Batch Size: 647 units Completed: 07/18/22 Expires: 07/18/23 Sample Method: SOP.T.20.010

Page 5 of 5



#### Filth/Foreign Material

## **PASSED**



#### Moisture



Analyte Filth and Foreign Material	LOD 1	Units %	<b>Result</b> ND	P/F PASS	Action Level 5	Analyte Moisture Conter	nt		LOD 1	Units %	Result 11.85	P/F PASS	Action Level 15
Analyzed by: Weight 3404, 1879 NA		Extraction da N/A	ate:	Extrac N/A	ted by:	Analyzed by: 3404, 2926		Weight: 0.499g		action date .5/22 13:44		<b>Ext</b> 292	racted by: 26
$ \begin{array}{llllllllllllllllllllllllllllllllllll$					Analysis Method : SOP.T.40.021 Analytical Batch : DA046923MOI Reviewed On : 07/15/22 13:47:35 Instrument Used : DA-003 Moisture Analyzer Running on : 07/15/22 13:45:30  Reviewed On : 07/15/22 13:47:35 Batch Date : 07/15/22 11:02:30								
Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A						Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A							

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



### **Water Activity**

## **PASSED**

Analyte Water Activity	_	<b>OD</b>	<b>Units</b> aw	Result 0.521	P/F PASS	Action 0.65	n Level
Analyzed by: 3404, 2926	Weight: NA		Extraction N/A	date:	Extra N/A		
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA- Running on : 07/15/22	46911WAT 028 Rotronic Hyg	ropa	lm	Reviewed O Batch Date			18
Dilution : N/A							

Reagent: N/A Consumables: N/A Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/18/22