

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Kaycha Labs

710 Labs GMO X Grape Topanga x Z Cake #9!Live Rosin 710Labs GMO X Grape Topanga x Z Cake #9 Matrix: Derivative





Sample: DA20630009-012 Harvest/Lot ID: 20220525-710GGZ9-H

Batch#: 1000025657 Cultivation Facility: N/A

Processing Facility: N/A Seed to Sale# LFG-00000328

Batch Date: 06/27/22 Sample Size Received: 16 gram

Total Batch Size: 821 gram Retail Product Size: 1 gram

Ordered: 06/30/22 Sampled: 06/30/22 Completed: 07/05/22

Sampling Method: SOP.T.20.010.FL

PASSED

Page 1 of 6

Jul 05, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

#FLOWERY

PRODUCT IMAGE

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials PASSED



PASSED



PASSED



PASSED



Water Activity PASSED



Moisture



MISC.

TESTED

PASSED



Cannabinoid

Total THC




Total CBD 0.25%

Total CBD/Container: 2.5 mg



Total Cannabinoids

Total Cannabinoids/Container: 895.67



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA046245POT Instrument Used : DA-LC-003 (Derivatives)

Running on: 07/01/22 13:51:22

Dilution: 400
Reagent: 062822.R25; 070621.18; 062822.R26
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-092; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

Reviewed On: 07/02/22 11:20:09 Batch Date: 07/01/22 08:30:51

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



07/05/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

710 Labs GMO X Grape Topanga x Z Cake #9!Live Rosin 710Labs GMO X Grape Topanga x Z Cake #9

Matrix : Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20630009-012

Harvest/Lot ID: 20220525-710GGZ9-H

Batch#:1000025657 Sampled: 06/30/22 Ordered: 06/30/22

Sample Size Received: 16 gram Total Batch Size: 821 gram

Completed: 07/05/22 Expires: 07/05/23


Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

Testing 97164

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Signature





Kaycha Labs

710 Labs GMO X Grape Topanga x Z Cake #9!Live Rosin 710Labs GMO X Grape Topanga x Z Cake #9

Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20630009-012

Harvest/Lot ID: 20220525-710GGZ9-H

Batch#: 1000025657 Sampled: 06/30/22 Ordered: 06/30/22

Sample Size Received: 16 gram Total Batch Size: 821 gram Completed: 07/05/22 Expires: 07/05/23 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

ND ND ND ND ND ND ND ND						
ACEPHATE	Pesticide	LOD	Units	Level	Pass/Fail	Res
ACEQUINOCYL ACETAMIPRID ACETAMIPRID ACETAMIPRID ACETAMIPRID ACETAMIPRID ACIDARB ACIDCARB ACOXYSTROBIN O.01 ppm 0.1 PASS ND AZOXYSTROBIN O.01 ppm 0.1 PASS ND BIFENAZATE O.01 ppm 0.1 PASS ND BOSCALID O.01 PPM 0.1 PASS ND CARBARYL O.01 ppm 0.5 PASS ND CARBARYL O.01 ppm 0.5 PASS ND CARBARYL O.01 ppm 0.1 PASS ND CARBARYL O.01 ppm 0.1 PASS ND CHLORANTRANILIPROLE O.01 ppm 1 PASS ND CHLORANTRANILIPROLE O.01 ppm 0.1 PASS ND CHLORANTRANILIPROLE O.01 ppm 0.1 PASS ND CLOFENTEZINE O.01 ppm 0.1 PASS ND DAMINOZIDE O.01 ppm 0.1 PASS ND DAMINOZIDE O.01 ppm 0.1 PASS ND DIAZINON O.01 ppm 0.1 PASS ND DIAZINON O.01 ppm 0.1 PASS ND DIMETHOATE O.01 ppm 0.1 PASS ND DIMETHOATE O.01 ppm 0.1 PASS ND ETTOFENPROX O.01 ppm 0.1 PASS ND FENDENCALE O.01 ppm	ABAMECTIN B1A	0.01	ppm			
ACETAMIPRID 0.01 ppm 0.1 PASS ND	ACEPHATE	0.01	ppm	0.1	PASS	ND
ALDICARB ALDICARB AZOXYSTROBIN DIFEMAZATE DIFEMAZAZOLE DIFEMA	ACEQUINOCYL	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN BIFENAZATE BIFENAZATE DIFENAZATE DIFE	ACETAMIPRID	0.01	ppm	0.1	PASS	ND
BIFENAZATE	ALDICARB	0.01	ppm	0.1	PASS	ND
BIFENTHRIN 0.01 ppm 0.1 PASS ND	AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND
BOSCALID	BIFENAZATE	0.01	ppm	0.1	PASS	ND
CARBARYL 0.01 ppm 0.5 PASS ND CABBOFURAN 0.01 ppm 0.1 PASS ND CHLORANTRANILIPROLE 0.01 ppm 1 PASS ND CHLORPRIFOS 0.01 ppm 1 PASS ND CLOFENTEZINE 0.01 ppm 0.1 PASS ND COUMAPHOS 0.01 ppm 0.1 PASS ND DAMINOZIDE 0.01 ppm 0.1 PASS ND DIAZINON 0.01 ppm 0.1 PASS ND DIMETHOATE 0.01 ppm 0.1 PASS ND ETOFENPROHOS 0.01 ppm 0.1 PASS ND ETOFENPROHOS 0.01 ppm 0.1 PASS ND ETOXAZOLE 0.01 ppm 0.1 PASS ND FENDEYROXIMATE 0.01 ppm 0.1 PASS ND FENDEYROXIMATE	BIFENTHRIN	0.01	ppm	0.1	PASS	ND
CARBOFURAN 0.01 ppm 0.1 PASS ND	BOSCALID	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE 0.01 ppm 1 PASS ND CHLORMEQUAT CHLORIDE 0.01 ppm 1 PASS ND CHLORPYRIFOS 0.01 ppm 0.1 PASS ND CCUGENTEZINE 0.01 ppm 0.1 PASS ND COUMAPHOS 0.01 ppm 0.1 PASS ND DAMINOZIDE 0.01 ppm 0.1 PASS ND DIAZINON 0.01 ppm 0.1 PASS ND DICHLORVOS 0.01 ppm 0.1 PASS ND DIMETHOATE 0.01 ppm 0.1 PASS ND ETHOPROPHOS 0.01 ppm 0.1 PASS ND ETHORACE 0.01 ppm 0.1 PASS ND FENDXAZOLE 0.01 ppm 0.1 PASS ND FENDXYCARB 0.01 ppm 0.1 PASS ND FENDXYCARB	CARBARYL	0.01	ppm	0.5	PASS	ND
CHLORMEQUAT CHLORIDE 0.01 ppm 1 PASS ND CHLORPYRIFOS 0.01 ppm 0.1 PASS ND CLOFENTEZINE 0.01 ppm 0.2 PASS ND COUMAPHOS 0.01 ppm 0.1 PASS ND DAMINOZIDE 0.01 ppm 0.1 PASS ND DICHLORVOS 0.01 ppm 0.1 PASS ND DIMETHOATE 0.01 ppm 0.1 PASS ND ETHOPROPHOS 0.01 ppm 0.1 PASS ND ETOXAZOLE 0.01 ppm 0.1 PASS ND FENDEXAZOLE 0.01 ppm 0.1 PASS ND FENDEXAZOLE 0.01 ppm 0.1 PASS ND FENDEXAZOLE 0.01 ppm 0.1 PASS ND FENDEXCARB 0.01 ppm 0.1 PASS ND FENDINGALIA	CARBOFURAN	0.01	ppm	0.1	PASS	ND
CHLORPYRIFOS 0.01 ppm 0.1 PASS ND CLOFENTEZINE 0.01 ppm 0.2 PASS ND COUMAPHOS 0.01 ppm 0.1 PASS ND DAMINOZIDE 0.01 ppm 0.1 PASS ND DIAZINON 0.01 ppm 0.1 PASS ND DIMETHOATE 0.01 ppm 0.1 PASS ND ETHOPROPHOS 0.01 ppm 0.1 PASS ND ETOFENPROX 0.01 ppm 0.1 PASS ND ETOXAZOLE 0.01 ppm 0.1 PASS ND FENDEYCARB 0.01 ppm 0.1 PASS ND FENDYCAGR 0.01	CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND
CHORPYRIFOS 0.01 ppm 0.1 PASS ND CLOFENTEZINE 0.01 ppm 0.2 PASS ND COUMAPHOS 0.01 ppm 0.1 PASS ND DAMINOZIDE 0.01 ppm 0.1 PASS ND DIAZINON 0.01 ppm 0.1 PASS ND DIMETHOATE 0.01 ppm 0.1 PASS ND ETHOPROPHOS 0.01 ppm 0.1 PASS ND ETOFENPROX 0.01 ppm 0.1 PASS ND ETOXAZOLE 0.01 ppm 0.1 PASS ND FENDEYCARB 0.01 ppm 0.1 PASS ND FENDYCAGRE 0.01 </td <td>CHLORMEOUAT CHLORIDE</td> <td>0.01</td> <td>ppm</td> <td>1</td> <td>PASS</td> <td>ND</td>	CHLORMEOUAT CHLORIDE	0.01	ppm	1	PASS	ND
COUMAPHOS 0.01 ppm 0.1 PASS ND		0.01	ppm	0.1	PASS	ND
COUMAPHOS 0.01 ppm 0.1 PASS ND	CLOFENTEZINE	0.01	ppm	0.2	PASS	ND
DAMINOZIDE					PASS	
DIAZINON 0.01 ppm 0.1 PASS ND					PASS	ND
DICHLORVOS 0.01 ppm 0.1 PASS ND						
DIMETHOATE 0.01 ppm 0.1 PASS ND						
ETHOPROPHOS 0.01 ppm 0.1 PASS ND ETOFENPROX 0.01 ppm 0.1 PASS ND PENDAZOLE 0.01 ppm 0.1 PASS ND PASS ND PENDAZOLE 0.01 ppm 0.1 PASS ND PASS ND PASS ND PASS ND PASS ND PENDAZOLE 0.01 ppm 0.1 PASS ND PASS ND PASS ND PENDAZOLE 0.01 ppm 0.1 PASS ND PASS ND PASS ND PASS ND PASS ND PENDAZOLE 0.01 ppm 0.1 PASS ND PAS						
ETOFENPROX 0.01 ppm 0.1 PASS ND ETOXAZOLE 0.01 ppm 0.1 PASS ND FENHEXAMID FENOXYCARB 0.01 ppm 0.1 PASS ND FENOYCARB 0.01 ppm 0.1 PASS ND FENPYROXIMATE 0.01 ppm 0.1 PASS ND FIPRONIL 0.01 ppm 0.1 PASS ND FLONICAMID 0.01 ppm 0.1 PASS ND FLONICAMID 0.01 ppm 0.1 PASS ND FLUDIOXONIL 0.01 ppm 0.1 PASS ND HEXYTHIAZOX 0.01 ppm 0.1 PASS ND HEXYTHIAZOX 0.01 ppm 0.1 PASS ND HEXYTHIAZOX 0.01 ppm 0.1 PASS ND KRESOXIM-METHYL 0.01 ppm 0.1 PASS ND KRESOXIM-METHYL 0.01 ppm 0.1 PASS ND MALATHION 0.01 ppm 0.1 PASS ND METALAXYL 0.01 ppm 0.1 PASS ND METHOCARB 0.01 ppm 0.1 PASS ND METHOMYL 0.01 ppm 0.1 PASS ND METHOCARB 0.01 ppm 0.1 PASS ND MCTIOBUTANIL 0.01 ppm 0.1 PASS ND MCTIOBUTANIL 0.01 ppm 0.1 PASS ND MYCLOBUTANIL 0.01 ppm 0.1 PASS ND MYCLOBUTANIL 0.01 ppm 0.5 PASS ND						
PASS ND PPM N.1 PASS ND						
FENHEXAMID 0.01 ppm 0.1 PASS ND						
FENOXYCARB 0.01 ppm 0.1 PASS ND						
FENPYROXIMATE 0.01 ppm 0.1 PASS ND						
FIPRONIL 0.01 ppm 0.1 PASS ND						
FLONICAMID 0.01 ppm 0.1 PASS ND FLUDIOXONIL 0.01 ppm 0.1 PASS ND MEXYTHIAZOX 0.01 ppm 0.1 PASS ND IMIDACLOPRID 0.01 ppm 0.4 PASS ND IMIDACLOPRID 0.01 ppm 0.4 PASS ND KRESOXIM-METHYL 0.01 ppm 0.1 PASS ND MALATHION 0.01 ppm 0.2 PASS ND METHALAYL 0.01 ppm 0.1 PASS ND METHOCARB 0.01 ppm 0.1 PASS ND METHOMYL 0.01 ppm 0.1 PASS ND MEVINPHOS 0.01 ppm 0.1 PASS ND MYCLOBUTANIL 0.01 ppm 0.25 PASS ND NALED 0.01 ppm 0.5 PASS ND OXAMYL 0.01 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
FLUDIOXONIL 0.01 ppm 0.1 PASS ND						
HEXYTHIAZOX 0.01 ppm 0.1 PASS ND						
MAZALIL 0.01 ppm 0.1 PASS ND						
IMIDACLOPRID 0.01 ppm 0.4 PASS ND						
ND ND ND ND ND ND ND ND			1.1			
MALATHION 0.01 ppm 0.2 PASS ND METALAXYL 0.01 ppm 0.1 PASS ND METHIOCARB 0.01 ppm 0.1 PASS ND METHOMYL 0.01 ppm 0.1 PASS ND MEVINPHOS 0.01 ppm 0.1 PASS ND MYCLOBUTANIL 0.01 ppm 0.25 PASS ND NALED 0.01 ppm 0.5 PASS ND OXAMYL 0.01 ppm 0.5 PASS ND PACLOBUTRAZOL 0.01 ppm 0.1 PASS ND PHOSMET 0.01 ppm 0.1 PASS ND PIPERONYL BUTOXIDE 0.01 ppm 3 PASS ND PRALLETHRIN 0.01 ppm 0.1 PASS ND						
METALAXYL 0.01 ppm 0.1 PASS ND METHIOCARB 0.01 ppm 0.1 PASS ND METHOMYL 0.01 ppm 0.1 PASS ND MEVINPHOS 0.01 ppm 0.1 PASS ND MYCLOBUTANIL 0.01 ppm 0.25 PASS ND NALED 0.01 ppm 0.5 PASS ND OXAMYL 0.01 ppm 0.5 PASS ND PACLOBUTRAZOL 0.01 ppm 0.1 PASS ND PHOSMET 0.01 ppm 0.1 PASS ND PIPERONYL BUTOXIDE 0.01 ppm 3 PASS ND PRALLETHRIN 0.01 ppm 0.1 PASS ND						
METHIOCARB 0.01 ppm 0.1 PASS ND						
METHOMYL 0.01 ppm 0.1 PASS ND MEVINPHOS 0.01 ppm 0.1 PASS ND MYCLOBUTANIL 0.01 ppm 0.1 PASS ND NALED 0.01 ppm 0.25 PASS ND OXAMYL 0.01 ppm 0.5 PASS ND PACLOBUTRAZOL 0.01 ppm 0.1 PASS ND PHOSMET 0.01 ppm 0.1 PASS ND PPRALLETHRIN 0.01 ppm 0.1 PASS ND PRALLETHRIN 0.01 ppm 0.1 PASS ND						
MEVINPHOS 0.01 ppm 0.1 PASS ND MYCLOBUTANIL 0.01 ppm 0.1 PASS ND NALED 0.01 ppm 0.25 PASS ND OXAMYL 0.01 ppm 0.5 PASS ND PACLOBUTRAZOL 0.01 ppm 0.1 PASS ND PHOSMET 0.01 ppm 0.1 PASS ND PIPERONYL BUTOXIDE 0.01 ppm 3 PASS ND PRALLETHRIN 0.01 ppm 0.1 PASS ND						
MYCLOBUTANIL 0.01 ppm 0.1 PASS ND NALED 0.01 ppm 0.25 PASS ND OXAMYL 0.01 ppm 0.5 PASS ND PACLOBUTRAZOL 0.01 ppm 0.1 PASS ND PHOSMET 0.01 ppm 0.1 PASS ND PIPERONYL BUTOXIDE 0.01 ppm 3 PASS ND PRALLETHRIN 0.01 ppm 0.1 PASS ND						
NALED 0.01 ppm 0.25 PASS ND OXAMYL 0.01 ppm 0.5 PASS ND PACLOBUTRAZOL 0.01 ppm 0.1 PASS ND PHOSMET 0.01 ppm 0.1 PASS ND PIPERONYL BUTOXIDE 0.01 ppm 3 PASS ND PRALLETHRIN 0.01 ppm 0.1 PASS ND						
OXAMYL 0.01 ppm 0.5 PASS ND PACLOBUTRAZOL 0.01 ppm 0.1 PASS ND PHOSMET 0.01 ppm 0.1 PASS ND PIPERONYL BUTOXIDE 0.01 ppm 3 PASS ND PRALLETHRIN 0.01 ppm 0.1 PASS ND	MYCLOBUTANIL					
PACLOBUTRAZOL 0.01 ppm 0.1 PASS ND PHOSMET 0.01 ppm 0.1 PASS ND PIPERONYL BUTOXIDE 0.01 ppm 3 PASS ND PRALLETHRIN 0.01 ppm 0.1 PASS ND	NALED		ppm			
PHOSMET 0.01 ppm 0.1 PASS ND PIPERONYL BUTOXIDE 0.01 ppm 3 PASS ND PRALLETHRIN 0.01 ppm 0.1 PASS ND	OXAMYL		ppm			
PIPERONYL BUTOXIDE 0.01 ppm 3 PASS ND ND PRALLETHRIN 0.01 ppm 0.1 PASS ND	PACLOBUTRAZOL		ppm			
PRALLETHRIN 0.01 ppm 0.1 PASS ND	PHOSMET	0.01	ppm	0.1	PASS	ND
	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
PROPICONAZOLE 0.01 ppm 0.1 PASS ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND

Pesticide	LOD	Units	Action Level	Pass/Fail	Result
PROPOXUR	0.01	ppm	0.1	PASS	ND
PYRETHRINS	0.01	ppm	0.5	PASS	ND
PYRIDABEN	0.01	ppm	0.2	PASS	ND
SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
SPIROXAMINE	0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
THIACLOPRID	0.01	ppm	0.1	PASS	ND
THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
PENTACHLORONITROBENZENE (PCNB)	* 0.01	PPM	0.15	PASS	ND
PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
Analyzed by: Weight 3404, 585, 450, 53 0.2835		action da 1/22 16:3		Extracte 450	ed by:
Analysis Method: SOP.T.30.101.FL, SOP.	T.30.102.FL, S	OP.T.30.1	51.FL, SOP.T.4	0.101.FL, SOP	.T.40.102.FL,

SOP T 40 151 FL

Analytical Batch : DA046261PES Instrument Used : DA-LCMS-003 (PES)

Reviewed On: 07/04/22 11:22:05 Batch Date: 07/01/22 10:30:53

Running on: 07/01/22 16:24:27

Dilution: 250

Reagent: 062722.R01; 062422.R18; 061422.R21; 062922.R01; 092820.59

Consumables: 6645562

Pipette: N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: Extraction date: Weight: Extracted by: N/A N/A N/A Analysis Method: SOP.T.30.060, SOP.T.40.060 Analytical Batch : DA046263VOL Instrument Used : DA-GCMS-006 **Reviewed On :**07/04/22 11:11:32 **Batch Date :**07/01/22 10:33:20

Running on : N/A

Dilution: 25
Reagent: 062722.R01; 062422.R18; 061422.R21; 062922.R01; 092820.59

Consumables: 6645562 Pipette: N/A

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/05/22



Kaycha Labs

710 Labs GMO X Grape Topanga x Z Cake #9!Live Rosin 710Labs GMO X Grape Topanga x Z Cake #9

Matrix : Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20630009-012

Harvest/Lot ID: 20220525-710GGZ9-H

Batch#: 1000025657 Sampled: 06/30/22 Ordered: 06/30/22

Sample Size Received: 16 gram Total Batch Size: 821 gram Completed: 07/05/22 Expires: 07/05/23 Sample Method: SOP.T.20.010

Reviewed On: 07/05/22 07:24:37 Batch Date: 07/01/22 16:28:00

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Weight: Extraction date: Analyzed by:

Analysis Method: SOP.T.40.041.FL Analytical Batch : DA046296SOL Instrument Used : DA-GCMS-003 Running on: 07/05/22 06:53:53

Dilution: 1 Reagent: 030420.09 Consumables : R2017.120; KF140

Pipette: N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/05/22



Kaycha Labs

710 Labs GMO X Grape Topanga x Z Cake #9!Live Rosin 710Labs GMO X Grape Topanga x Z Cake #9

Matrix : Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20630009-012

Harvest/Lot ID: 20220525-710GGZ9-H

Batch#: 1000025657 Sampled: 06/30/22 Ordered: 06/30/22

Reviewed On: 07/05/22 11:35:32

Batch Date: 07/01/22 08:43:44

Sample Size Received: 16 gram Total Batch Size: 821 gram Completed: 07/05/22 Expires: 07/05/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGE SPP	LLA		Not Present	PASS	
SALMONELLA SPECIFIC G	ENE		Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS	5		Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3404, 3336, 2682, 53	Weight:	Extraction		Extracte	d by:
3404, 3330, 2082, 53	1.0285g	07/02/22 0	8:05:00	3336	

Analysis Method: SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL

Analytical Batch : DA046246MIC Instrument Used: PathogenDx Scanner DA-111

Running on : \mathbb{N}/\mathbb{A}

Dilution: N/A Reagent: 053122.23; 060622.R29; 021921.29

Consumables: N/A

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39...

Analyzed by: N/A	Weight: N/A	Extraction date: N/A	Extracted by: N/A		
N/A	IN/A	IV/A	N/A		
Analysis Method : S	5OP.T.40.041				
Analytical Batch:	DA046304TYM	Reviewe	ed On: 07/04/22 09:16:54		
Instrument Used:	Incubator (25-27C) DA-097 Batch D	Batch Date: 07/02/22 08:05:30		
Punning on : N/A					

Dilution: 10

Reagent: 053122.23; 060622.R29; 021921.29

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

ွ ိ့	Mycotoxin

M	yc	oto	ixc	ns

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3404, 585, 450, 53	Weight: 0.2835g	Extraction 07/01/22 1		1000	Extracte 450	d by:

Analysis Method: SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch: DA046262MYC
Instrument Used: DA-LCMS-003 (MYC)
Running on: 07/01/22 16:24:38 Reviewed On: 07/04/22 11:22:02 Batch Date: 07/01/22 10:33:16

Reagent: aflatoxin_g2; aflatoxin_g1; aflatoxin_b2; aflatoxin_b1 Consumables: 0.02; 0.02; 0.02; 0.02

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
ARSENIC		0.02	PPM	ND	PASS	0.2
CADMIUM		0.02	PPM	ND	PASS	0.2
MERCURY		0.02	PPM	ND	PASS	0.2
LEAD		0.05	PPM	ND	PASS	0.5
Analyzed by: 3404, 3357, 1022, 53	Weight: 0.2975g	Extraction 07/01/22	on date: 2 12:24:20	\bigvee	Extracte 3357	ed by:

Analysis Method: SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch: DA046252HEA Reviewed On: 07/04/22 09:26:09 Instrument Used: DA-ICPMS-003 Running on: 07/01/22 15:55:18 Batch Date: 07/01/22 09:09:32

Dilution: 100

Reagent: 062322.R23; 061622.R29; 063022.R08; 062822.R03; 062822.R01; 062822.R02;

063022.R07

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



07/05/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

710 Labs GMO X Grape Topanga x Z Cake #9!Live Rosin 710Labs GMO X Grape Topanga x Z Cake #9

Matrix : Derivative



Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20630009-012

Harvest/Lot ID: 20220525-710GGZ9-H

Batch#: 1000025657 Sampled: 06/30/22 Ordered: 06/30/22

Sample Size Received: 16 gram Total Batch Size: 821 gram Completed: 07/05/22 Expires: 07/05/23

Sample Method: SOP.T.20.010

Page 6 of 6

PASSED



Filth/Foreign **Material**

PASSED

LOD Units Analyte Result P/F Action Level Filth and Foreign Material % ND PASS 5 **Extraction date:** Extracted by: NA N/A

Analysis Method: SOP.T.30.074, SOP.T.40.074

Analytical Batch: DA046272FIL Instrument Used: Filth/Foreign Material Microscope

Reviewed On: 07/01/22 14:48:45 **Batch Date:** 07/01/22 11:17:30 Running on: 07/01/22 14:20:57

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 07/03/22 16:25:12

Batch Date: 07/01/22 11:17:16

Analyte		LOD	Units	Result	P/F	Action Leve
Water Activity		0.1	aw	0.482	PASS	0.85
Analyzed by: 3404, 1879	Weight: NA		Extraction N/A	date:	Extra N/A	cted by:
Analysis Method : SOE	T 40 019					

Analytical Batch : DA046271WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : $07/01/22\ 14:52:11$

Dilution : N/A Reagent : N/A Consumables : N/A Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/05/22