

Certificate

of Analysis

DAVIE, FL, 33314, US

Kaycha Labs

710 Labs 710 Chem Water Hash 710 Labs 710 Chem Matrix: Derivative



PASSED


Page 1 of 6

Sample:DA20720001-006 Harvest/Lot ID: 20220523-7107C-H Batch#: 1000027560 Cultivation Facility: N/A Processing Facility : N/A Seed to Sale# LFG-00000371 Batch Date: 07/18/22 Sample Size Received: 16 gram Total Batch Size: 286 units Retail Product Size: 1 gram Ordered : 07/19/22 Sampled : 07/19/22 Completed: 07/22/22 Sampling Method: SOP.T.20.010

Jul 22, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

FLOWERY



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/22/22



710 Labs 710 Chem Water Hash 710 Labs 710 Chem Matrix : Derivative



PASSED

TESTED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20720001-006 Harvest/Lot ID: 20220523-7107C-H Batch# :1000027560 Sample Sampled : 07/19/22 Total Ordered : 07/19/22 Compl

.07C-H Sample Size Received : 16 gram Total Batch Size : 286 units Completed : 07/22/22 Expires: 07/22/23 Sample Method : SOP.T.20.010

Page 2 of 6

\bigcirc

Terpenes

Terpenes	LOD (%)	mg/unit	t % Result (%)	Terpenes	LOD mg/unit % (%)	Result (%)
TOTAL TERPINEOL	0.007	1.04	0.104	GERANIOL	0.007 <0.2 <0.02	
CAMPHENE	0.007	0.42	0.042	PULEGONE	0.007 ND ND	
BETA-MYRCENE	0.007	13.48	1.348	ALPHA-CEDRENE	0.007 ND ND	
-CARENE	0.007	ND	ND	ALPHA-HUMULENE	0.007 8.07 0.807	
ALPHA-PHELLANDRENE	0.007	ND	ND	TRANS-NEROLIDOL	0.007 1.25 0.125	
CIMENE	0.007	ND	ND	GUAIOL	0.007 <0.2 <0.02	
UCALYPTOL	0.007	ND	ND	Analyzed by: Weight:	Extraction date:	Extracted by:
INALOOL	0.007	ND	ND	3404, 2651 0.9767g	07/20/22 15:59:48	2651
ENCHONE	0.007	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A	A.FL	
SOPULEGOL	0.007	<0.2	<0.02	Analytical Batch : DA047110TER Instrument Used : DA-GCMS-001		: 07/21/22 16:23:22 7/20/22 08:06:36
SOBORNEOL	0.007	ND	ND	Running on : N/A	Batch Date : 0	//20/22 08:06:36
IEXAHYDROTHYMOL	0.007	ND	ND	Dilution : 10		
IEROL	0.007	ND	ND	Reagent : 032322.18		
GERANYL ACETATE	0.007	ND	ND	Consumables : 210414634; MKCN9995; CE0123		
ETA-CARYOPHYLLENE	0.007	29.82	2.982	Pipette : N/A		
ALENCENE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatograp	phy Mass Spectrometry.	
IS-NEROLIDOL	0.007	ND	ND			
EDROL	0.007	ND	ND			
ARYOPHYLLENE OXIDE	0.007	ND	ND			
ARNESENE	0	0.16	0.016			
LPHA-BISABOLOL	0.007	1.99	0.199			
LPHA-PINENE	0.007	2.14	0.214			
ABINENE	0.007	ND	ND			
ETA-PINENE	0.007	3.26	0.326			
LPHA-TERPINENE	0.007	ND	ND			
IMONENE	0.007	23.86	2.386			
AMMA-TERPINENE	0.007	ND	ND			
ERPINOLENE	0.007	0.26	0.026			
ABINENE HYDRATE	0.007	<0.2	<0.02			
CAMPHOR	0.013	ND	ND			
AMPHOR						

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, Oppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOO) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Signature

07/22/22

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

-



710 Labs 710 Chem Water Hash 710 Labs 710 Chem Matrix : Derivative



PASSED

PASSED

Page 3 of 6

Certificate of Analysis

The Flowery

0

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20720001-006 Harvest/Lot ID: 20220523-7107C-H Batch# : 1000027560 Sampled : 07/19/22 Ordered : 07/19/22

Sample Size Received : 16 gram Total Batch Size : 286 units Completed : 07/22/22 Expires: 07/22/23 Sample Method : SOP.T.20.010

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	20	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND					0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN		0.01	ppm			
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRETHRINS		0.01	ppm	0.5	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND			0.01		0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	THIACLOPRID			ppm			
CARBOFURAN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		0.01	PPM	0.15	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND			0.05	PPM	0.5	PASS	ND
DIMETHOATE	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *			<u> </u>	0.5		
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:				Extracte	cted by:	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	3404, 585	0.2325g	07/20/22			585	
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.	1.30.101.FL, SOP.T.	30.102.FL, S	OP.1.30.15	1.FL, SOP.1.4	10.101.FL, SOI	P.1.40.10.
FENHEXAMID	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL Analytical Batch : DA047127PES			Reviewer	d On :07/21/2	2 15.24.30	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :07/20/22 10:00:14				
FENDYROXIMATE	0.01	ppm	0.1	PASS	ND	Running on :07/20/22 16:44:09						
FIPRONIL	0.01	ppm	0.1	PASS	ND	Dilution : 250						
FLONICAMID	0.01	ppm	0.1	PASS	ND	Reagent: 071822.R01; 071222.R23; 0705		22.R27; 072	022.R01; 0	92820.59		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					A	
IMAZALIL	0.01	ppm	0.1	PASS	ND			d utilizing Liquid Chromatography Triple-Quadrupole Ma iple-Quadrupole Mass Spectrometry in accordance with				
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	64ER20-39.	fromatography inpie	2-Quadrupole	e Mass Spec	crometry in ac	cordance with	r.s. Kule
	0.01	ppm	0.4	PASS	ND	Analyzed by:	Weight:	Extract	tion date:		Extracte	d by:
KRESOXIM-METHYL			0.1	PASS	ND	3404, 585, 450	0.2325g		2 15:40:05	;	585	
MALATHION	0.01 0.01	ppm ppm	0.2	PASS	ND	Analysis Method : SOP.	T.30.060. SOP.T.40.	060				
METALAXYL			0.1	PASS	ND	Analytical Batch : DA04			eviewed O	n :07/22/22 1	L0:16:44	
METHIOCARB	0.01	ppm		PASS		Instrument Used : DA-G	GCMS-006	B	atch Date	:07/20/22 10	:02:31	
METHOMYL	0.01	ppm	0.1		ND	Running on : N/A						
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 25				00000 50		
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent: 071822.R01;		22.R27; 072	022.R01; 0	92820.59		
NALED	0.01	ppm	0.25	PASS	ND	Consumables : 667602 Pipette : DA-093; DA-09						
OXAMYL	0.01	ppm	0.5	PASS	ND	Testing for agricultural ag Spectrometry and Gas Ch	gents is performed u					

omatography Triple-Quadrupole Mass s Spectrometry in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/22/22



710 Labs 710 Chem Water Hash 710 Labs 710 Chem Matrix : Derivative



PASSED

PASSED

Certificate of Analysis

The Flowery

л

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20720001-006 Harvest/Lot ID: 20220523-7107C-H Batch# : 1000027560 Sampl Sampled : 07/19/22 Total Ordered : 07/19/22 Compl

Sample Size Received : 16 gram Total Batch Size : 286 units Completed : 07/22/22 Expires: 07/22/23 Sample Method : SOP.T.20.010

Page 4 of 6

Residual Solvents

25 500 75 50	ppm ppm ppm	250 5000	PASS	ND ND
75			PASS	ND
	ppm			
FO		750	PASS	ND
50	ppm	500	PASS	ND
75	ppm	750	PASS	ND
50	ppm	500	PASS	ND
6	ppm	60	PASS	<30
12.5	ppm	125	PASS	ND
25	ppm	250	PASS	ND
40		400	PASS	ND
0.1		1	PASS	ND
500		5000	PASS	ND
15		150	PASS	ND
15		150	PASS	ND
500		5000	PASS	ND
0.2		2	PASS	ND
500		5000	PASS	ND
0.2			PASS	ND
0.5			PASS	ND
		8	PASS	ND
2.5	ppm	25	PASS	ND
Weight: N/A	Extraction date: N/A		Extracted by: N/A	
			VV	MM
	50 6 12.5 25 40 0.1 500 15 15 500 0.2 500 0 500 0.2 500 0.2 500 0.2 500 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 0.2 500 500 0.2 500 500 0.2 500 500 500 500 500 500 500 500 500 50	50 ppm 6 ppm 12.5 ppm 25 ppm 40 ppm 0.1 ppm 500 ppm 15 ppm 500 ppm 15 ppm 500 ppm 0.2 ppm 500 ppm 0.2 ppm 0.5 ppm 0.5 ppm 0.8 ppm 2.5 ppm Keviewer	50 ppm 500 6 ppm 60 12.5 ppm 125 25 ppm 250 40 ppm 400 0.1 ppm 1 500 ppm 5000 15 ppm 150 500 ppm 5000 0.5 ppm 2 500 ppm 2 0.2 ppm 2 0.5 ppm 2 0.5 ppm 3 0.8 ppm 8 2.5 ppm 25	50 ppm 500 PASS 6 ppm 60 PASS 12.5 ppm 125 PASS 25 ppm 250 PASS 40 ppm 400 PASS 0.1 ppm 1 PASS 500 ppm 5000 PASS 500 ppm 5000 PASS 15 ppm 150 PASS 500 ppm 5000 PASS 500 ppm 5000 PASS 500 ppm 5000 PASS 500 ppm 2 PASS 500 ppm 2 PASS 0.2 ppm 2 PASS 0.5 ppm 5 PASS 0.8 ppm 8 PASS 2.5 ppm 25 PASS 0.8 ppm 8 PASS 2.5 ppm 25 N

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

07/22/22

n # ISO/IEC ditation PJLA-7164 Signature



..... 710 Labs 710 Chem Water Hash 710 Labs 710 Chem Matrix : Derivative



PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20720001-006 Harvest/Lot ID: 20220523-7107C-H Batch# : 1000027560 Sampled : 07/19/22 Ordered : 07/19/22

Sample Size Received : 16 gram Total Batch Size : 286 units Completed : 07/22/22 Expires: 07/22/23 Sample Method : SOP.T.20.010

Page 5 of 6

Ţ	Micro	bial			PAS	SED	ۍ پې	Мус	otox	ins			PAS	SED
Analyte		LC	D Unit	s Resul	lt Pass / Fail	Action	Analyte		3	LOD	Units	Result	Pass / Fail	Action
ESCHERICHI	A COLI SHIGELI	A		Not Pres			AFLATOXIN B	2		0.002	ppm	ND	PASS	0.02
SPP							AFLATOXIN B	1		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	NE		Not Pres	sent PASS		OCHRATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Pres	sent PASS		AFLATOXIN G	1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Pres	sent PASS		AFLATOXIN G			0.002	maa	ND	PASS	0.02
ASPERGILLU	S TERREUS			Not Pres	sent PASS		Aver barred barr		Malaka	Francistic of data			Future start	
ASPERGILLU	S NIGER			Not Pres	sent PASS		Analyzed by: 3404, 585, 2023		Weight:	Extraction dat 07/20/22 15:2			Extracted 585	i by:
TOTAL YEAS	T AND MOLD	1	0 CFU/	'g <10	PASS	100000			3					
Analyzed by: 3404, 2682, 33	336, 53	Weight: 1.1338g		2 12:32:19	Extracte 2682	•	Analysis Method Analytical Batch Instrument Used Running on : 07/	: DA04713 : DA-LCMS	0MYC -003 (MYC)	Revie	ewed On :	07/21/22 7/20/22 10	15:24:38	
Instrument Us Running on : M Dilution : N/A Reagent : 051 Consumables	922.29; 071122.1	Scanner DA-	-111 Ba	eviewed On : 07	2/22/22 08:27:34 20/22 08:09:32	4	Reagent : 07182 Consumables : 6 Pipette : DA-093 Mycotoxins testin accordance with	676024-02 3; DA-094; I ng utilizing Lio	DA-219 Juid Chromato	70522.R27; 0720	\mathcal{N}	Ŵ	H	in
) is performed utiliz chniques in accord				PCR, MPN, and tra	aditional	Нд	Hea	vy M	etals			PAS	SED
Analyzed by: 3404, 2682, 33	90, 53	Weight: 1.1338g	Extraction 07/20/22	on date: 2 12:32:19	Extracte 2682	ed by:	Metal	+	$\mid X \mid$	LOD	Units	Result	Pass /	Action
Analysis Meth	d : SOP.T.40.041	1				1	hietai			200	onnes	nesure	Fail	Level
	h : DA047160TY			Reviewed On :	07/22/22 14:29	:20	TOTAL CONTA	MINANT L	OAD META	LS 0.11	PPM	ND	PASS	1.1
	ed : Incubator (2	5-27C) DA-0	97	Batch Date: 07	7/20/22 12:45:1	.4	ARSENIC			0.02	PPM	ND	PASS	0.2
Running on : N	/A						CADMIUM			0.02	PPM	ND	PASS	0.2
Dilution : N/A							MERCURY			0.02	PPM	ND	PASS	0.2
	922.29; 071122.	R04; 052422	.04				LEAD			0.05	PPM	ND	PASS	0.5
Consumables Pipette : N/A	006107						Analyzed by: 3404, 1022, 360	5. 53	Weight 0.2704			V	Extracte 3605	ed by:
	mold testing is per I F.S. Rule 64ER20-		g MPN and t	raditional culture	based techniques	s in	Analysis Method Analytical Batch Instrument Used Running on : 07/	: SOP.T.30 : DA04712 : DA-ICPM	.081.FL, SOF 8HEA 5-003	P.T.30.082.FL, S(Reviewe	OP.T.40.0		P.T.40.082	2.FL
							Dilution : 100	1						t = t
							Reagent : 06232 071522.R25; 06 Consumables : 1 Pipette : DA-061	1622.R31 79436; 210			22.R05; (071522.R0	3; 07152	2.R04;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/22/22



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US

Kaycha Labs

710 Labs 710 Chem Water Hash 710 Labs 710 Chem Matrix : Derivative



PASSED

Page 6 of 6

Certificate of Analysis Sample : DA20720001-006

Harvest/Lot ID: 20220523-7107C-H

PASSED

Sample Size Received : 16 gram

Sample Method : SOP.T.20.010

Completed : 07/22/22 Expires: 07/22/23

Total Batch Size : 286 units

Batch# : 1000027560

Sampled : 07/19/22

Ordered : 07/19/22

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

> Filth/Foreign Material

LOD Units Analyte Result P/F Action Level **Filth and Foreign Material** % ND PASS 5 1 Analyzed by: 3404, 1879 Weight: Extraction date: Extracted by: NA N/A N/A Analysis Method : SOP.T.30.074, SOP.T.40.074 **Reviewed On :** 07/20/22 15:55:25 **Batch Date :** 07/20/22 11:13:50 Analytical Batch : DA047154FIL Instrument Used : Filth/Foreign Material Microscope Running on : 07/20/22 11:17:50 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. PASSED Water Activity LOD Units Analyte Result P/F Action Level Water Activity PASS 0.1aw 0.372 0.85 Analyzed by: 3404, 1879, 2926 Weight: NA Extraction date: Extracted by: N/A

N/A Analysis Method : SOP.T.40.019 Analytical Batch : DA047149WAT Reviewed On: 07/20/22 14:06:28 Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 07/20/22 11:05:34 Running on : 07/20/22 11:17:56 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

07/22/22

Signature