



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA20812009-001
Harvest/Lot ID: 20220623-G41-H
Batch#: 1000034714
Cultivation Facility: N/A
Processing Facility : N/A
Seed to Sale# LFG-00000487
Batch Date: 08/11/22
Sample Size Received: 26 gram
Total Batch Size: 546 units
Retail Product Size: 1 gram
Ordered : 08/12/22
Sampled : 08/12/22
Completed: 08/17/22
Sampling Method: SOP.T.20.010

Aug 17, 2022 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Page 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

25.185%

Total THC/Container : 251.85 mg



Total CBD

0.085%

Total CBD/Container : 0.85 mg



Total Cannabinoids

29.974%

Total Cannabinoids/Container : 299.74 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.302	27.233	ND	0.098	0.055	0.112	1.085	ND	ND	ND	0.089
mg/unit	13.02	272.33	ND	0.98	0.55	1.12	10.85	ND	ND	ND	0.89
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3404, 3112, 1665, 585

Weight:
0.1985g

Extraction date:
08/15/22 12:43:05

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA048396POT
 Instrument Used : DA-LC-007
 Running on : 08/15/22 14:28:58

Reviewed On : 08/16/22 14:38:10
 Batch Date : 08/14/22 20:32:54

Dilution : 40
 Reagent : 081122.R38; 071222.09; 081122.R40
 Consumables : 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB45277
 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20812009-001

Harvest/Lot ID: 20220623-G41-H

Batch# : 1000034714

Sampled : 08/12/22

Ordered : 08/12/22

Sample Size Received : 26 gram

Total Batch Size : 546 units

Completed : 08/17/22 Expires: 08/17/23

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	16.15	1.615		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	0.66	0.066		BORNEOL	0.013	<0.4	<0.04	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	<0.2	<0.02	
BETA-MYRCENE	0.007	0.29	0.029		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	2.1	0.21	
OCIMENE	0.007	0.24	0.024		TRANS-NEROLIDOL	0.007	ND	ND	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	ND	ND	
LINALOOL	0.007	1.73	0.173		Analyzed by: 3404, 2651, 585 Weight: 1.1479g Extraction date: 08/15/22 13:34:57 Extracted by: 2651 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA0483897ER Instrument Used : DA-GCMS-001 Running on : 08/15/22 13:47:10 Reviewed On : 08/16/22 08:58:05 Batch Date : 08/14/22 15:37:04 Dilution : 10 Reagent : 032322.19 Consumables : 210414634; MKCN9995; CE0123; 14725401 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
FENCHONE	0.007	<0.2	<0.02						
ISOPULEGOL	0.007	<0.2	<0.02						
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	7.36	0.736						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.21	0.021						
FARNESENE	0	0.39	0.039						
ALPHA-BISABOLOL	0.007	0.93	0.093						
ALPHA-PINENE	0.007	<0.2	<0.02						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	0.24	0.024						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.31	0.131						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	<0.02						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	0.69	0.069						
Total (%)				1.615					



Certificate of Analysis

PASSED

The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20812009-001

Harvest/Lot ID: 20220623-G41-H

Batch# : 1000034714

Sampled : 08/12/22

Ordered : 08/12/22

Sample Size Received : 26 gram

Total Batch Size : 546 units

Completed : 08/17/22 Expires: 08/17/23

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3404, 1665, 585, 2023	0.9507g	08/15/22 15:17:23	1665		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL				
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA048403PES	Reviewed On :	08/16/22 12:02:25		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)	Batch Date :	08/14/22 20:40:56		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Running on :	08/15/22 16:23:11				
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution :	250				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent :	081522.R03; 081522.R04; 081022.R03; 081022.R01; 092820.59				
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02				
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	3404, 1665, 795, 53	0.9507g	08/15/22 15:32:31	1665		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :	SOP.T.30.060, SOP.T.40.060				
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA048428VOL	Reviewed On :	08/17/22 12:04:40		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :	DA-GCMS-006	Batch Date :	08/15/22 09:52:47		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :	N/A				
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution :	25				
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent :	081522.R04; 092820.59; 080122.R28; 080122.R29				
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02; 14725401				
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146				
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20812009-001

Harvest/Lot ID: 20220623-G41-H

Batch# : 1000034714

Sampled : 08/12/22

Ordered : 08/12/22




Sample Size Received : 26 gram

Total Batch Size : 546 units

Completed : 08/17/22 **Expires:** 08/17/23

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	390	PASS	100000						
Analyzed by: 3404, 3390, 585 Weight: 0.8936g Extraction date: 08/15/22 13:23:25 Extracted by: 3390 Analysis Method : SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208 Analytical Batch : DA048356MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : N/A Reviewed On : 08/16/22 14:19:02 Batch Date : 08/13/22 08:28:26 Dilution : N/A Reagent : 071122.R02; 061522.S0 Consumables : 500124 Pipette : N/A Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39..						Analyzed by: 3404, 1665, 585, 2023 Weight: g Extraction date: N/A Extracted by: N/A Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA048404MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 08/15/22 16:59:30 Dilution : 250 Reagent : 081522.R03; 081522.R04; 081022.R03; 081022.R01; 092820.S9 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3404, 3336, 3390, 585 Weight: 1.1318g Extraction date: 08/13/22 16:48:23 Extracted by: 3336 Analysis Method : SOP.T.40.041 Analytical Batch : DA048360TYM Instrument Used : N/A Running on : N/A Reviewed On : 08/15/22 18:16:26 Batch Date : 08/13/22 09:18:08 Dilution : N/A Reagent : 071122.R02; 061522.S0 Consumables : 004103; 500124 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal						LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS						0.11	PPM	<0.55	PASS	1.1	
ARSENIC						0.02	PPM	ND	PASS	0.2	
CADMIUM						0.02	PPM	ND	PASS	0.2	
MERCURY						0.02	PPM	<0.1	PASS	0.2	
LEAD						0.05	PPM	ND	PASS	0.5	
Analyzed by: 3404, 1022, 3619, 53 Weight: 0.2765g Extraction date: 08/15/22 08:51:50 Extracted by: 3619 Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA048381HEA Instrument Used : DA-ICPMS-003 Running on : 08/15/22 12:49:12 Reviewed On : 08/15/22 18:18:06 Batch Date : 08/14/22 11:37:36 Dilution : 100 Reagent : 072122.R01; 071522.R26; 080222.R36; 080522.R52; 081222.R24; 080322.R83; 081222.R22; 081222.R23; 080922.R23; 080922.R22 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20812009-001

Harvest/Lot ID: 20220623-G41-H

Batch# : 1000034714

Sampled : 08/12/22

Ordered : 08/12/22

Sample Size Received : 26 gram

Total Batch Size : 546 units

Completed : 08/17/22 **Expires:** 08/17/23

Sample Method : SOP.T.20.010

Page 5 of 5

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

	Moisture	PASSED
---	-----------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1	Moisture Content	1	%	9.09	PASS	15
Analyzed by: 3404, 1879	Weight: NA	Extraction date: N/A		Extracted by: N/A		Analyzed by: 3404, 1879	Weight: 0.495g	Extraction date: 08/15/22 13:08:31		Extracted by: 1879	
Analysis Method : SOP.T.30.074, SOP.T.40.074			Reviewed On : 08/15/22 12:46:18 Batch Date : 08/13/22 13:00:59			Analysis Method : SOP.T.40.021			Reviewed On : 08/15/22 13:21:10 Batch Date : 08/13/22 13:00:56		
Analytical Batch : DA048370FIL						Analytical Batch : DA048369MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Running on : 08/13/22 13:04:01						Running on : 08/15/22 12:56:11					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : N/A					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.48	PASS	0.65
Analyzed by: 3404, 1879	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.019			Reviewed On : 08/15/22 13:07:14 Batch Date : 08/13/22 12:58:40		
Analytical Batch : DA048365WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Running on : 08/13/22 13:25:13					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.