

DAVIE, FL, 33314, US

Kaycha Labs

710 Labs Hot Lixz #14 Water Hash 710 Labs Hot Lixz #14 Matrix: Derivative



PASSED

Sample:DA20622001-001 Harvest/Lot ID: 20220503-710LIX14-H Batch#: 1000023818 **Cultivation Facility: N/A Processing Facility : N/A** Seed to Sale# LFG-00000299 Batch Date: 06/10/22 Sample Size Received: 16 gram Total Batch Size: 142 units Retail Product Size: 1 gram Ordered : 06/21/22 Sampled : 06/21/22 Completed: 06/24/22 Sampling Method: SOP.T.20.010.FL


Jun 24, 2022 | The Flowery

Certificate

of Analysis

Samples From: Homestead, FL, 33090, US

FLOWERY



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PILA Testing 97164

06/24/22

Signature



710 Labs Hot Lixz #14 Water Hash 710 Labs Hot Lixz #14 Matrix : Derivative



PASSED

TESTED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20622001-001 Harvest/Lot ID: 20220503-710LIX14-H Batch# : 1000023818 Sample S

Sampled : 06/21/22 Ordered : 06/21/22 OLIX14-H Sample Size Received : 16 gram Total Batch Size : 142 units Completed : 06/24/22 Expires: 06/24/23 Sample Method : SOP.T.20.010

Page 2 of 6

0

Terpenes

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
AMPHENE	0.007	0.41	0.041		GERANIOL		0.007	0.6	0.06		
ETA-MYRCENE	0.007	8.42	0.842		PULEGONE		0.007	ND	ND		
-CARENE	0.007	ND	ND		ALPHA-CEDRENE		0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE		0.007	6.55	0.655		
CIMENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	0.95	0.095		
UCALYPTOL	0.007	ND	ND		GUAIOL		0.007	ND	ND		
INALOOL	0.007	6.93	0.693		Analyzed by:	Weight:	Extr	raction date:			Extracted by:
ENCHONE	0.007	< 0.2	<0.02		1440, 2651	1.031g		22/22 15:02:2	6		2651
SOPULEGOL	0.007	<0.2	<0.02		Analysis Method : SOP.T.	30.061A.FL, SOP.T.40.061A.FL					
SOBORNEOL	0.007	ND	ND		Analytical Batch : DA045 Instrument Used : DA-GC					6/23/22 10:46:35 22/22 08:28:12	
IEXAHYDROTHYMOL	0.007	<0.2	< 0.02		Running on : 06/22/22 16			Batch	Date : 06/	22/22 08:28:12	
IEROL	0.007	ND	ND		Dilution : 10						
ERANYL ACETATE	0.007	ND	ND		Reagent : 032322.17						
ETA-CARYOPHYLLENE	0.007	21.29	2.129		Consumables : 21041463	4; MKCN9995; CE0123					
ALENCENE	0.007	ND	ND		Pipette :						
IS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is perform	ed utilizing Gas Chromatography I	Mass Spectro	ometry.			
EDROL	0.007	ND	ND								
ARNESENE	0	0.45	0.045								
ARYOPHYLLENE OXIDE	0.007	<0.2	<0.02								
LPHA-BISABOLOL	0.007	5.12	0.512								
LPHA-PINENE	0.007	1.51	0.151								
ABINENE	0.007	ND	ND								
ETA-PINENE	0.007	2.64	0.264								
LPHA-TERPINENE	0.007	ND	ND								
IMONENE	0.007	22.51	2.251								
SAMMA-TERPINENE	0.007	ND	ND								
ERPINOLENE	0.007	<0.2	< 0.02								
ABINENE HYDRATE	0.007	ND	ND								
ENCHYL ALCOHOL	0.007	1.81	0.181								
AMPHOR	0.007	ND	ND								
ORNEOL	0.013	<0.4	<0.04								
									-		

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

-

06/24/22

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature



..... 710 Labs Hot Lixz #14 Water Hash 710 Labs Hot Lixz #14 Matrix : Derivative



PASSED

PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20622001-001 Harvest/Lot ID: 20220503-710LIX14-H

Batch#:1000023818 Sampled : 06/21/22 Ordered : 06/21/22

Sample Size Received : 16 gram Total Batch Size : 142 units Completed : 06/24/22 Expires: 06/24/23 Sample Method : SOP.T.20.010

Page 3 of 6

Ъ	
0	Pe

esticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pes
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PRO
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYR
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYR
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIF
ALDICARB	0.01	ppm	0.1	PASS	ND	
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIF
BIFENAZATE	0.01	ppm	0.1	PASS	ND	SPIR
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	TEB
BOSCALID	0.01	PPM	0.1	PASS	ND	THU
CARBARYL	0.01	ppm	0.5	PASS	ND	THI
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIE
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PEN
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PAR
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAP
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHL
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CHL
DIAZINON	0.01	ppm	0.1	PASS	ND	CYF
DICHLORVOS	0.01	ppm	0.1	PASS	ND	CYP
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Ana
THOPROPHOS	0.01	ppm	0.1	PASS	ND	144
TOFENPROX	0.01	ppm	0.1	PASS	ND	Ana
TOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Ana Inst
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Run
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilu
IPRONIL	0.01	ppm	0.1	PASS	ND	Rea
LONICAMID	0.01	ppm	0.1	PASS	ND	Con
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipe
IEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Test
MAZALIL	0.01	ppm	0.1	PASS	ND	Spec 64E
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	Ana
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	NA
MALATHION	0.01	ppm	0.2	PASS	ND	Ana
METALAXYL	0.01	ppm	0.1	PASS	ND	Ana
1ETHIOCARB	0.01	ppm	0.1	PASS	ND	Inst
METHOMYL	0.01	ppm	0.1	PASS	ND	Run
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilu
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Rea Con
VALED	0.01	ppm	0.25	PASS	ND	Pipe
DXAMYL	0.01	ppm	0.5	PASS	ND	Test
PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND	Spec
PHOSMET	0.01	ppm	0.1	PASS	ND	64EI
PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND	
PRALLETHRIN	0.01	ppm	0.1	PASS	ND	
PROPICONAZOLE	0.01	ppm	0.1	PASS	< 0.05	
NOT ICONALULE	0.01	56.00	0.1		10.05	

Pesticide		LOD	Units	Action Level	Pass/Fail	Result	
PROPOXUR		0.01	ppm	0.1	PASS	ND	
PYRETHRINS		0.01	ppm	0.5	PASS	ND	
PYRIDABEN		0.01	ppm	0.2	PASS	ND	
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND	
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND	
SPIROXAMINE		0.01	ppm	0.1	PASS	ND	
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND	
THIACLOPRID		0.01	ppm	0.1	PASS	ND	
THIAMETHOXAM		0.01	ppm	0.5	PASS	ND	
TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND	
PENTACHLORONITROBE	NZENE (PCNB) *	0.01	PPM	0.15	PASS	ND	
PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND	
CAPTAN *		0.07	PPM	0.7	PASS	ND	
CHLORDANE *		0.01	PPM	0.1	PASS	ND	
CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND	
CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND	
CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND	
Analyzed by: 1440, 585, 450, 53	Weight: 0.2481g		action dat 2/22 16:27		Extracted by: 450		
SOP.T.40.151.FL Analytical Batch :DA045 Instrument Used :DA-LC Running on :06/22/22 1 Dilution : 250 Reagent : 062022.R01; (CMS-003 (PES) 7:02:55 061522.R28; 06142	2.R21; 0622	Batch Da	d On :06/24/2 te :06/22/22 92820.59			
Consumables : 6645562 Pipette :							
Testing for agricultural age Spectrometry and Gas Chr 64ER20-39.							
Analyzed by: NA	Weight:	Extraction NA	date:		Extracted by: NA		
Analysis Method :SOP.T Analytical Batch :DA045 Instrument Used :DA-GO Running on :	5764VOL	R		n:06/24/22 1 :06/22/22 11			
Dilution: 25 Reagent: 052622.R25; (Consumables: 55447-U. Pipette: DA-080; DA-140	15024601						
Testing for agricultural ag Spectrometry and Gas Ch 64ER20-39.							

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

06/24/22



..... 710 Labs Hot Lixz #14 Water Hash 710 Labs Hot Lixz #14 Matrix : Derivative



PASSED

PASSED

The Flowery

ñ

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Certificate of Analysis Sample : DA20622001-001 Harvest/Lot ID: 20220503-710LIX14-H Batch#:1000023818 Sampled : 06/21/22 Ordered : 06/21/22

Sample Size Received : 16 gram Total Batch Size : 142 units Completed : 06/24/22 Expires: 06/24/23 Sample Method : SOP.T.20.010

Page 4 of 6

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
IEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: IA	Weight:	Extraction date:		Extracted by: NA	

Instrument Used : DA-0 Running on : 06/23/22 13:31:00

Dilution : 1 Reagent : 030420.09

Consumables : R2017.120; KF140 Pipette :

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

06/24/22

Signature



710 Labs Hot Lixz #14 Water Hash 710 Labs Hot Lixz #14 Matrix : Derivative



PASSED

DAVIE, FL, 33314, US

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20622001-001 Harvest/Lot ID: 20220503-710LIX14-H

Batch#:1000023818 Sampled : 06/21/22 Ordered : 06/21/22

Sample Size Received : 16 gram Total Batch Size : 142 units Completed : 06/24/22 Expires: 06/24/23 Sample Method : SOP.T.20.010

Page 5 of 6

Ç	Microb	ial			PAS	SED	သို့	Му	cotoxi	ns			PAS	SEC
Analyte	$\langle \rangle$	LOD	Units	Result	Pass / Fail	Action	Analyte		8	LOD	Units	Result	Pass / Fail	Action
ESCHERICHI	A COLI SHIGELLA			Not Present	PASS		AFLATOXIN B	2		0.002	ppm	ND	PASS	0.02
6PP							AFLATOXIN B	1		0.002	ppm	ND	PASS	0.02
ALMONELL	A SPECIFIC GENE			Not Present	PASS		OCHRATOXIN	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	IS FLAVUS			Not Present	PASS		AFLATOXIN G	1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	IS FUMIGATUS			Not Present	PASS		AFLATOXIN G	2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	IS TERREUS			Not Present	PASS		Analyzed by:	1	Weight:	Extraction	date:	200	Extracte	d hv:
ASPERGILLU				Not Present	PASS		1440, 585, 450,	53	0.2481g	06/22/22 1			450	u by:
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Metho	I : SOP T	.30.101.FL, SOP.T	40 101 FL S	OP T 30 10	D2 FL SOF	T 40 102	FL
Analyzed by: 440, 3390, 3			Extraction d 06/22/22 21		Extracter 3390	d by:	Analytical Batch Instrument Use	n:DA045	760MYC	Revie	ewed On : h Date : 00	06/24/22	09:52:45	
	ch : DA045739MIC ed : PathogenDx Sca	anner DA-111		wed On : 06/24/2 Date : 06/22/22			Consumables : Pipette :	0.02; 0.02	aflatoxin_g1; aflat 2; 0.02; 0.02 g Liquid Chromatogr	$\overline{\mathcal{M}}$		le Mass Sne	ectrometry	in
	122.22; 060622.R29	; 021921.29					accordance with				Quadrupo		et officer y	
	g is performed utilizing echniques in accordanc				MPN, and tra	ditional	Hg	He	avy Me	tals			PAS	SE
Analyzed by: NA	Weight:	Extract NA	ion date:	Ext	racted by:		Metal	\rightarrow	4 X -	LOD	Units	Result	Pass /	Actio
Analysis Meth	od:SOP.T.40.041					1	_ Metal			LOD	onics	Result	Fail	Leve
	ch : DA045791TYM	F	Reviewed O	n:06/24/22 15:4	44:05		ARSENIC			0.02	PPM	ND	PASS	0.2
nstrument Us	ed :	E	Batch Date	: 06/22/22 21:16	:40		CADMIUM			0.02	PPM	ND	PASS	0.2
Running on :							MERCURY			0.02	PPM	ND	PASS	0.2
ilution : 1	100 00 000000 000	001001 00					LEAD			0.05	PPM	ND	PASS	0.5
leagent : 053 Consumables Pipette :	122.22; 060622.R29	; 021921.29					Analyzed by: 1440, 1022, 33	57	Weight: 0.2323g	Extraction d 06/22/22 12		$\forall \top$	Extracted	l by:
	mold testing is perform n F.S. Rule 64ER20-39.	ned utilizing MI	PN and tradit	ional culture based	d techniques	in	Analysis Metho Analytical Batch Instrument Use Running on : 06	n : DA045 d : DA-ICI	.30.081.FL, SOP.T 5753HEA PMS-003	.30.082.FL, S(Reviewe		/23/22 10:	.T.40.082 08:13	FL
							Dilution : 100 Reagent : 0531 062122.R04; 00	22.R12; 0 51622.R3 179436; 2	061622.R29; 0623 0; 061622.R31 210508058; 2108		.22.R08; 0	062122.R0	6; 06212	2.R07;
							Heavy Metals an with F.S. Rule 64		erformed using Indu	ctively Coupled	Plasma Ma	ss Spectror	netry in ac	cordanc

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

Signature

06/24/22

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



710 Labs Hot Lixz #14 Water Hash 710 Labs Hot Lixz #14 Matrix : Derivative



PASSED

Page 6 of 6

Certificate of Analysis Sample : DA20622001-001

Harvest/Lot ID: 20220503-710LIX14-H

PASSED

Batch#:1000023818

Sampled : 06/21/22

Ordered : 06/21/22

Sample Size Received : 16 gram

Sample Method : SOP.T.20.010

Completed : 06/24/22 Expires: 06/24/23

Total Batch Size : 142 units

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US




Filth/Foreign Material

LOD Units Analyte Result P/F Action Level Filth and Foreign Material % ND PASS 5 1 Analyzed by: 1440, 1879 Weight: Extraction date: Extracted by: NA NA NA Analysis Method : SOP.T.30.074, SOP.T.40.074 **Reviewed On :** 06/24/22 07:46:15 **Batch Date :** 06/24/22 07:32:55 Analytical Batch : DA045882FIL Instrument Used : Filth/Foreign Material Microscope Running on : 06/24/22 07:40:47 Dilution : 1

Reagent : Consumables : Pipette :

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

06/24/22

Signature