



Certificate of Analysis

Sample: DA20618003-010
Harvest/Lot ID: 20220426-7107C-H
Batch#: 1000023813
Cultivation Facility: N/A
Processing Facility: N/A
Seed to Sale#: LFG-00000293
Batch Date: 06/09/22
Sample Size Received: 16 gram
Total Batch Size: 387 units
Retail Product Size: 1.0 gram
Ordered: 06/17/22
Sampled: 06/17/22
Completed: 06/21/22
Sampling Method: SOP.T.20.010.FL


Jun 21, 2022 | The Flowery
 Samples From:
 Homestead, FL, 33090, US

THE FLOWERY
PASSED

Page 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

Jar


Cannabinoid
PASSED

Total THC
69.66%

Total THC/Container : 696.6 mg


Total CBD
0.277%

Total CBD/Container : 2.77 mg


Total Cannabinoids
82.841%

Total Cannabinoids/Container : 828.41 mg

60

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.614	78.73	ND	0.316	ND	0.492	2.567	ND	ND	ND	0.122
mg/unit	6.14	787.3	ND	3.16	ND	4.92	25.67	ND	ND	ND	1.22
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1440, 3335, 1665

Weight:
0.1192g

Extraction date:
06/20/22 09:16:22

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA045628POT

Instrument Used : DA-LC-003 (Derivatives)

Running on : 06/20/22 10:33:29

Reviewed On : 06/20/22 18:45:38

Batch Date : 06/20/22 07:18:51

Dilution : 400

Reagent : 061722.R03; 060922.14; 061722.R02

Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette : DA-092; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20618003-010

Harvest/Lot ID: 20220426-7107C-H

Batch# : 1000023813

Sampled : 06/17/22

Ordered : 06/17/22

Sample Size Received : 16 gram

Total Batch Size : 387 units

Completed : 06/21/22 **Expires:** 06/21/23

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENEOL	0.007	0.88	0.088		BORNEOL	0.013	<0.4	<0.04	
CAMPHENE	0.007	0.34	0.034		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	13.15	1.315		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	8.68	0.868	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	1.27	0.127	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	ND	ND	
LINALOOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
ISOPULEGOL	0.007	<0.2	<0.02						
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.2	<0.02						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	27.12	2.712						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
FARNESENE	0	0.24	0.024						
CARYOPHYLLENE OXIDE	0.007	<0.2	<0.02						
ALPHA-BISABOLOL	0.007	3.42	0.342						
ALPHA-PINENE	0.007	1.24	0.124						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	2.17	0.217						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	20.58	2.058						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	<0.02						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	1.51	0.151						
CAMPHOR	0.007	ND	ND						
Total (%)			8.06						

Analyzed by:

1440, 2651, 3421

Weight:

0.8741g

Extraction date:

06/20/22 10:34:19

Extracted by:

3421

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA045612TER

Instrument Used : DA-GCMS-005

Running on : 06/20/22 13:41:37

Reviewed On : 06/21/22 12:47:53

Batch Date : 06/19/22 08:55:06

Dilution : 10

Reagent : 032322.17

Consumables : 210414634; MKCN9995; CE0123

Pipette :

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



Certificate of Analysis

PASSED

The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20618003-010

Harvest/Lot ID: 20220426-7107C-H

Batch# : 1000023813

Sampled : 06/17/22

Ordered : 06/17/22

Sample Size Received : 16 gram

Total Batch Size : 387 units

Completed : 06/21/22 Expires: 06/21/23

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRETHRINS	0.01	ppm	0.5	PASS	ND
ACEQUINOXYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
DIMETHOATE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed by:	1440, 585, 53	Weight:	0.2733g	Extraction date:	06/20/22 14:52:14
FENHEXAMID	0.01	ppm	0.1	PASS	ND					Extracted by:	585
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						
OXAMYL	0.01	ppm	0.5	PASS	ND						
PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND						
PHOSMET	0.01	ppm	0.1	PASS	ND						
PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND						
PRALLETHRIN	0.01	ppm	0.1	PASS	ND						

Analyzed by: 1440, 585, 53
 Weight: 0.2733g
 Extraction date: 06/20/22 14:52:14
 Extracted by: 585
 Analysis Method : SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL
 Analytical Batch : DA045634PES
 Instrument Used : DA-LCMS-003 (PES)
 Running on : 06/20/22 15:49:27
 Dilution : 250
 Reagent : 061322.R04; 061522.R28; 061422.R21; 061522.R01; 092820.59
 Consumables : 6645562
 Pipette :
 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.
 Analyzed by: NA
 Weight: NA
 Extraction date: NA
 Extracted by: NA
 Analysis Method : SOP.T.30.060, SOP.T.40.060
 Analytical Batch : DA045636VOL
 Instrument Used : DA-GCMS-006
 Running on :
 Dilution : 25
 Reagent : 061522.R28; 092820.59; 052622.R25; 052622.R24
 Consumables : 6645562; 55447-U.15024601
 Pipette : DA-080; DA-146
 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: osivan@moozacapital.com

Sample : DA20618003-010
Harvest/Lot ID: 20220426-7107C-H
Batch# : 1000023813
Sampled : 06/17/22
Ordered : 06/17/22
Sample Size Received : 16 gram
Total Batch Size : 387 units
Completed : 06/21/22 Expires: 06/21/23
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 NA

Weight:
Extraction date:
 NA

Extracted by:
 NA

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA045633SOL
Instrument Used : DA-GCMS-002
Running on : 06/20/22 14:43:16

Reviewed On : 06/21/22 15:56:26
Batch Date : 06/20/22 09:49:40

Dilution : 1
Reagent : 030420.09
Consumables : 27296; KF140
Pipette :

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis




PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: osivan@moozacapital.com

Sample : DA20618003-010
Harvest/Lot ID: 20220426-7107C-H
Batch# : 1000023813
Sampled : 06/17/22
Ordered : 06/17/22

Sample Size Received : 16 gram
Total Batch Size : 387 units
Completed : 06/21/22 **Expires:** 06/21/23
Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial						 Mycotoxins						 Heavy Metals					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	ARSENIC	0.02	PPM	ND	PASS	0.2
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	CADMIUM	0.02	PPM	ND	PASS	0.2
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	MERCURY	0.02	PPM	ND	PASS	0.2
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	LEAD	0.05	PPM	ND	PASS	0.5
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS NIGER			Not Present	PASS													
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000												
Analyzed by: 1440, 3390, 2682 Weight: 0.9383g Extraction date: 06/20/22 20:27:30 Extracted by: 3390 Analysis Method : SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208 Analytical Batch : DA045585MIC Instrument Used : PathogenDx Scanner DA-111 Running on : Dilution : 1 Reagent : Consumables : Pipette :						Analyzed by: 1440, 585, 53 Weight: NA Extraction date: 06/20/22 12:57:50 Extracted by: 585 Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA045635MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 06/20/22 15:49:47 Dilution : Reagent : aflatoxin_g2; aflatoxin_g1; aflatoxin_b2; aflatoxin_b1 Consumables : 0.02; 0.02; 0.02; 0.02 Pipette :						Analyzed by: 1440, 1022 Weight: 0.3049g Extraction date: 06/20/22 12:22:04 Extracted by: 1022 Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA045652HEA Instrument Used : DA-ICPMS-003 Running on : 06/20/22 18:05:11 Dilution : 100 Reagent : 053122.R12; 061622.R29; 061422.R04; 061422.R07; 061422.R05; 061422.R06; 061022.R25; 061622.R30; 061622.R31 Consumables : 179436; 210508058; 210803-059 Pipette :					
Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20618003-010

Harvest/Lot ID: 20220426-7107C-H

Batch# : 1000023813

Sampled : 06/17/22

Ordered : 06/17/22

Sample Size Received : 16 gram

Total Batch Size : 387 units

Completed : 06/21/22 **Expires:** 06/21/23

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign
Material**
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	1	%	ND	PASS	5

Analyzed by:	Weight:	Extraction date:	Extracted by:
1440, 3421	NA	NA	NA

Analysis Method : SOP.T.30.074, SOP.T.40.074

Analytical Batch : DA045703FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 06/21/22 11:10:45

Reviewed On : 06/21/22 11:14:59

Batch Date : 06/21/22 11:06:35

Dilution : 1

Reagent :
Consumables :
Pipette :

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.474	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
1440, 3421	NA	NA	NA

Analysis Method : SOP.T.40.019

Analytical Batch : DA045672WAT

Instrument Used : DA-196 Rotronic HygroPalm

Running on : 06/21/22 08:49:37

Reviewed On : 06/21/22 09:53:25

Batch Date : 06/21/22 08:38:56

Dilution : 1

Reagent :
Consumables :
Pipette :

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.