

Certificate of Analysis

Kaycha Labs

710 Labs Sundae Driver Flower 14g 710 Labs Sundae Driver Matrix: Flower



PASSED

Page 1 of 5


Sample:DA20827002-004 Harvest/Lot ID: 20220804-710SD-H Batch#: 1000036969 Cultivation Facility: N/A Processing Facility : N/A Seed to Sale# LFG-00000540 Batch Date: 08/26/22 Sample Size Received: 28 gram Total Batch Size: 229 units Retail Product Size: 14 gram Ordered : 08/26/22 Sampled : 08/26/22 Completed: 08/30/22 Sampling Method: SOP.T.20.010

Aug 30, 2022 | The Flowery

COMPLIANCE FOR RETAIL

Samples From: Homestead, FL, 33090, US

FLOWERY



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/30/22



Kaycha Labs

710 Labs Sundae Driver Flower 14g 710 Labs Sundae Driver Matrix : Flower



PASSED

TESTED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20827002-004 Harvest/Lot ID: 20220804-710SD-H Batch# : 1000036969 Sample Sampled : 08/26/22 Total E Ordered : 08/26/22 Comple

0SD-H Sample Size Received : 28 gram Total Batch Size : 229 units Completed : 08/30/22 Expires: 08/30/23 Sample Method : SOP.T.20.010

Page 2 of 5

Ô

Terpenes

	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/un	it %	Result (%)	
TOTAL TERPENES	0.007	96.04	0.686		CAMPHOR	0.007	ND	ND		
TOTAL TERPINEOL	0.007	<2.8	< 0.02		BORNEOL	0.013	ND	ND		
CAMPHENE	0.007	ND	ND		GERANIOL	0.007	<2.8	< 0.02		
BETA-MYRCENE	0.007	11.06	0.079		PULEGONE	0.007	ND	ND		
B-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	10.36	0.074		
DCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND		
UCALYPTOL	0.007	ND	ND		GUAIOL	0.007	4.62	0.033		
INALOOL	0.007	7.42	0.053		Analyzed by: Weight:		Extraction	date:		Extracted
ENCHONE	0.007	ND	ND		3404, 2076, 585 0.8728g		08/29/22			2076
SOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.	FL				
SOBORNEOL	0.007	ND	ND		Analytical Batch : DA049056TER				8/30/22 12:57:54	
IEXAHYDROTHYMOL	0.007	ND	ND		Instrument Used : DA-GCMS-005 Running on : 08/30/22 09:14:21		Bat	ch Date : 08,	/28/22 20:18:22	
IEROL	0.007	ND	ND		Dilution : 10					
GERANYL ACETATE	0.007	ND	ND		Reagent : 032322.19					
BETA-CARYOPHYLLENE	0.007	30.52	0.218		Consumables : 210414634; MKCN9995; CE123; 1472	5401				
ALENCENE	0.007	ND	ND		Pipette : N/A					
CIS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograph	iy Mass Spec	trometry.			
	0.007	ND	ND							
CEDROL	0.007	ND								
	0.007	<2.8	<0.02							
CEDROL CARYOPHYLLENE OXIDE FARNESENE										
CARYOPHYLLENE OXIDE CARNESENE	0.007	<2.8	<0.02							
CARYOPHYLLENE OXIDE CARNESENE ALPHA-BISABOLOL	0.007 0	<2.8 0.84	<0.02 0.006							
CARYOPHYLLENE OXIDE	0.007 0 0.007	<2.8 0.84 4.06	<0.02 0.006 0.029							
ZARYOPHYLLENE OXIDE FARNESENE ALPHA-BISABOLOL ALPHA-PINENE	0.007 0 0.007 0.007	<2.8 0.84 4.06 <2.8	<0.02 0.006 0.029 <0.02							
CARYOPHYLLENE OXIDE	0.007 0 0.007 0.007 0.007	<2.8 0.84 4.06 <2.8 ND	<0.02 0.006 0.029 <0.02 ND							
CARYOPHYLLENE OXIDE ARNESENE LLPHA-BISABOLOL LLPHA-PINENE SETA-PINENE	0.007 0 0.007 0.007 0.007 0.007	<2.8 0.84 4.06 <2.8 ND 3.5	<0.02 0.006 0.029 <0.02 ND 0.025							
CARYOPHYLLENE OXIDE AANDESENE LUPHA-BISABOLOL ALPHA-PINENE ABINENE BETA-PINENE ALPHA-TERPINENE	0.007 0 0.007 0.007 0.007 0.007 0.007	<2.8 0.84 4.06 <2.8 ND 3.5 ND	<0.02 0.006 0.029 <0.02 ND 0.025 ND	_						
CARYOPHYLLENE OXIDE AANDESENE LIPHA-BISABOLOL LIPHA-PINENE SABINENE BETA-PINENE LIPHA-TERPINENE LIPHA-TERPINENE	0.007 0 0.007 0.007 0.007 0.007 0.007 0.007	<2.8 0.84 4.06 <2.8 ND 3.5 ND 23.66	<0.02 0.006 0.029 <0.02 ND 0.025 ND 0.169	_						
CARYOPHYLLENE OXIDE AANUSESINE LIPHA-BISABOLOL LIPHA-PINENE SABINENE ETA-PINENE LIPHA-TERPINENE JIMONENE JIMONENE	0.007 0 0.007 0.007 0.007 0.007 0.007 0.007	<2.8 0.84 4.06 <2.8 ND 3.5 ND 23.66 ND	<0.02 0.006 0.029 <0.02 ND 0.025 ND 0.169 ND	-						
CARYOPHYLLENE OXIDE AANDESENE LIPHA-BISABOLOL LIPHA-PINENE ABINENE ETA-PINENE LIPHA-TERPINENE LIPHA-TERPINENE MOMENE SAMMA-TERPINENE TERPINOLENE	0.007 0 0.007 0.007 0.007 0.007 0.007 0.007 0.007	<2.8 0.84 4.06 <2.8 ND 3.5 ND 23.66 ND ND	<0.02 0.006 0.029 <0.02 ND 0.025 ND 0.169 ND ND ND	-						

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, Oppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOO) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

08/30/22

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature



Kaycha Labs

Units

Action Level

710 Labs Sundae Driver Flower 14g 710 Labs Sundae Driver Matrix : Flower



PASSED

Certificate of Analysis

The Flowery

0

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20827002-004 Harvest/Lot ID: 20220804-710SD-H Batch#:1000036969 Sampled : 08/26/22 Ordered : 08/26/22

Sample Size Received : 28 gram Total Batch Size : 229 units Completed : 08/30/22 Expires: 08/30/23 Sample Method : SOP.T.20.010

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	OXAMYL	0.01
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PACLOBUTRAZOL	0.01
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01
TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND		0.01
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN	
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01
АСЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01
BIFENTHRIN	0.01	ppm	0.1	PASS	ND		0.01
BOSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID	
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01
CHLORMEOUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05
DIAZINON	0.01	ppm	0.1	PASS	ND		0.05
DICHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	3404, 585, 3379, 53 0.9145g	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL, SOP.T.3 SOP.T.40.151.FL	0.102.FL, SC
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA049084PES	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :08/29/22 16:58:25	
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : N/A	
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 082922.R01; 081522.R04; 08102	2.R03; 0824
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02	
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219	
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed uti Spectrometry and Gas Chromatography Triple	
IMAZALIL	0.01	ppm	0.1	PASS	ND	64ER20-39.	Quadrupole
	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extra
	0.01		0.4	PASS	ND	3404, 585, 795, 53 0.9145g	08/29
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.060, SOP.T.40.0	
MALATHION		ppm				Analytical Batch : DA049086VOL	Re
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006	Ba
METHIOCARB	0.01	ppm	0.1	PASS	ND	Running on : N/A	
METHOMYL	0.01	ppm	0.1	PASS	ND	Dilution : 25	2.0.47
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent: 081522.R04; 082422.R46; 08242 Consumables: 6676024-02; 14725401	2.R47
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219	
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed uti Spectrometry and Gas Chromatography Triple- 64E92 20	

id Chromatography Triple-Quadrupole Mass le Mass Spectrometry in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

08/30/22

Pass/Fail Result

PASSED

Page 3 of 5

	OXAMYL		0.01	ppm	0.5	PASS	ND	
	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND	
	PHOSMET		0.01	ppm	0.1	PASS	ND	
	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND	
	PRALLETHRIN		0.01	ppm	0.1	PASS	ND	
5	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND	
)	PROPOXUR		0.01	ppm	0.1	PASS	ND	
5	PYRIDABEN		0.01	ppm	0.2	PASS	ND	
0	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND	
)	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND	
0	SPIROXAMINE		0.01	ppm	0.1	PASS	ND	
	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND	
2	THIACLOPRID		0.01	ppm	0.1	PASS	ND	
5	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND	
	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND	
5	PENTACHLORONITROBENZ	ENE (PCNB) *	0.01	PPM	0.15	PASS	ND	
5	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND	
0	CAPTAN *		0.07	PPM	0.7	PASS	ND	
)	CHLORDANE *		0.01	PPM	0.1	PASS	ND	
	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND	
)	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND	
0	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND	
	Analyzed by: 3404, 585, 3379, 53	Weight:					cted by:	
							OP.T.40.102.FL	-
	Analytical Batch : DA049084 Instrument Used : DA-LCMS Running on :08/29/22 16:58	OXIDE 0.01 ppm 0.1 PASS ND OXIDE 0.01 ppm 3 PASS ND 0.01 ppm 0.1 PASS ND ND 0.01 ppm 0.1 PASS <t< td=""><td></td><td></td></t<>						
-	Dilution : N/A							

422.R01; 092820.59

id Chromatography Triple-Quadrupole Mass le Mass Spectrometry in accordance with F.S. Rule

raction date: Extracted by: 29/22 16.43.38 Reviewed On :08/30/22 16:13:35 Satch Date :08/29/22 09:32:18

Signature



Kaycha Labs

710 Labs Sundae Driver Flower 14g 710 Labs Sundae Driver Matrix : Flower



PASSED

DAVIE, FL, 33314, US

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA20827002-004 Harvest/Lot ID: 20220804-710SD-H Batch# : 1000036969 Sample Sampled : 08/26/22 Total E Ordered : 08/26/22 Comple

10SD-H Sample Size Received : 28 gram Total Batch Size : 229 units Completed : 08/30/22 Expires: 08/30/23 Sample Method : SOP.T.20.010 Page 4 of 5

Ç	Microbia	d			PAS	SED	သို့	Му	otoxii	าร			PAS	SEC
Analyte	$\langle \times \rangle$	LOD	Units	Result	Pass / Fail	Action	Analyte		<u>X</u>	LOD	Units	Result	Pass / Fail	Action
SCHERICHI	A COLI SHIGELLA			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
PP							AFLATOXIN			0.002	ppm	ND	PASS	0.02
ALMONELL	A SPECIFIC GENE			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		Analyzed by:		Weight:	Extraction	late:	100	Extracted	d by:
ASPERGILLU				Not Present	PASS		3404, 585, 33	9, 53	g	08/30/22 1			3379	
TOTAL YEAS	T AND MOLD	10	CFU/g	20	PASS	100000	Analysis Meth	d : SOP.T.3	.101.FL, SOP.T.	40.101.FL. S	OP.T.30.1	2.FL. SOF	.T.40.102	.FL
Analyzed by: Weight: Extraction date: Extracted by: 3404, 3702, 3390, 53 1.1217g 08/29/22 08:22:42 3702							Analytical Bat Instrument Us Running on : (:h : DA04908 ed : DA-LCM	35MYC 5-003 (MYC)	Revi	ewed On : h Date : 0	08/30/22	12:51:09	
	ch : DA049001MIC ed : DA-265 Gene-UP R ⁻ I/A	PCR		ewed On : 08/30/ n Date : 08/27/22			Dilution : 250 Reagent : 082 Consumables Pipette : DA-0	6676024-02		22.R03; 0824	22.R01; (92820.59		
Reagent : 0712 Consumables : Pipette : N/A	122.R02; 061522.50 500124						Mycotoxins tes accordance wit		quid Chromatogra ER20-39.	aphy with Triple	e-Quadrupo	le Mass Spe	ectrometry	in
	g is performed utilizing vari echniques in accordance wi				MPN, and tra	aditional	Нд	Hea	vy Me	tals			PAS	SFL
Analyzed by: 404, 3390, 53	Weigl 8, 3621 1.002		Extraction d 08/30/22 09		Extracte 3621	ed by:	Цпар		y Pie		(λ)	\square		
nalytical Bato nstrument Use	bd : SOP.T.40.208, SOP. ch : DA049003TYM ed : Incubator (25-27C)		Rev	riewed On : 08/30 ch Date : 08/27/2					OAD METALS	0.11	Units PPM	<0.55	Fail PASS	Action Level
unning on : N	I/A				_		ARSENIC			0.02	PPM	ND	PASS	0.2
ilution : N/A	122.R02; 061522.50						CADMIUM			0.02	PPM	ND	PASS	0.2
	500124; 006107						MERCURY			0.02	PPM PPM	<0.1 ND	PASS	0.2
ipette : N/A								4	$Y \rightarrow V$		<u></u>	ND		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					s in	Analyzed by: 3404, 1022, 3	519, 53	Weight: 0.2639g	Extractio 08/29/22	n date: 09:09:25		Extracte 3619	ed by:	
							Analysis Meth Analytical Bat Instrument Us Running on : (ch : DA04903 ed : DA-ICPN	S-003	Review	OP.T.40.08 ad On : 08 ate : 08/2	30/22 07	58:10	LFL
							082622.R24;	82622.R22; 179436; 21	1922.R19; 0802 080922.R23; 08 0508058; 2108	30922.R22	522.R17; (82622.R2	3; 081722	2.R41;
							Heavy Metals a with F.S. Rule (ormed using Induc	tively Coupled	Plasma Ma	ss Spectror	netry in ac	cordance

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

08/30/22

Sign

Signed On

kaycha [°]
4131 SW 47th AVENUE SUITE 1408

DAVIE, FL, 33314, US

Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A

Kaycha Labs

710 Labs Sundae Driver Flower 14g 710 Labs Sundae Driver Matrix : Flower



Cer	tific	a	te	0	f /	Ina	lysi	S				P/	ASSE
The Flowery				San	nple : DA2	0827002-004 D: 20220804-71							
Samples From: Homestead, FL, Telephone: (32 Email: osivan@		Bat	tch#:1000 mpled:08, dered:08/	0036969 /26/22 26/22	Sample Size Received : 28 gram Total Batch Size : 229 units Completed : 08/30/22 Expires: 08/30/23 Sample Method : SOP.T.20.010						Page 5 of 5		
	Filth/Fo Materia		yn		PA	SSED	00	Moistu	re			ΡΑ	SSED
Analyte Filth and Foreig	n Material	LOD 0.5	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Cont	ent	LOD	Units %	Result 10.32	P/F PASS	Action Leve
Analyzed by: 3404, 1879	Weight: NA		Extraction N/A	date:	Extra N/A	cted by:	Analyzed by: 3404, 1879	Weight: 0.497g		action date 8/22 17:32		Ext 18	racted by: 79
Analytical Batch :	Filth/Foreign Mate					8/22 17:56:10 22 17:29:11	Analysis Method Analytical Batch Instrument Used Running on : 08/	: DA049027MOI : DA-003 Moisture	e Analyzer		Reviewed Or Batch Date :		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A	Ą						Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	/A					
	aterial inspection is pe ordance with F.S. Rule			spection utiliz	ing naked ey	e and microscope	Moisture Content a	analysis utilizing loss	-on-drying	technology i	in accordance	with F.S. Ru	le 64ER20-39.
\bigcirc	Water A	ctiv	vity	7	PA	SSED							
Analyte Water Activity		LOD 0.1	Units aw	Result 0.554	P/F PASS	Action Level 0.65							
Analyzed by: 3404, 1879	Weight: NA		Extraction N/A	date:	Extra N/A	cted by:	V						
Analysis Method : Analytical Batch : Instrument Used : Running on : 08/2	DA049028WAT DA-028 Rotronic H	lygropa	ılm	Reviewed O Batch Date	n : 08/28/2								

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Æ

08/30/22

Signature