

Certificate of Analysis

Banana Macaroon Pre-Roll 2 x 0.5g



PASSED

Page 1 of 5

Sample:DA20903002-003 Harvest/Lot ID: 20220711-BAM-H Batch#: 1000037942 **Cultivation Facility: N/A Processing Facility : N/A** Seed to Sale# LFG-00000583 Batch Date: 09/02/22 Sample Size Received: 26 gram Total Batch Size: 489 units Retail Product Size: 1 gram Ordered : 09/02/22 Sampled : 09/02/22 Completed: 09/07/22 Sampling Method: SOP.T.20.010


Matrix: Flower

Sep 07, 2022 | The Flowery

COMPLIANCE FOR RETAIL

Samples From: Homestead, FL, 33090, US

FLOWERY



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PILA Testing 97164

Signature

09/07/22



Kaycha Labs

Banana Macaroon Pre-Roll 2 x 0.5g Banana Macaroon Matrix : Flower



PASSED

TESTED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20903002-003 Harvest/Lot ID: 20220711-BAM-H Batch# : 1000037942 Sam Sampled : 09/02/22 Tota Ordered : 09/02/22 Com

MM-H Sample Size Received : 26 gram Total Batch Size : 489 units Completed : 09/07/22 Expires: 09/07/23 Sample Method : SOP.T.20.010

Page 2 of 5

\bigcirc

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	12.09	1.209		CAMPHOR	0.007	ND	ND		
TOTAL TERPINEOL	0.007	0.35	0.035		BORNEOL	0.013	ND	ND		
CAMPHENE	0.007	ND	ND		GERANIOL	0.007	ND	ND		
BETA-MYRCENE	0.007	< 0.2	< 0.02		PULEGONE	0.007	ND	ND		
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	1.26	0.126		
DCIMENE	0.007	0.85	0.085		TRANS-NEROLIDOL	0.007	ND	ND		
UCALYPTOL	0.007	ND	ND		GUAIOL	0.007	ND	ND		
LINALOOL	0.007	0.28	0.028		Analyzed by: Weight:		Extraction da	ate:		Extracted by:
FENCHONE	0.007	ND	ND		3404, 2076, 585 1.034g		09/04/22 14:			2076
SOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.F	L				
SOBORNEOL	0.007	ND	ND		Analytical Batch : DA049358TER				9/07/22 09:44:33 04/22 10:35:49	
IEXAHYDROTHYMOL	0.007	ND	ND		Instrument Used : DA-GCMS-005 Running on : 09/07/22 06:37:19		Batch	Date : 09/	04/22 10:35:49	
IEROL	0.007	ND	ND		Dilution: 10					
GERANYL ACETATE	0.007	ND	ND		Reagent : N/A					
ETA-CARYOPHYLLENE	0.007	4.59	0.459		Consumables : N/A					
ALENCENE	0.007	ND	ND		Pipette : N/A					
IS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography	Mass Spec	trometry.			
EDROL	0.007	ND	ND							
ARYOPHYLLENE OXIDE	0.007	< 0.2	<0.02							
ARNESENE	0	0.33	0.033							
LPHA-BISABOLOL	0.007	<0.2	<0.02							
LPHA-PINENE	0.007	0.65	0.065							
ABINENE	0.007	ND	ND							
ETA-PINENE	0.007	0.67	0.067							
LPHA-TERPINENE	0.007	ND	ND							
IMONENE	0.007	2.63	0.263							
SAMMA-TERPINENE	0.007	ND	ND							
ERPINOLENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
	0.007	0.48	0.048							
FENCHYL ALCOHOL										

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOO) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director State License # CMTL-0002

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

09/07/22

Signature



Kaycha Labs

Banana Macaroon Pre-Roll 2 x 0.5g Banana Macaroon Matrix : Flower



PASSED

Certificate of Analysis

The Flowery

₽;

0

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20903002-003 Harvest/Lot ID: 20220711-BAM-H Batch#:1000037942 Sampled : 09/02/22 Ordered : 09/02/22

Sample Size Received : 26 gram Total Batch Size : 489 units Completed : 09/07/22 Expires: 09/07/23 Sample Method : SOP.T.20.010

Page 3 of 5

PASSED

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	maa	3	PASS	ND
TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND					0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm			
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	maa	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND			0.01		0.1	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			ppm			
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.01	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND							
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3404, 585, 3379, 2023	Weight: 0.984g		ctraction d 0/06/22 08:		Extract 3379	ed by:
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101						T 40 10
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL		JZ.I L, S	01.1.50.15	1.1 L, 301.1.4	10.101.1 L, SOI	.1.40.10
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA049352PE	S		Reviewed	0n :09/06/2	22 17:39:48	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-00	3 (PES)		Batch Dat	te:09/03/22	15:21:15	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :09/05/22 20:29:05						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 082922.R01; 081522	.R04; 083022.R2	29; 083	122.R01; 09	92820.59		
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02 Pipette : DA-093: DA-094: DA-2	10					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is		a Liauir	Chromator	ranhy Tripla	Quadrupala Ma	<i>cc</i>
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatog						
MAZALIL	0.01	ppm	0.1	PASS	ND	64ER20-39.	,		7			
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed by:	Weight:	Ex	traction da	ite:	Extract	ed by:
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	3404, 3379, 450, 585	0.984g	09	/06/22 08:5	9:14	3379	
MALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method : SOP.T.30.060						
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA049354VC				n:09/06/221		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-00 Running on :N/A	1	В	atch Date :	09/03/22 15	:25:30	
METHOMYL	0.01	ppm	0.1	PASS	ND							
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 25 Reagent : 081522.R04: 092820	59· 082422 PAG	0824	22 B47			
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02; 14		, 0024	-2.1177/			
NALED	0.01	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146						
	0.01	P	0.20	1/		Testing for agricultural agents is p Spectrometry and Gas Chromator 64ER20-39.						

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

09/07/22

Signature



Kaycha Labs

Banana Macaroon Pre-Roll 2 x 0.5g Banana Macaroon Matrix : Flower



PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20903002-003 Harvest/Lot ID: 20220711-BAM-H Batch#:1000037942 Sampled : 09/02/22 Ordered : 09/02/22

Sample Size Received : 26 gram Total Batch Size : 489 units Completed : 09/07/22 Expires: 09/07/23 Sample Method : SOP.T.20.010

Page 4 of 5

(J.	Microl	oial			PASS	ED	ۍ پې	Мус	otoxi	ns			PAS	SEL
Analyte	$\langle \rangle$	LOD) Units	Result		Action	Analyte		3	LOD	Units	Result	Pass / Fail	Action
	A COLI SHIGELL	4		Not Present	PASS		AFLATOXIN B2	2		0.00	2 ppm	ND	PASS	0.02
SPP							AFLATOXIN BI	1		0.00	2 ppm	ND	PASS	0.02
	A SPECIFIC GEN	E C		Not Present	PASS		OCHRATOXIN			0.00		ND	PASS	0.02
SPERGILLU	IS FUMIGATUS			Not Present Not Present	PASS		AFLATOXIN G			0.00		ND	PASS	0.02
	IS TERREUS			Not Present	PASS		AFLATOXIN G			0.00	2 ppm	ND	PASS	0.02
SPERGILLU				Not Present	PASS		Analyzed by:	2022		5	traction dat	e:	Extracted	d by:
	T AND MOLD	10	CFU/g	11000		100000	3404, 585, 3379,		NA	N/.	<u> </u>		N/A	
nalyzed by: 404, 3621, 33	336, 585	Weight: 0.9036g	Extraction 09/03/22 14		Extracted b 3621	oy:	Analysis Method Analytical Batch Instrument Used Running on : 09/	: DA04935 : DA-LCMS	3MYC -003 (MYC)	Re	SOP.T.30.1 viewed On tch Date : 0	09/06/22	17:39:52	
				wed On : 09/07/ Date : 09/03/22		1	Dilution : N/A Reagent : 08292 Consumables : 6 Pipette : DA-093 Mycotoxins testin	676024-02 3; DA-094; I	DA-219	X		\mathcal{N}	H	
onsumables ipette : N/A	: 500124						accordance with F				pie-Quadrup	ле мазз эр	ectroniecry	
	g is performed utilizin echniques in accorda				MPN, and traditi	ional	Hg	Hea	vy Me	tals			PAS	SEI
nalyzed by: 404, 2682, 3	336, 585	Weight: 1.1974g	Extraction 0 09/04/22 1		Extracted b 2682	oy:	<u>ца</u> р	17			$\Delta \Delta$	\square		
	od : SOP.T.40.208,						Metal			LOD	Units	Result	Pass / Fail	Action Level
	ch : DA049325TYM ed : Incubator (25-			iewed On : 09/00 ch Date : 09/03/2)	TOTAL CONTA		OAD METAL	5 0.11	PPM	< 0.55	PASS	1.1
unning on : N		210,01001	Dut	Duce 1 03/03/2	22 10.23.33		ARSENIC	/		0.02	PPM	ND	PASS	0.2
ilution : 100	0			_			CADMIUM			0.02	PPM	ND	PASS	0.2
	022.R54; 051922.	31					MERCURY			0.02	PPM	<0.1	PASS	0.2
	: 500124; 004103						LEAD			0.05	PPM	ND	PASS	0.5
	mold testing is perfo		MPN and tradit	ional culture base	d techniques in		Analyzed by: 3404, 1022, 585		Weight: 0.2379g	Extraction 09/04/22		V	Extracted 1022	d by:
ccordance with	1 F.S. KUIE 64EK20-S	9.					Analysis Method Analytical Batch Instrument Used Running on : 09/	: DA04932 : DA-ICPM	7HEA 5-003	Revie	SOP.T.40.0 wed On : 09 Date : 09/0	0/05/22 20	29:57	2.FL
							Dilution : 100 Reagent : 08242 090222.R22; 09 Consumables : 1 Pipette : DA-061	0222.R21; 79436; 210	080922.R23;	080922.R22	3122.R55;	090222.R2	3; 08312	2.R54;
							Heavy Metals ana with F.S. Rule 64E		rmed using Ind	uctively Coupl	ed Plasma M	ass Spectro	metry in ac	cordance

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

09/07/22

ka	ycha°
4131 SW 47th AVEN	IUE SUITE 1408

DAVIE, FL, 33314, US

Kaycha Labs

Banana Macaroon Pre-Roll 2 x 0.5g Banana Macaroon Matrix : Flower



PASSED

Page 5 of 5

PASSED

Certific	ate of An	alysis
The Flowery	Sample : DA20903002- Harvest/Lot ID: 202207	
Samples From:	Batch# : 1000037942	Sample Size Received : 26 gram

Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sampled : 09/02/22 Ordered : 09/02/22

PASSED

PASSED

Total Batch Size : 489 units Completed : 09/07/22 Expires: 09/07/23 Sample Method : SOP.T.20.010

Moisture



Filth/Foreign Material

Water Activity



Analyte Filth and Foreign Ma	terial	LOD Units 0.5 %	Result ND	P/F PASS	Action Level	Analyte Moisture Conte	ent
Analyzed by: 3404, 1879	Weight: NA	Extraction N/A	date:	Extrac N/A	ted by:	Analyzed by: 3404, 1879	Weight: 0.49g
Analysis Method : SOP. ⁷ Analytical Batch : DA04 Instrument Used : Filth/ Running on : 09/03/22	9339FIL Foreign Mater			d On : 09/03/ ate : 09/03/22		Analysis Method Analytical Batch Instrument Used Running on : 09/	: DA049334MOI : DA-003 Moist
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 10192 Consumables : N Pipette : DA-066	/A
Filth and foreign material i technologies in accordance			nspection utili	zing naked eye	and microscope	Moisture Content a	analysis utilizing lo

Action Level LOD Units Result P/F PASS 1 % 9 15 Extraction date: 09/03/22 16:49:07 Extracted by: 1879 **Reviewed On :** 09/03/22 16:53:23 **Batch Date :** 09/03/22 14:12:54 ture Analyzer

loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

Analyte Water Activity	_	.OD Units	Result 0.487	P/F PASS	Action Lev
Analyzed by: 3404, 1879	Weight: NA	Extraction N/A		Extra N/A	cted by:
Analysis Method : SOP. Analytical Batch : DA04 Instrument Used : DA-0 Running on : 09/03/22	19335WAT)28 Rotronic Hyg	jropalm	Reviewed C Batch Date		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

09/07/22