

Certificate of Analysis

Kaycha Labs

Blueberry Pre-Roll 2 x 0.5g Blueberry Matrix: Flower



PASSED


Page 1 of 5

Sample:DA20903002-004 Harvest/Lot ID: 20220711-AB3-H Batch#: 1000037237 Cultivation Facility: N/A Processing Facility : N/A Seed to Sale# LFG-00000575 Batch Date: 08/31/22 Sample Size Received: 26 gram Total Batch Size: 487 units Retail Product Size: 1 gram Ordered : 09/02/22 Sampled : 09/02/22 Completed: 09/07/22 Sampling Method: SOP.T.20.010

Sep 07, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

FLOWERY



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

09/07/22



4131 SW 47th AVENUE SUITE DAVIE, FL, 33314, US Kaycha Labs

Blueberry Pre-Roll 2 x 0.5g Blueberry Matrix : Flower



PASSED

TESTED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA20903002-004 Harvest/Lot ID: 20220711-AB3-H Batch# : 1000037237 Sam Sampled : 09/02/22 Tota Ordered : 09/02/22 Com

S3-H Sample Size Received : 26 gram Total Batch Size : 487 units Completed : 09/07/22 Expires: 09/07/23 Sample Method : SOP.T.20.010

Page 2 of 5

Ô

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	7.66	0.766		CAMPHOR	0.007	ND	ND		
OTAL TERPINEOL	0.007	<0.2	< 0.02		BORNEOL	0.013	ND	ND		
AMPHENE	0.007	ND	ND		GERANIOL	0.007	ND	ND		
ETA-MYRCENE	0.007	1.87	0.187		PULEGONE	0.007	ND	ND		
-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.75	0.075		
CIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND		
UCALYPTOL	0.007	ND	ND		GUAIOL	0.007	ND	ND		
INALOOL	0.007	0.96	0.096		Analyzed by: Weight:		Extraction d	ate:		Extracted by:
ENCHONE	0.007	ND	ND		3404, 2076, 585 1.0206g		09/04/22 14			2076
SOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061	A.FL				
SOBORNEOL	0.007	ND	ND		Analytical Batch : DA049358TER				9/07/22 09:45:05 04/22 10:35:49	
IEXAHYDROTHYMOL	0.007	ND	ND		Instrument Used : DA-GCMS-005 Running on : 09/07/22 06:37:19		Batcr	Date : 09/0	14/22 10:35:49	
IEROL	0.007	ND	ND		Dilution : 10					
GERANYL ACETATE	0.007	ND	ND		Reagent : N/A					
SETA-CARYOPHYLLENE	0.007	2.16	0.216		Consumables : N/A					
ALENCENE	0.007	ND	ND		Pipette : N/A					
CIS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograp	phy Mass Spec	rometry.			
EDROL	0.007	ND	ND							
ARYOPHYLLENE OXIDE	0.007	ND	ND							
ARNESENE	0	0.1	0.01							
LPHA-BISABOLOL	0.007	0.44	0.044							
LPHA-PINENE	0.007	<0.2	<0.02							
ABINENE	0.007	ND	ND							
ETA-PINENE	0.007	0.26	0.026							
EIA-PINENE	0.007	ND	ND							
LPHA-TERPINENE		0.88	0.088							
	0.007	0.00								
LPHA-TERPINENE	0.007 0.007	ND	ND							
ILPHA-TERPINENE IMONENE										
ALPHA-TERPINENE IMONENE GAMMA-TERPINENE	0.007	ND	ND		///X					
LPHA-TERPINENE IMONENE SAMMA-TERPINENE 'ERPINOLENE	0.007 0.007	ND ND	ND ND							

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOO) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director State License # CMTL-0002

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

09/07/22



4131 SW 47th AVENUE SUITE 1408

DAVIE, FL, 33314, US

Kaycha Labs

Blueberry Pre-Roll 2 x 0.5g Blueberry Matrix : Flower



PASSED

Certificate of Analysis

The Flowery

R

0

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20903002-004 Harvest/Lot ID: 20220711-AB3-H Batch#:1000037237 Sampled : 09/02/22 Ordered : 09/02/22

Sample Size Received : 26 gram Total Batch Size : 487 units Completed : 09/07/22 Expires: 09/07/23 Sample Method : SOP.T.20.010

Page 3 of 5

PASSED

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	maa	3	PASS	ND
TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND		0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN				PASS	
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1		ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND	тнасебряю	0.01	ppm	0.5	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND				0.1	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm			
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)		PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: We 3404, 585, 3379, 2023 0.9		xtraction d 9/06/22 08:		Extract 3379	ed by:
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL, SOP.					T 40 102
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL	1.30.102.1 L, .	501.1.50.15	JI.I.L, JOI.I	10.101.1 L, SOI	.1.40.102
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA049352PES		Reviewed	d On :09/06/2	2 17:40:07	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Da	te:09/03/22	15:21:15	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :09/05/22 20:29:05					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 082922.R01; 081522.R04; 083 Consumables : 6676024-02	022.R29; 083	122.R01; 0	92820.59		
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	utilizina Liqui	d Chromator	araphy Triple-I	Quadrupole Ma	
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatography Trip					
IMAZALIL	0.01	ppm	0.1	PASS	ND	64ER20-39.		1 7			
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed by: Weig		traction da		Extract	ed by:
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	3404, 3379, 450, 585 0.91	5	/06/22 08:5	59:14	3379	
MALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method : SOP.T.30.060, SOP.T.4		/. \.	00/06/09		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA049354VOL Instrument Used :DA-GCMS-001			n:09/06/22 1		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Running on : N/A	в	atch Date	:09/03/22 15	23:30	
METHOMYL	0.01	ppm	0.1	PASS	ND	Dilution : 25					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent : 081522.R04; 092820.59; 08242	22.R46: 0824	22.R47			
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02; 14725401					
NALED	0.01	maa	0.25	PASS	ND	Pipette : DA-080; DA-146					
						Testing for agricultural agents is performed Spectrometry and Gas Chromatography Trip 64ER20-39.					

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

4

Signature

09/07/22



4131 SW 47th AVENUE SUIT DAVIE, FL, 33314, US Kaycha Labs

Blueberry Pre-Roll 2 x 0.5g Blueberry Matrix : Flower



PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA20903002-004 Harvest/Lot ID: 20220711-AB3-H Batch# : 1000037237 Sam Sampled : 09/02/22 Tota Ordered : 09/02/22 Com

B3-H Sample Size Received : 26 gram Total Batch Size : 487 units Completed : 09/07/22 Expires: 09/07/23 Sample Method : SOP.T.20.010

Page 4 of 5

Ę	Microl	bial			PAS	SED	్లిం M	ycotoxin	5			PAS	SEC
Analyte	$\langle \rangle$	LOD) Units	Result	Pass / Fail	Action	Analyte	\geq	LOD	Units	Result	Pass / Fail	Action
ESCHERICHI	A COLI SHIGELLA	4		Not Present	PASS	Level	AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
SPP							AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
	A SPECIFIC GEN	E		Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
SPERGILLU				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		Analyzed by:	Weight	Extr	action date		Extracted	d by:
ASPERGILLU	S NIGER T AND MOLD	10	CFU/q	Not Present 55000	PASS	100000	3404, 585, 3379, 2023	NA	N/A			N/A	
nalyzed by: 404, 3621, 33	36, 585	Weight: 0.9013g	Extraction 09/03/22	date: 14:29:37	Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA049353MYC Reviewed On : 09/06/22 17:40:11 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 09/03/22 15:25:26 Running on : 09/05/22 20:28:56 Batch Date : 09/03/22 15:25:26								
nalytical Bato nstrument Us unning on : N	od : SOP.T.40.0561 h : DA049320MIC ed : DA-265 Gene- /A		Rev	iewed On : 09/07/ ch Date : 09/03/22		4	Dilution : N/A Reagent : 082922.R01 Consumables : 667602 Pipette : DA-093; DA-0	4-02	.R29; 083	122.R01; (92820.59	H	H
Dilution : N/A Reagent : 0830 Consumables : Pipette : N/A							7	ng Liquid Chromatograph	y with Tripl	e-Quadrupo	le Mass Sp	ectrometry	in
	is performed utilizii chniques in accorda				MPN, and tra	ditional	Нд Не	eavy Meta	als			PAS	SFI
Analyzed by: 3404, 2682, 33	36, 585	Weight: 1.0192g	Extraction 09/04/22		Extracte 2682	ed by:	ц.,, н						
Analytical Bate	od : SOP.T.40.208, h : DA049325TYM ed : Incubator (25- /A	1	Re	eviewed On : 09/0 htch Date : 09/03/2			Metal TOTAL CONTAMINA ARSENIC	NT LOAD METALS	0.11 0.02	Units PPM PPM	Result <0.55 ND	Pass / Fail PASS PASS	Action Level 1.1 0.2
Dilution : 1000							CADMIUM		0.02	PPM	ND	PASS	0.2
	,)22.R54; 051922.	31					MERCURY		0.02	PPM	<0.1	PASS	0.2
	500124; 004103						LEAD		0.05	PPM	ND	PASS	0.5
	mold testing is perfo F.S. Rule 64ER20-3		MPN and trad	litional culture base	d techniques	s in	Analyzed by: 3404, 1022, 585		traction d		V	Extracted 1022	l by:
iccordance with	F.S. Rule 04ER20-5	9.					Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Running on : 09/04/22	49327HEA CPMS-003	Review	OP.T.40.03 red On : 09 Date : 09/0	/05/22 20	:30:07	2.FL
							Dilution : 100 Reagent : 082422.R03 090222.R22; 090222.I Consumables : 179436 Pipette : DA-061; DA-2	R21; 080922.R23; 080 ; 210508058; 210803	922.R22	122.R55; ()90222.R2	3; 08312	2.R54;
							Heavy Metals analysis is with F.S. Rule 64ER20-39	performed using Inductiv).	ely Coupled	d Plasma Ma	iss Spectro	metry in ac	cordance

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/07/22

Signature

ka	aycha [°]
4131 SW 47th AVE	ENUE SUITE 1408

4131 SW 47th AVENUE

DAVIE, FL, 33314, US

Reagent : N/A Consumables : N/A Pipette : N/A Kaycha Labs

Blueberry Pre-Roll 2 x 0.5g Blueberry Matrix : Flower



Cei	tific	ca	te	0	f A	na	lysi	S				P/	ASSEE		
The Flowery				Sar	nple : DA2	0903002-004 D: 20220711-AB									
		1		Ba Sa	tch# : 1000 mpled : 09/ dered : 09/	0037237 /02/22 02/22	B3-H Sample Size Received : 26 gram Total Batch Size : 487 units Completed : 09/07/22 Expires: 09/07/23 Sample Method : SOP.T.20.010						Page 5 of 5		
	Filth/Fo Materia	_	jn		PA	SSED	00	Moistur	e			ΡΑ	SSED		
Analyte Filth and Fore	ign Material	LOD 0.5	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Cont	ent	LOD 1	Units %	Result 10.24	P/F PASS	Action Leve		
Analyzed by: 3404, 1879	Weight		Extraction	date:	Extra N/A	cted by:	Analyzed by: 3404, 1879	Weight: 0.498g		action date		Ext 18	racted by: 79		
Analytical Batch Instrument Used	: SOP.T.30.074, SO : DA049339FIL I: Filth/Foreign Mate 03/22 16:27:14				d On : 09/03 hte : 09/03/2	2/22 16:41:38 2 14:15:23	Analysis Method Analytical Batch Instrument Used Running on : 09/	: DA049334MOI : DA-003 Moisture	Analyzer		Reviewed Or Batch Date :				
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	I/A		1			4	Dilution : N/A Reagent : 10192 Consumables : N Pipette : DA-066	/A	4	$\langle \rangle$			M		
Filth and foreign r technologies in ac	naterial inspection is p cordance with F.S. Rul Water A	e 64ER20	-39.	spection utiliz	\sim	e and microscope	Moisture Content a	inalysis utilizing loss-	on-drying	technology	in accordance	e with F.S. Ru	le 64ER20-39.		
Analyte Water Activity	,	LOD 0.1	Units aw	Result 0.503	P/F PASS	Action Level 0.65									
Analyzed by: 3404, 1879	Weight: NA		Extraction N/A	date:	Extra N/A	cted by:	$V \cup$								
	: DA049335WAT I : DA-028 Rotronic	Hygropa	lm		Dn : 09/03/2 : 09/03/22										
Dilution : N/A															

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Jorge Segredo

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Æ

Signature

09/07/22