

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

La Bomba Pre-Roll 2 x 0.5g La Bomba Matrix: Flower

Sample: DA20831006-001 Harvest/Lot ID: 20220711-LAB-H

> Batch#: 1000037169 Cultivation Facility: N/A Processing Facility: N/A Seed to Sale# LFG-00000573

Batch Date: 08/30/22

Sample Size Received: 26 gram Total Batch Size: 486 gram Retail Product Size: 1 gram

Ordered: 08/31/22 Sampled: 08/31/22 Completed: 09/02/22

Sampling Method: SOP.T.20.010

Page 1 of 5

Sep 02, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

#FLOWERY

PRODUCT IMAGE

SAFETY RESULTS















Residuals Solvents PASSED



Filth PASSED



Water Activity PASSED



PASSED

TESTED

PASSED

MISC.



LOD

Cannabinoid



Total THC

26.405%




Total CBD 0.082%Total CBD/Container: 0.82 mg



Total Cannabinoids 2.034%

Total Cannabinoids/Container: 320.34



| 3404, 1665, 3335, 3421 |
|---|
| Analysis Method: SOP.T.40.031, SOP.T.30.031 |
| Analytical Batch : DA049177POT |
| |

0.001

%

D8-THC

ND

ND

%

0.001

CBDA

0.094

0.94

0.001

%

CBG

0.174

1.74

0.001

%

0.001

Reviewed On: 09/01/22 08:40:38 Batch Date: 08/31/22 09:08:22

CBGA

1.676

16.76

ND ND ND 0.001 %

CBN

ND 0.001 %

THCV

ND 0.065 ND 0.65 0.001 0.001 0/0 %

CBC

CBDV

Instrument Used : DA-LC-002 (Flower) Running on : 08/31/22 11:25:17

Dilution : 400
Reagent : 083122.R06; 060922.02; 083122.R05
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

0.001

%

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

0.001

%

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/02/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

La Bomba Pre-Roll 2 x 0.5g La Bomba

Matrix: Flower

PASSED

Certificate of Analysis

Batch#:1000037169 Sampled: 08/31/22 Total Batch Size: 486 gram Ordered: 08/31/22

Sample : DA20831006-001 Harvest/Lot ID: 20220711-LAB-H

> Completed: 09/02/22 Expires: 09/02/23 Sample Method: SOP.T.20.010

Page 2 of 5



Samples From:


Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Terpenes

TESTED



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/02/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

La Bomba Pre-Roll 2 x 0.5g La Bomba

Matrix : Flower



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20831006-001 Harvest/Lot ID: 20220711-LAB-H

Batch#:1000037169 Sampled: 08/31/22 Ordered: 08/31/22

Sample Size Received: 26 gram Total Batch Size: 486 gram

Completed: 09/02/22 Expires: 09/02/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action | Pass/Fail | Result | Pesticide | 5 1 | LOD | Units | Action | Pass/Fail | Result |
|-------------------------------------|------|-------|------------|-----------|----------|---|----------------|--------|---------------------|----------------|---------------|-------------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | PPM | Level 5 | PASS | ND | OXAMYL | 2 | 0.01 | ppm | Level 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | PPM | 0.2 | PASS | ND | | | | | | | |
| OTAL PERMETHRIN | 0.01 | mag | 0.1 | PASS | ND | PACLOBUTRAZOL | | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PHOSMET | | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL SPINETORAM | 0.01 | PPM | 0.2 | PASS | ND | PIPERONYL BUTOXIDE | | 0.01 | ppm | 3 | PASS | ND |
| OTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PRALLETHRIN | | 0.01 | ppm | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | | 0.01 | ppm | 0.1 | PASS | ND |
| CEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | | 0.01 | ppm | 0.1 | PASS | ND |
| CEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | | 0.01 | ppm | 0.2 | PASS | ND |
| CETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | | 0.01 | ppm | 0.1 | PASS | ND |
| LDICARB | 0.01 | ppm | 0.1 | PASS | ND | | | 0.01 | 17 17 17 | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | | | ppm | | | |
| IFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | | 0.01 | ppm | 0.1 | PASS | ND |
| FENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | | 0.01 | ppm | 0.1 | PASS | ND |
| | 0.01 | PPM | 0.1 | PASS | ND | THIACLOPRID | | 0.01 | ppm | 0.1 | PASS | ND |
| OSCALID | | | 0.1 | PASS | ND | THIAMETHOXAM | | 0.01 | ppm | 0.5 | PASS | ND |
| ARBARYL | 0.01 | ppm | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | 0.01 | ppm | 0.1 | PASS | ND |
| ARBOFURAN | 0.01 | | 1 | PASS | ND | PENTACHLORONITROBENZENE (PC | NB) * | 0.01 | PPM | 0.15 | PASS | ND |
| HLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | PARATHION-METHYL * | | 0.01 | PPM | 0.1 | PASS | ND |
| HLORMEQUAT CHLORIDE | | ppm | | PASS | | CAPTAN * | | 0.07 | PPM | 0.7 | PASS | ND |
| HLORPYRIFOS | 0.01 | ppm | 0.1 | | ND | | | | | - X: | ,,,,,, | |
| LOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND ND | CHLORDANE * | | 0.01 | PPM | 0.1 | PASS | ND |
| OUMAPHOS | 0.01 | ppm | | PASS | | CHLORFENAPYR * | | 0.01 | PPM | 0.1 | PASS | ND |
| AMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | | 0.05 | PPM | 0.5 | PASS | ND |
| IAZINON | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | | 0.05 | PPM | 0.5 | PASS | ND |
| ICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: Weight: | | Ext | Extraction date: Ex | | Extract | tracted by: |
| IMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | | L.0247g | 08/ | 31/22 14:5 | 2:13 | 3379 | |
| THOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method: SOP.T.30.101.FL, | SOP.T.30.102 | .FL, S | OP.T.30.15 | 1.FL, SOP.T.4 | 0.101.FL, SOF | T.40.10 |
| TOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.151.FL | | | | | | |
| TOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA049199PES | | | | d On : 09/02/2 | | |
| ENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used: DA-LCMS-003 (PE Running on: 08/31/22 19:15:00 | :5) | | Batch Da | te:08/31/22 | 10:56:02 | |
| ENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | | |
| ENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 082922.R01; 081522.R04 | · 083022 B20 | · U83 | 122 BUT- U | 02820 50 | | |
| PRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables: 6676024-02 | , 003022.1129 | , 005. | 122.1101, 0 | 32020.33 | | |
| LONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette: DA-093; DA-094; DA-219 | | | | | | |
| LUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is perfor | rmed utilizing | Liquid | Chromato | graphy Triple- | Quadrupole Ma | ISS |
| EXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Spectrometry and Gas Chromatograph | y Triple-Quadi | rupole | Mass Spec | trometry in ac | cordance with | F.S. Rule |
| MAZALIL | 0.01 | ppm | 0.1 | PASS | ND | 64ER20-39. | | | | | | |
| IIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | | Weight: | | traction da | | Extract | ed by: |
| RESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | | 1.0247g | 08 | /31/22 14:5 | 05:14 | 3379 | |
| ALATHION | 0.01 | ppm | 0.2 | PASS | ND | Analysis Method: SOP.T.30.060, SO Analytical Batch: DA049189VOL | r.1.40.000 | P. | O hawaiva | n:09/02/22 (| 19-52-38 | |
| ETALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-001 | | | | :08/31/22 10 | | |
| ETHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Running on : N/A | | | | | | |
| ETHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 25 | | | | | | |
| EVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 081522.R04; 092820.59; | 082422.R46; | 08242 | 22.R47 | | | |
| IYCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables: 6676024-02; 147254 | 101 | | | | | |
| ALED | 0.01 | ppm | 0.25 | PASS | ND | Pipette: DA-080; DA-146 | | | | | | |
| | | | | | | Testing for agricultural agents is performance Spectrometry and Gas Chromatograph | | | | | | |

64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/02/22



DAVIE, FL, 33314, US

Kaycha Labs

La Bomba Pre-Roll 2 x 0.5g La Bomba

Matrix : Flower



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample: DA20831006-001 Harvest/Lot ID: 20220711-LAB-H

Batch#:1000037169 Sampled: 08/31/22 Ordered: 08/31/22

Sample Size Received: 26 gram Total Batch Size: 486 gram Completed: 09/02/22 Expires: 09/02/23 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



าร

PASSED

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|------------------------------|------------|-------------|-------------|----------------|-----------------|
| ESCHERICHIA COLI SHIGELL SPP | -A | | Not Present | PASS | |
| SALMONELLA SPECIFIC GEN | NE | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 1200 | PASS | 100000 |
| Analyzed by: | Weight: Fo | ctraction c | date: | Extracte | d by: |

1.185g 08/31/22 12:00:50 3702

Analysis Method: SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 09/02/22 12:21:06 Batch Date: 08/31/22 08:17:13

Analytical Batch: DA049176MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : N/A

Dilution: N/A Reagent: 071122.R02; 061522.50

Consumables: 500124 Pipette: N/A

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39..

| Analyzed by: 3404, 3702, 3621, 53 | Weight: 1.1763g | Extraction date: 08/31/22 12:10:41 | Extracted by: 3702 | | |
|--|------------------------|------------------------------------|-------------------------------------|--|--|
| Analysis Method : SOP.T.44 Analytical Batch : DA04918 Instrument Used : Incubato Running on : N/A | BOTYM | Reviewed On : 0 | 9/02/22 14:30:17 /31/22 09:27:09 | | |
| Dilution : N/A | 1522 50, 051022 | 20 | | | |

Reagent : 071122.R02; 061522. **Consumables :** 500124; 004103

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| \mathcal{J}_{ω} | Mycotoxin |
|------------------------|-----------|
| - | |

| Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
|----------------------------------|---------------------|------------------------------------|-------|--------|-------------------|-----------------|
| AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3404, 3379, 585, 53 | Weight: g | Extraction d 08/31/22 15 | | MA | Extracted 3379 | d by: |

Analysis Method: SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch: DA049200MYC
Instrument Used: DA-LCMS-003 (MYC)
Running on: 08/31/22 19:15:06 Reviewed On: 09/02/22 09:48:53 Batch Date: 08/31/22 10:57:51

Dilution: 230 Reagent: 082922.R01; 081522.R04; 083022.R29; 083122.R01; 092820.59 Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

| Metal | | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------------------|--------------------|-----------------------|---------|--------|------------------|-----------------|
| TOTAL CONTAMINANT LO | AD METALS | 0.11 | PPM | < 0.55 | PASS | 1.1 |
| ARSENIC | | 0.02 | PPM | ND | PASS | 0.2 |
| CADMIUM | | 0.02 | PPM | ND | PASS | 0.2 |
| MERCURY | | 0.02 | PPM | < 0.1 | PASS | 0.2 |
| LEAD | | 0.05 | PPM | ND | PASS | 0.5 |
| Analyzed by: 3404, 1022, 3619, 53 | Weight: 0.2656g | Extractio 08/31/22 | n date: | V | Extracte 3619 | ed by: |

Analysis Method: SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA049187HEA Reviewed On: 09/02/22 11:58:52 Instrument Used: DA-ICPMS-003 Running on: 08/31/22 14:05:53 Batch Date: 08/31/22 10:20:50

Dilution: 100

Reagent: 082422.R03; 081922.R19; 080222.R36; 082622.R17; 082622.R23; 081722.R41; 082622.R24; 082622.R22; 080922.R23; 080922.R22

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/02/22



Kaycha Labs

La Bomba Pre-Roll 2 x 0.5g

La Bomba Matrix: Flower



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

Sample: DA20831006-001 Harvest/Lot ID: 20220711-LAB-H

Batch#:1000037169 Sampled: 08/31/22 Ordered: 08/31/22

Sample Size Received: 26 gram Total Batch Size: 486 gram

Completed: 09/02/22 Expires: 09/02/23 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED



Moisture

PASSED

Analyte Filth and Foreign Material

Running on: 08/31/22 18:23:21

0.5

LOD

Result ND PASS

Action Level Analyte 1 Extracted by:

Moisture Content Analyzed by: 3404, 2926, 1879

1 Weight: 0.497g

LOD

Units Extraction date:

08/31/22 13:45:11

Result 11.67

PASS 15 Extracted by:

2926

Action Level

P/F

Reviewed On: 08/31/22 18:00:54 Batch Date: 08/31/22 10:12:58

Dilution: N/A

Reagent: N/A Consumables : N/A

Pipette: N/A

NA

Analysis Method: SOP.T.30.074, SOP.T.40.074

Extraction date:

Units

%

Reviewed On: 08/31/22 18:32:14 **Batch Date:** 08/31/22 18:21:05 Analytical Batch: DA049212FIL Instrument Used: Filth/Foreign Material Microscope

P/F

N/A

Analysis Method: SOP.T.40.021 Analytical Batch : DA049186MOI Instrument Used : DA-003 Moisture Analyzer

Running on: 08/31/22 13:38:07

Dilution: N/A

Reagent: 060920.24; 080422.05 Consumables : PS-14

Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------------|---------------|----------------|-----------|------------|--------------|
| Water Activity | 0.1 | aw | 0.518 | PASS | |
| Analyzed by: 3404, 2926, 1879 | Weight: NA | Extract N/A | ion date: | Ext N/A | racted by: |

Analysis Method : SOP.T.40.019
Analytical Batch : DA049182WAT

Instrument Used : DA-028 Rotronic Hygropalm **Running on :** $08/31/22 \ 13:28:04$

Reviewed On: 08/31/22 18:17:57 Batch Date: 08/31/22 10:01:17

Dilution : N/A Reagent: 121421.19 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/02/22