

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Hybrid RSO Syringe 1G Hybrid Matrix: Derivative

Sample: DA20831006-004 Harvest/Lot ID: 20220817-MIX-0009

> Batch#: 1000037174 Cultivation Facility: N/A Processing Facility: N/A

Seed to Sale# LFG-00000574 Batch Date: 08/30/22

Sample Size Received: 16 units Total Batch Size: 1000 gram

Retail Product Size: 1 gram Ordered: 08/31/22 Sampled: 08/31/22 Completed: 09/07/22

Sampling Method: SOP.T.20.010

age 1 of 6

Sep 07, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

PRODUCT IMAGE

SAFETY RESULTS



Pesticides PASSED





Heavy Metals **PASSED**



Microbials

PASSED

PASSED



Residuals Solvents PASSED



PASSED



Water Activity PASSED



Moisture



MISC.

TESTED

PASSED



Cannabinoid

Total THC

80.238%



Total CBD

0.31%

08/31/22 11:51:15

Reviewed On: 09/01/22 08:15:36

Batch Date: 08/31/22 10:30:45



Total Cannabinoids

Total Cannabinoids/Container: 843.06



Inalyzed by:				V	Veight:	Extracti	on date:			Extracted by:		
	%	%	%	%	%	%	%	%	%	%	%	
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	
mg/g	800.91	1.68	1.69	1.61	3.59	17.87	ND	5.44	4.18	ND	6.09	
%	80.091	0.168	0.169	0.161	0.359	1.787	ND	0.544	0.418	ND	0.609	
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС	

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA049194POT

Analyzed by: 3404, 3112, 2076, 1665, 3421

Instrument Used: DA-LC-003 (Derivatives)

Running on: 08/31/22 11:25:51

Reagent: 083122.R08: 071222.01: 083122.R04

Consumables: 239146; CE123; 210803-059; 61633-125C6-125E; R1KB45277

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Lahel	Claim

Analyte LOD Units Pacc/Fail Result Analyte TOTAL THC / PIECE 0.001 **TESTED**

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Units

Pass/Fail

LOD

09/07/22

Result

Signed On

Revision: #1 This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Hybrid RSO Syringe 1G Hybrid

Matrix : Derivative



PASSED

Certificate of Analysis

Sample : DA20831006-004

Harvest/Lot ID: 20220817-MIX-0009

Batch#:1000037174 Sampled: 08/31/22 Ordered: 08/31/22

Sample Size Received: 16 units Total Batch Size: 1000 gram Completed: 09/07/22 Expires: 09/07/23 Sample Method: SOP.T.20.010

Page 2 of 6



Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Terpenes

TESTED

Terpenes	LOD (%)	mg/g	%	Result (%)	Te	erpenes	LO (%		/g %		Result (%)		
TOTAL TERPENES	0.007	24.92	2.492		CA	MPHOR	0.0	13 <0.	4 <0	.04			
TOTAL TERPINEOL	0.007	1.49	0.149		ВС	RNEOL	0.0	13 1.0	0.1	.08			
CAMPHENE	0.007	ND	ND		GI	RANIOL	0.0	0.5	7 0.0)57			
BETA-MYRCENE	0.007	ND	ND		PU	ILEGONE	0.0	07 ND	ND				
3-CARENE	0.007	ND	ND		AL	PHA-CEDRENE	0.0	0.49	0.0)49			
ALPHA-PHELLANDRENE	0.007	<0.2	ND		AL	PHA-HUMULENE	0.0	07 2.73	0.2	72			
OCIMENE	0.007	0.33	0.033		TF	ANS-NEROLIDOL	0.0	07 1.2	0.1	.24			
EUCALYPTOL	0.007	< 0.2	ND		GI	JAIOL	0.0	0.93	0.0	93			
LINALOOL	0.007	2.03	0.203		Ana	lyzed by:	Weight	/ E	xtractio	n dat	te:	Extracted by:	
FENCHONE	0.007	0.47	0.047			4, 2076, 1665, 585	0.9674		8/31/22	12:4	14:21	2076	
ISOPULEGOL	0.007	< 0.2	ND			lysis Method : SOP.T.30.0							
ISOBORNEOL	0.007	ND	ND		Analytical Batch: DA049192TER Reviewed On: 09/02/22 09:57:31								
HEXAHYDROTHYMOL	0.007	ND	ND			Instrument Used: DA-GCMS-004 Batch Date: 08/31/22 10:27:56 Running on: 08/31/22 17:24:40							
NEROL	0.007	ND	ND			tion: 10			\rightarrow	\forall	$\forall \forall X$		+
GERANYL ACETATE	0.007	ND	ND			gent : N/A							
BETA-CARYOPHYLLENE	0.007	6.27	0.627			Consumables: N/A							
VALENCENE	0.007	ND	ND			Pipette: N/A							
CIS-NEROLIDOL	0.007	ND	ND		Terp	enoid testing is performed u	itilizing Gas Chro	matograp	hy Mass	Speci	trometry.		
CEDROL	0.007	ND	ND										
CARYOPHYLLENE OXIDE	0.007	0.78	0.078										
FARNESENE	0	0.88	0.088		1 /								
ALPHA-BISABOLOL	0.007	2.65	0.265										
ALPHA-PINENE	0.007	ND	ND										
SABINENE	0.007	ND	ND										
BETA-PINENE	0.007	ND	ND										
ALPHA-TERPINENE	0.007	ND	ND										
LIMONENE	0.007	0.5	0.05										
GAMMA-TERPINENE	0.007	ND	ND										
TERPINOLENE	0.007	0.38	0.038		İ								
SABINENE HYDRATE	0.007	< 0.2	< 0.02										
FENCHYL ALCOHOL	0.007	1.33	0.133										
Total (%)			2.492										

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/07/22



Kaycha Labs

Hybrid RSO Syringe 1G Hybrid

Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample: DA20831006-004

Harvest/Lot ID: 20220817-MIX-0009

Batch#: 1000037174 Sampled: 08/31/22 Ordered: 08/31/22 Sample Size Received: 16 units Total Batch Size: 1000 gram Completed: 09/07/22 Expires: 09/07/23 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

P	A	S	S	E	D

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	0.26	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND				3	PASS	
OTAL SPINETORAM	0.01	PPM	0.2	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	-		0.26
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND						
OSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
IAZINON	0.01	ppm	0.1	PASS	ND						
ICHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight		traction dat		Extracte	ed by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	3404, 3379, 585, 53 0.2039		/31/22 14:50		3379	
TOFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL, SOP.T. SOP.T.40.151.FL	30.102.FL,	50P.1.30.15	1.FL, SOP.1.4	10.101.FL, SOP	.1.40.10
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA049201PES		Reviewed	On:09/02/2	2 08-58-08	
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			te:08/31/22		
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on: 08/31/22 19:14:57					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250					
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 082922.R01; 081522.R04; 0830	2.R29; 083	122.R01; 09	2820.59		
LONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219		1.01		0 1 1 1	
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u Spectrometry and Gas Chromatography Triple					
MAZALIL	0.01	ppm	0.1	PASS	ND	64ER20-39.	-Quaurupor	e Mass Speci	in officer y in ac	cordance with	1.5. Kule
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed by: Weigh	t: E	ctraction da	ite:	Extract	ed by:
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	3404, 3379, 450, 585 0.203		3/31/22 14:5	8:37	3379	/
ALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method: SOP.T.30.060, SOP.T.40	060				
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA049185VOL			n:09/02/22 0		
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001	В	atch Date :	08/31/22 10:	:10:39	
ETHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
EVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution: 25 Reagent: 081522.R04; 092820.59; 08242;	D46: 0024	22 047			
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02; 14725401	n40; U624	ZZ.R4/			
ALED	0.01	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146					
ALLU	0.01	ppiii	0.23	. 433	IND	Testing for agricultural agents is performed u Spectrometry and Gas Chromatography Triple 64ER20-39.					

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/07/22



Kaycha Labs

Hybrid RSO Syringe 1G Hybrid

Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA20831006-004 Harvest/Lot ID: 20220817-MIX-0009

Batch#:1000037174 Sampled:08/31/22 Ordered:08/31/22 Sample Size Received: 16 units Total Batch Size: 1000 gram Completed: 09/07/22 Expires: 09/07/23 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

|--|

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 N/Δ
 N/Δ
 N/Δ

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA049208SOL Instrument Used: DA-GCMS-002 Running on: 09/01/22 13:46:13

 $\begin{array}{l} \textbf{Reviewed On: } 09/01/22\ 17{:}40{:}14 \\ \textbf{Batch Date: } 08/31/22\ 16{:}02{:}17 \end{array}$

Dilution: 1
Reagent: 030420.09
Consumables: 27296; KF140
Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/07/22



DAVIE, FL, 33314, US

Kaycha Labs

Hybrid RSO Syringe 1G

Hybrid Matrix : Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20831006-004

Harvest/Lot ID: 20220817-MIX-0009

Batch#:1000037174 Sampled: 08/31/22 Ordered: 08/31/22

Batch Date: 08/31/22 10:38:09

Sample Size Received: 16 units Total Batch Size: 1000 gram Completed: 09/07/22 Expires: 09/07/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI S	SHIGELLA			Not Present	PASS	
SALMONELLA SPECI	FIC GENE			Not Present	PASS	
ASPERGILLUS FLAV	JS			Not Present	PASS	
ASPERGILLUS FUMIO	GATUS			Not Present	PASS	
ASPERGILLUS TERRI	EUS			Not Present	PASS	
ASPERGILLUS NIGER				Not Present	PASS	
TOTAL YEAST AND N	IOLD	10	CFU/g	<10	PASS	100000
Analyzed by:	Weight	e E	xtraction	date:	Extracte	d by:

3404, 3621, 3702, 53 0.9508g 08/31/22 12:20:15 3702

Analysis Method: SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 09/02/22 12:23:01

Analytical Batch: DA049195MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : N/A

Dilution: N/A Reagent: 071122.R02; 061522.50 Consumables: 2030190

Pipette: N/A

Pipette: N/A

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39...

Analyzed by: 3404, 3702, 3621, 53	0.8153g	08/31/22 12:14:13	3702
Analysis Method : SOP.T.40 Analytical Batch : DA04920 Instrument Used : Incubato Running on : N/A	6TYM	Reviewed On:	09/02/22 14:31:34 5/31/22 11:51:07
Dilution: N/A Reagent: 071122.R02; 061 Consumables: 2030190: 00		.29	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3404, 3379, 585, 53	Weight:	Extraction of 08/31/22 15			Extracted 3379	d by:

08/31/22 15:01:26

Analysis Method: SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch: DA049202MYC
Instrument Used: DA-LCMS-003 (MYC)
Running on: 08/31/22 19:15:04 Reviewed On: 09/02/22 10:05:12 Batch Date: 08/31/22 11:01:04

Dilution: 230 Reagent: 082922.R01; 081522.R04; 083022.R29; 083122.R01; 092820.59 Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.11	PPM	ND	PASS	1.1
ARSENIC		0.02	PPM	ND	PASS	0.2
CADMIUM		0.02	PPM	ND	PASS	0.2
MERCURY		0.02	PPM	ND	PASS	0.2
LEAD		0.05	PPM	ND	PASS	0.5
Analyzed by: 3404, 1022, 3619, 53	Weight: 0.2549g	Extractio 08/31/22	n date: 12:58:14	Y	Extracte 3619	ed by:

Instrument Used: DA-ICPMS-003 Running on: 08/31/22 14:05:40 Batch Date: 08/31/22 10:44:58

Dilution: 100

Reagent: 082422.R03; 081922.R19; 080222.R36; 082622.R17; 082622.R23; 081722.R41; 082622.R24; 082622.R22; 080922.R23; 080922.R22

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-216

 $Heavy\ Metals\ analysis\ is\ performed\ using\ Inductively\ Coupled\ Plasma\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/07/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Hybrid RSO Syringe 1G Hybrid

Matrix : Derivative



Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US

Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20831006-004

Harvest/Lot ID: 20220817-MIX-0009

Batch#:1000037174 Sampled: 08/31/22 Ordered: 08/31/22

Sample Size Received: 16 units Total Batch Size: 1000 gram Completed: 09/07/22 Expires: 09/07/23 Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



Filth/Foreign Material

PASSED

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS

Extraction date: Extracted by: NA N/A

Analysis Method: SOP.T.30.074, SOP.T.40.074 Analytical Batch: DA049214FIL Instrument Used: Filth/Foreign Material Microscope

Reviewed On: 08/31/22 18:39:11 Batch Date: 08/31/22 18:21:33

Running on: 08/31/22 18:26:14

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 08/31/22 18:05:42

Batch Date: 08/31/22 10:02:59

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.453	PASS	0.85
Analyzed by:	Weight:				

Analysis Method : SOP.T.40.019
Analytical Batch : DA049183WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : $08/31/22\ 14:00:51$

Dilution : N/A Reagent: 121421.19 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/07/22