



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA20903002-008
Harvest/Lot ID: 20220810-MIX-0006
Batch#: 1000037285
Cultivation Facility: N/A
Processing Facility: N/A
Seed to Sale# LFG-00000576
Batch Date: 08/31/22
Sample Size Received: 16 gram
Total Batch Size: 1000 units
Retail Product Size: 1 gram
Ordered: 09/02/22
Sampled: 09/02/22
Completed: 09/07/22
Sampling Method: SOP.T.20.010

Sep 07, 2022 | The Flowery

Samples From:


Homestead, FL, 33090, US

THE FLOWERY
PASSED

Page 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
77.481%
Total THC/Container: 774.81 mg

Total CBD
0.207%
Total CBD/Container: 2.07 mg

Total Cannabinoids
82.483%
Total Cannabinoids/Container: 824.83 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	77.273	0.238	0.207	ND	0.354	3.038	ND	0.347	0.964	ND	0.062
mg/unit	772.73	2.38	2.07	ND	3.54	30.38	ND	3.47	9.64	ND	0.62
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3404, 3335, 1665, 3421

Weight:
0.103g

Extraction date:
09/03/22 14:33:57

Extracted by:
3335

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA049331POT

Instrument Used: DA-LC-003 (Derivatives)

Running on: 09/03/22 14:38:40

Reviewed On: 09/04/22 15:27:37

Batch Date: 09/03/22 12:11:26

Dilution: 400

Reagent: 083122.R08; 060922.02; 083122.R04

Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20903002-008

Harvest/Lot ID: 20220810-MIX-0006

Batch# : 1000037285

Sampled : 09/02/22

Ordered : 09/02/22

Sample Size Received : 16 gram

Total Batch Size : 1000 units

Completed : 09/07/22 Expires: 09/07/23

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	30.39	3.039		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	1.57	0.157		BORNEOL	0.013	0.66	0.066	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	0.71	0.071	
BETA-MYRCENE	0.007	ND	ND		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	0.47	0.047	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	3.38	0.338	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	1.15	0.115	
EUCALYPTOL	0.007	ND	ND		GUAIOL	0.007	2.34	0.234	
LINALOOL	0.007	1.72	0.172						
FENCHONE	0.007	<0.2	<0.02						
ISOPULEGOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	9.31	0.931						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	0.82	0.082						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.98	0.098						
FARNESENE	0	0.81	0.081						
ALPHA-BISABOLOL	0.007	3.04	0.304						
ALPHA-PINENE	0.007	ND	ND						
SABINENE	0.007	<0.2	ND						
BETA-PINENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	<0.2	<0.02						
GAMMA-TERPINENE	0.007	<0.2	ND						
TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	1.18	0.118						
Total (%)			3.039						

Analyzed by:

3404, 2076, 585

Weight:

0.8516g

Extraction date:

09/04/22 15:04:11

Extracted by:

2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA0493607ER

Instrument Used : DA-GCMS-004

Running on : 09/04/22 17:59:49

Reviewed On : 09/07/22 12:48:04

Batch Date : 09/04/22 10:39:44

Dilution : 10

Reagent : N/A

Consumables : N/A

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



Certificate of Analysis

PASSED

The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20903002-008

Harvest/Lot ID: 20220810-MIX-0006

Batch# : 1000037285

Sampled : 09/02/22

Ordered : 09/02/22

Sample Size Received : 16 gram

Total Batch Size : 1000 units

Completed : 09/07/22 Expires: 09/07/23

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	PPM	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	PPM	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	PPM	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3404, 585, 3379	0.2233g	09/06/22 08:54:53	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL,					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA049349PES			Reviewed On : 09/06/22 13:09:21		
FENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 09/03/22 15:18:08		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 09/05/22 20:27:50					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 082922.R01; 081522.R04; 083022.R29; 083122.R01; 092820.59					
FLONICAMID	0.01	ppm	2	PASS	ND	Consumables : 6676024-02					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	3404, 3379, 450, 585	0.2233g	09/06/22 09:00:21	3379		
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	2	PASS	ND	SOP.T.30.060, SOP.T.40.060			Reviewed On : 09/06/22 14:53:35		
METALAXYL	0.01	ppm	3	PASS	ND	Analytical Batch : DA049351VOL			Batch Date : 09/03/22 15:19:39		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 25					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Reagent : 081522.R04; 092820.59; 082422.R46; 082422.R47					
NALED	0.01	ppm	0.5	PASS	ND	Consumables : 6676024-02; 14725401					
						Pipette : DA-080; DA-146					
						Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20903002-008

Harvest/Lot ID: 20220810-MIX-0006

Batch# : 1000037285

Sampled : 09/02/22

Ordered : 09/02/22

Sample Size Received : 16 gram

Total Batch Size : 1000 units

Completed : 09/07/22 **Expires:** 09/07/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	<125
ETHANOL	500	ppm		TESTED	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	<200
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:

N/A

Weight:

N/A

Extraction date:

N/A

Extracted by:

N/A

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA049365SOL

Instrument Used : DA-GCMS-003

Running on : 09/06/22 13:51:03

Reviewed On : 09/06/22 14:31:04

Batch Date : 09/05/22 10:54:43

Dilution : 1

Reagent : 030420.09

Consumables : 27296; KF140

Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: osivan@moozacapital.com

Sample : DA20903002-008
Harvest/Lot ID: 20220810-MIX-0006
Batch# : 1000037285
Sample Size Received : 16 gram
Sampled : 09/02/22
Total Batch Size : 1000 units
Ordered : 09/02/22
Completed : 09/07/22 Expires: 09/07/23
Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3404, 3621, 3336, 585 Weight: 0.8626g Extraction date: 09/03/22 14:29:37 Extracted by: 3621 Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA049320MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : N/A Dilution : N/A Reagent : 083022.R54 Consumables : 500124 Pipette : N/A Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by: 3404, 585, 3379 Weight: g Extraction date: N/A Extracted by: N/A Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA049350MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 09/05/22 20:29:12 Dilution : 250 Reagent : 082922.R01; 081522.R04; 083022.R29; 083122.R01; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	PPM	<0.55	PASS	5						
ARSENIC	0.02	PPM	ND	PASS	1.5						
CADMIUM	0.02	PPM	ND	PASS	0.5						
MERCURY	0.02	PPM	<0.1	PASS	3						
LEAD	0.05	PPM	ND	PASS	0.5						
Analyzed by: 3404, 1022, 585 Weight: 0.2355g Extraction date: 09/04/22 13:55:57 Extracted by: 1022 Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA049328HEA Instrument Used : DA-ICPMS-003 Running on : 09/04/22 17:01:49 Dilution : 100 Reagent : 082422.R03; 081922.R19; 080222.R36; 083122.R55; 090222.R23; 083122.R54; 090222.R22; 090222.R21; 080922.R23; 080922.R22 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20903002-008

Harvest/Lot ID: 20220810-MIX-0006

Batch# : 1000037285

Sampled : 09/02/22

Ordered : 09/02/22

Sample Size Received : 16 gram

Total Batch Size : 1000 units

Completed : 09/07/22 **Expires:** 09/07/23

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign
Material**
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 1879	NA	N/A	N/A

Analysis Method : SOP.T.30.074, SOP.T.40.074

Analytical Batch : DA049344FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 09/03/22 16:27:03

Reviewed On : 09/03/22 16:42:07

Batch Date : 09/03/22 14:19:24

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.418	TESTED	

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 1879	NA	N/A	N/A

Analysis Method : SOP.T.40.019

Analytical Batch : DA049337WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 09/03/22 16:50:05

Reviewed On : 09/03/22 17:25:59

Batch Date : 09/03/22 14:13:53

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.