



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA20903002-007
Harvest/Lot ID: 20220811-MIX-0007
Batch#: 1000037312
Cultivation Facility: N/A
Processing Facility : N/A
Seed to Sale# LFG-00000578
Batch Date: 08/31/22
Sample Size Received: 16 gram
Total Batch Size: 1000 units
Retail Product Size: 1 gram
Ordered : 09/02/22
Sampled : 09/02/22
Completed: 09/07/22
Sampling Method: SOP.T.20.010

Sep 07, 2022 | The Flowery

Samples From:
Homestead, FL, 33090, US

THE FLOWERY

PASSED

Page 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

79.597%

Total THC/Container : 795.97 mg



Total CBD

0.388%

Total CBD/Container : 3.88 mg



Total Cannabinoids

85.386%

Total Cannabinoids/Container : 853.86 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	79.46	0.157	0.204	0.21	0.389	3.451	ND	0.409	0.535	ND	0.571
mg/unit	794.6	1.57	2.04	2.1	3.89	34.51	ND	4.09	5.35	ND	5.71
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3404, 3335, 1665, 3421

Weight:
0.1047g

Extraction date:
09/03/22 14:33:57

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA049331POT
 Instrument Used : DA-LC-003 (Derivatives)
 Running on : 09/03/22 14:38:40

Reviewed On : 09/04/22 15:26:48
 Batch Date : 09/03/22 12:11:26

Dilution : 400
 Reagent : 083122.R08; 060922.02; 083122.R04
 Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20903002-007

Harvest/Lot ID: 20220811-MIX-0007

Batch# : 1000037312

Sampled : 09/02/22

Ordered : 09/02/22

Sample Size Received : 16 gram

Total Batch Size : 1000 units

Completed : 09/07/22 **Expires:** 09/07/23

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	19.55	1.955		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	1.33	0.133		BORNEOL	0.013	0.55	0.055	
CAMPENE	0.007	ND	ND		GERANIOL	0.007	<0.2	<0.02	
BETA-MYRCENE	0.007	ND	ND		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	0.36	0.036	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	2.38	0.238	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	0.96	0.096	
EUCALYPTOL	0.007	ND	ND		GUAIOL	0.007	0.92	0.092	
LINALOOL	0.007	1.19	0.119		Analyzed by: 3404, 2076, 585 Weight: 1.1655g Extraction date: 09/04/22 15:04:11 Extracted by: 2076				
FENCHONE	0.007	<0.2	<0.02		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA0493607ER Instrument Used : DA-GCMS-004 Running on : 09/04/22 17:59:49 Reviewed On : 09/07/22 12:47:56 Batch Date : 09/04/22 10:39:44				
ISOPULEGOL	0.007	ND	ND		Dilution : 10 Reagent : N/A Consumables : N/A Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	6.36	0.636						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	0.65	0.065						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.74	0.074						
FARNESENE	0	0.91	0.091						
ALPHA-BISABOLOL	0.007	1.73	0.173						
ALPHA-PINENE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	<0.2	<0.02						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	0.97	0.097						
Total (%)			1.955						



Certificate of Analysis

PASSED

The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20903002-007

Harvest/Lot ID: 20220811-MIX-0007

Batch# : 1000037312

Sampled : 09/02/22

Ordered : 09/02/22

Sample Size Received : 16 gram

Total Batch Size : 1000 units

Completed : 09/07/22 Expires: 09/07/23

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	PPM	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	PPM	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	PPM	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3404, 585, 3379	0.2416g	09/06/22 08:54:53	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL,					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA049349PES		Reviewed On : 09/06/22 13:09:01			
FENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 09/03/22 15:18:08			
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 09/05/22 20:27:50					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 082922.R01; 081522.R04; 083022.R29; 083122.R01; 092820.59					
FLONICAMID	0.01	ppm	2	PASS	ND	Consumables : 6676024-02					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	3404, 3379, 450, 585	0.2416g	09/06/22 09:00:21	3379		
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method :					
MALATHION	0.01	ppm	2	PASS	ND	SOP.T.30.060, SOP.T.40.060		Reviewed On : 09/06/22 14:53:00			
METALAXYL	0.01	ppm	3	PASS	ND	Analytical Batch : DA049351VOL		Batch Date : 09/03/22 15:19:39			
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 25					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Reagent : 081522.R04; 092820.59; 082422.R46; 082422.R47					
NALED	0.01	ppm	0.5	PASS	ND	Consumables : 6676024-02; 14725401					
						Pipette : DA-080; DA-146					
						Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20903002-007

Harvest/Lot ID: 20220811-MIX-0007

Batch# : 1000037312

Sampled : 09/02/22

Ordered : 09/02/22

Sample Size Received : 16 gram

Total Batch Size : 1000 units

Completed : 09/07/22 **Expires:** 09/07/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm		TESTED	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	<200
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:

N/A

Weight:

N/A

Extraction date:

N/A

Extracted by:

N/A

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA049365SOL

Instrument Used : DA-GCMS-003

Running on : 09/06/22 13:51:03

Reviewed On : 09/06/22 14:31:15

Batch Date : 09/05/22 10:54:43

Dilution : 1

Reagent : 030420.09

Consumables : 27296; KF140

Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: osivan@moozacapital.com

Sample : DA20903002-007
Harvest/Lot ID: 20220811-MIX-0007
Batch# : 1000037312
Sample Size Received : 16 gram
Total Batch Size : 1000 units
Sampled : 09/02/22
Completed : 09/07/22 **Expires:** 09/07/23
Ordered : 09/02/22
Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3404, 3621, 3336, 585 Weight: 0.8006g Extraction date: 09/03/22 14:29:37 Extracted by: 3621 Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA049320MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : N/A Dilution : N/A Reagent : 083022.R54 Consumables : 500124 Pipette : N/A Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by: 3404, 585, 3379 Weight: g Extraction date: N/A Extracted by: N/A Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA049350MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 09/05/22 20:29:12 Dilution : 250 Reagent : 082922.R01; 081522.R04; 083022.R29; 083122.R01; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	PPM	<0.55	PASS	5						
ARSENIC	0.02	PPM	ND	PASS	1.5						
CADMIUM	0.02	PPM	ND	PASS	0.5						
MERCURY	0.02	PPM	<0.1	PASS	3						
LEAD	0.05	PPM	ND	PASS	0.5						
Analyzed by: 3404, 1022, 585 Weight: 0.2604g Extraction date: 09/04/22 13:51:09 Extracted by: 1022 Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA049328HEA Instrument Used : DA-ICPMS-003 Running on : 09/04/22 17:01:49 Dilution : 100 Reagent : 082422.R03; 081922.R19; 080222.R36; 083122.R55; 090222.R23; 083122.R54; 090222.R22; 090222.R21; 080922.R23; 080922.R22 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20903002-007

Harvest/Lot ID: 20220811-MIX-0007

Batch# : 1000037312

Sampled : 09/02/22

Ordered : 09/02/22

Sample Size Received : 16 gram

Total Batch Size : 1000 units

Completed : 09/07/22 **Expires:** 09/07/23

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign
Material**
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 1879	NA	N/A	N/A

Analysis Method : SOP.T.30.074, SOP.T.40.074

Analytical Batch : DA049344FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 09/03/22 16:27:03

Reviewed On : 09/03/22 16:42:06

Batch Date : 09/03/22 14:19:24

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.411	TESTED	

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 1879	NA	N/A	N/A

Analysis Method : SOP.T.40.019

Analytical Batch : DA049337WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 09/03/22 16:50:05

Reviewed On : 09/03/22 17:25:58

Batch Date : 09/03/22 14:13:53

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.