

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Beach Crasher Pre-Roll 1 x 1g Beach Crasher Matrix: Flower



Sample: DA20909012-009 Harvest/Lot ID: 20220622-BC-H

> Batch#: 1000038139 Cultivation Facility: N/A Processing Facility: N/A Seed to Sale# LFG-00000603

Batch Date: 09/08/22

Sample Size Received: 26 gram Total Batch Size: 502 units Retail Product Size: 1 gram

Ordered: 09/09/22 Sampled: 09/09/22 Completed: 09/13/22

Sampling Method: SOP.T.20.010

Page 1 of 5

Sep 13, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

#FLOWERY

PRODUCT IMAGE

SAFETY RESULTS























TESTED

MISC.

Pesticides PASSED

Heavy Metals **PASSED**

Microbials PASSED

PASSED

Residuals Solvents

Filth PASSED

Water Activity PASSED

Moisture PASSED

PASSED



Cannabinoid

Total THC

Total THC/Container : 292 mg



Total CBD 0.07%

Total CBD/Container: 0.7 mg



Total Cannabinoids

Total Cannabinoids/Container: 351.77

| | | ı | | | | | | | | | | |
|-------------------------------|-----------------|----------------|---|-----------|--------------------|--------|--------------------------------|------------|-----------|------------|-----------------------|-----------|
| % | D9-ТНС 0.792 | THCA 32,393 | _ | CBD ND | CBDA 0.08 | D8-THC | св с 0,151 | CBGA 1.712 | CBN ND | THCV ND | CBDV ND | свс 0.049 |
| mg/unit | 7.92 | 323.93 | | ND | 0.8 | ND | 1.51 | 17.12 | ND | ND | ND | 0.49 |
| LOD | 0.001 | 0.001 | | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| | % | % | | % | % | % | % | % | % | % | % | % |
| Analyzed by: 3404, 1665, 585, | 53 | | | | Weight: 0.2017g | | action date: 12/22 09:43:28 | | | | Extracted by: 1665 | |

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA049592POT Instrument Used: DA-LC-002 (Flower) Running on: 09/12/22 09:44:12

Reviewed On: 09/13/22 10:07:53 Batch Date: 09/11/22 11:49:30

Dilution: 400
Reagent: 090622.R19; 070121.27; 090622.R20
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/13/22



Kaycha Labs

Beach Crasher Pre-Roll 1 x 1g

Beach Crasher Matrix : Flower



PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA20909012-009 Harvest/Lot ID: 20220622-BC-H

Batch#:1000038139 Sampled:09/09/22 Ordered:09/09/22 Sample Size Received : 26 gram
Total Batch Size : 502 units

Completed: 09/13/22 Expires: 09/13/23 Sample Method: SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Tarmanaa | | | | | | | | | | | |
|--|--|---|---|---------|---|-------------------------|------------|----------------|------------|------------------|---------------|
| Terpenes | LOD (%) | mg/unit | t % Resu | ult (%) | Terpenes | | LOD (%) | mg/unit | % | Result (%) | |
| OTAL TERPENES | 0.007 | 24.66 | 2.466 | | CAMPHOR | | 0.013 | ND | ND | | |
| OTAL TERPINEOL | 0.007 | 0.57 | 0.057 | | BORNEOL | | 0.013 | < 0.4 | < 0.04 | | |
| CAMPHENE | 0.007 | < 0.2 | < 0.02 | | GERANIOL | | 0.007 | < 0.2 | < 0.02 | | |
| BETA-MYRCENE | 0.007 | 1.18 | 0.118 | | PULEGONE | | 0.007 | ND | ND | | |
| -CARENE | 0.007 | ND | ND | | ALPHA-CEDRENE | | 0.007 | ND | ND | | |
| ALPHA-PHELLANDRENE | 0.007 | ND | ND | | ALPHA-HUMULENE | | 0.007 | 2.96 | 0.296 | | |
| CIMENE | 0.007 | ND | ND | | TRANS-NEROLIDOL | | 0.007 | ND | ND | | |
| UCALYPTOL | 0.007 | ND | ND | | GUAIOL | | 0.007 | ND | ND | | |
| INALOOL | 0.007 | 1.72 | 0.172 | | Analyzed by: | Weight: | | Extraction dat | e: | | Extracted by: |
| ENCHONE | 0.007 | < 0.2 | <0.02 | | 3404, 2076, 53 | 0.9338g | | 09/12/22 11:3 | | | 2076 |
| SOPULEGOL | 0.007 | ND | ND | | Analysis Method : SOP.T.30.061 | A.FL, SOP.T.40.061A.F | L | | | | |
| SOBORNEOL | 0.007 | ND | ND | | Analytical Batch : DA049601TER | | | | | 9/13/22 18:20:44 | |
| IEXAHYDROTHYMOL | 0.007 | ND | ND | | Instrument Used : DA-GCMS-004 Running on : 09/13/22 09:08:05 | | | Batch | Date: 09/1 | 12/22 06:54:20 | |
| EROL | 0.007 | ND | ND | | Dilution: 10 | | | | | | |
| ERANYL ACETATE | 0.007 | ND | ND | | Reagent: 032322.21 | | | | | | |
| ETA-CARYOPHYLLENE | 0.007 | 10.4 | 1.04 | | Consumables: 210414634; MKC | CN9995; CE0123 | | | | | |
| ALENCENE | 0.007 | ND | ND | | Pipette : N/A | | | | | | |
| IS-NEROLIDOL | 0.007 | < 0.2 | < 0.02 | | Terpenoid testing is performed utiliz | ring Gas Chromatography | Mass Spec | trometry. | | | |
| | | | | | | | | | | | |
| | 0.007 | ND | ND | | | | | | | | |
| EDROL | | ND 0.39 | ND 0.039 | | | | | | | | |
| EDROL ARYOPHYLLENE OXIDE | 0.007 | | | | | | | | | | |
| EDROL CARYOPHYLLENE OXIDE CARNESENE | 0.007 0.007 | 0.39 | 0.039 | | 7 | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL | 0.007 0.007 0 | 0.39 0.22 | 0.039 0.022 | | 1 | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE | 0.007 0.007 0 0.007 | 0.39 0.22 2.1 | 0.039 0.022 0.21 | | 奸 | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE ALPHA-BISABOLOL LUPHA-PINENE ABINENE | 0.007 0.007 0 0.007 0.007 | 0.39 0.22 2.1 0.36 | 0.039 0.022 0.21 0.036 | | 生 | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE ILPHA-BISABOLOL ILPHA-PINENE ABINENE ETA-PINENE | 0.007 0.007 0 0.007 0.007 | 0.39 0.22 2.1 0.36 ND | 0.039 0.022 0.21 0.036 ND | | # | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE ETA-PINENE ETA-PINENE LPHA-TERPINENE | 0.007 0.007 0 0.007 0.007 0.007 | 0.39 0.22 2.1 0.36 ND 0.64 | 0.039 0.022 0.21 0.036 ND 0.064 | | 娃 | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE BABNENE ETA-PINENE LPHA-TERPINENE | 0.007 0.007 0 0.007 0.007 0.007 0.007 | 0.39 0.22 2.1 0.36 ND 0.64 ND | 0.039 0.022 0.21 0.036 ND 0.064 | | # | | | | | | |
| EDROL ARYOPHYLLENE OXIDE ARNOSENE LIPHA-BISABOLOL LIPHA-PINENE ABINENE ETA-PINENE LIPHA-TERPINENE LIPHA-TERPINENE LIPHA-TERPINENE MOMENE | 0.007 0.007 0 0.007 0.007 0.007 0.007 0.007 | 0.39 0.22 2.1 0.36 ND 0.64 ND 3.35 | 0.039 0.022 0.21 0.036 ND 0.064 ND 0.335 | | # | | | | | | |
| CEDROL ARYOPYYLLENE OXIDE ARNESENE LIPHA-BISABOLOL LUPHA-PINENE GABINENE BETA-PINENE LUPHA-TERPINENE LIMONENE GAMMA-TERPINENE TERPINOLENE | 0.007 0.007 0 0.007 0.007 0.007 0.007 0.007 0.007 | 0.39 0.22 2.1 0.36 ND 0.64 ND 3.35 | 0.039 0.022 0.21 0.036 ND 0.064 ND 0.335 ND | | # | | | | | | |
| CEOROL CARVOPHYLENE OXIDE FARNESENE ALPHA-BISABOLOL ALPHA-PINENE SETA-PINENE BETA-PINENE ALPHA-TERPINENE LIMONENE GAMMA-TERPINENE ETERPINOLENE SABINENE HYDRATE FERPINOLENE | 0.007 0.007 0 0.007 0.007 0.007 0.007 0.007 0.007 0.007 | 0.39 0.22 2.1 0.36 ND 0.64 ND 3.35 ND | 0.039 0.022 0.21 0.036 ND 0.064 ND 0.335 ND | | | | | | | | |

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/13/22



Kaycha Labs

Beach Crasher Pre-Roll 1 x 1g Beach Crasher

Matrix : Flower



PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20909012-009 Harvest/Lot ID: 20220622-BC-H

Batch#: 1000038139 Sampled: 09/09/22 Ordered: 09/09/22

Sample Size Received: 26 gram Total Batch Size: 502 units Completed: 09/13/22 Expires: 09/13/23

Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

| PASSED |
|---------------|
|---------------|

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|-----------------|-----------|--------|---|------------------------|-------------|-----------------|----------------|----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | PPM | 5 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | PPM | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | | | | 3 | PASS | ND |
| OTAL SPINETORAM | 0.01 | PPM | 0.2 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | - | | |
| OTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.1 | PASS | ND |
| BAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| СЕРНАТЕ | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| CEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.01 | ppm | 0.2 | PASS | ND |
| CETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 0.1 | PASS | ND |
| LDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| IFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| IFENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| OSCALID | 0.01 | PPM | 0.1 | PASS | ND | | | 1711/1 | | | |
| ARBARYL | 0.01 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 0.5 | PASS | ND |
| ARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND |
| HLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.01 | PPM | 0.15 | PASS | ND |
| HLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | PARATHION-METHYL * | 0.01 | PPM | 0.1 | PASS | ND |
| HLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | 0.07 | PPM | 0.7 | PASS | ND |
| LOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CHLORDANE * | 0.01 | PPM | 0.1 | PASS | ND |
| DUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | PPM | 0.1 | PASS | ND |
| AMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| AZINON | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| CHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | | | | / | | |
| IMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | | eight: 0865g | 09/12/22 1 | | Extrac 450 | ted by: |
| THOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL, SOP.T | | | | | T 40 10 |
| TOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.151.FL | .30.102.FL, : | 5UP.1.5U.15 | 1.FL, 50P.1.4 | 10.101.FL, 50P | .1.40.10 |
| TOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA049616PES | | Reviewed | On:09/13/2 | 2 09:50:23 | |
| ENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch Dat | te:09/12/22 | 08:13:17 | |
| ENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Running on : 09/12/22 16:44:08 | | | | | |
| ENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | / \ | / \ | / \ | | |
| PRONIL | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 091222.R01; 081522.R04; 0830 Consumables: 6676024-02 | 22.R29; 090 | 722.R02; 09 | 92820.59 | | |
| LONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| LUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed u | tilizina Liqui | d Chromator | ranhy Trinle (| Quadrupole Ma | cc |
| EXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Spectrometry and Gas Chromatography Tripl | | | | | |
| MAZALIL | 0.01 | ppm | 0.1 | PASS | ND | 64ER20-39. | \ / | \ / | \ '/ | | |
| MIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | Analyzed by: Weight: | | tion date: | | Extracte | d by: |
| RESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | 3404, 450, 585 1.0865g | | 22 16:10:07 | | 450 | |
| ALATHION | 0.01 | ppm | 0.2 | PASS | ND | Analysis Method: SOP.T.30.060, SOP.T.40 | | /. \. | | | |
| ETALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA049619VOL | | | 1:09/13/22 1 | | |
| ETHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-006 Running on : N/A | В | aten Date : | 09/12/22 08: | :14:37 | |
| ETHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 25 | | | | | |
| EVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 081522.R04; 092820.59; 08242. | 2.R46: 0824 | 22.R47 | | | |
| YCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6676024-02; 14725401 | , | | | | |
| ALED | 0.01 | ppm | 0.25 | PASS | ND | Pipette : DA-080; DA-146 | | | | | |
| 1 / | | | | | | Testing for agricultural agents is performed u Spectrometry and Gas Chromatography Tripl 64ER20-39. | | | | | |

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/13/22



Kaycha Labs

Beach Crasher Pre-Roll 1 x 1g Beach Crasher

Matrix : Flower



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20909012-009 Harvest/Lot ID: 20220622-BC-H

Batch#: 1000038139 Sampled: 09/09/22 Ordered: 09/09/22

Sample Size Received: 26 gram Total Batch Size: 502 units Completed: 09/13/22 Expires: 09/13/23 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



Mycotoxins

| Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------|---------------|----------|-----------|-------------|----------------|-----------------|
| ESCHERICHIA SPP | COLI SHIGELLA | | | Not Present | PASS | |
| SALMONELLA | SPECIFIC GENE | | | Not Present | PASS | |
| ASPERGILLUS | FLAVUS | | | Not Present | PASS | |
| ASPERGILLUS | FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS | TERREUS | | | Not Present | PASS | |
| ASPERGILLUS | NIGER | | | Not Present | PASS | |
| TOTAL YEAST | AND MOLD | 10 | CFU/g | 110 | PASS | 100000 |
| Analyzed by: | We | eight: F | ctraction | date: | Extracte | d by: |

3404, 3702, 3621, 53 1.068g 09/10/22 13:07:41 3702

Analysis Method: SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 09/13/22 08:39:44 Batch Date: 09/10/22 09:06:33

Analytical Batch: DA049565MIC Instrument Used : DA-265 Gene-UP RTPCR Running on : N/A

Dilution: N/A

Reagent: 042522.06 Consumables: 2030190 Pipette: N/A

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Analyzed by: | Weight: | Extraction date: | Extracted by: |
|----------------|---------|-------------------|---------------|
| 3404, 3702, 53 | 1.0383g | 09/10/22 13:06:17 | 3702 |

Analysis Method: SOP.T.40.208. SOP.T.40.209.FL Analytical Batch : DA049580TYM

Reviewed On: 09/12/22 17:04:33 Instrument Used: Incubator (25-27C) DA-097 Batch Date: 09/10/22 13:02:43 Running on: N/A

Dilution: N/A Reagent: 042522.06 Consumables: 2030190 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| $^{\circ}$ |
|------------|
| δ, |

PASSED

| Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------------|---------|-------------------------------|-------|--------|-----------------|-----------------|
| AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3404, 585, 3379, 53 | Weight: | Extraction 09/12/22 10 | | MA | Extracte 585 | d by: |
| | | | | | | |

Analysis Method: SOP.T.30.101.FL. SOP.T.40.101.FL. SOP.T.30.102.FL. SOP.T.40.102.FL Analytical Batch: DA049618MYC
Instrument Used: DA-LCMS-003 (MYC)
Running on: 09/12/22 16:51:16 Reviewed On: 09/13/22 09:14:03 Batch Date: 09/12/22 08:14:34

Dilution: 250 Reagent: 091222.R01; 081522.R04; 083022.R29; 090722.R02; 092820.59 Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

| Metal | | LOD | Units | Result | Pass / Fail | Action Level |
|-----------------------------|--------------------|----------------|-------|--------|----------------|-----------------|
| TOTAL CONTAM | S 0.11 | PPM | ND | PASS | 1.1 | |
| ARSENIC | | 0.02 | PPM | ND | PASS | 0.2 |
| CADMIUM | | 0.02 | PPM | ND | PASS | 0.2 |
| MERCURY | | 0.02 | PPM | ND | PASS | 0.2 |
| LEAD | | 0.05 | PPM | ND | PASS | 0.5 |
| Analyzed by: 3404, 1022, 53 | Weight: 0.2562g | Extraction dat | | | Extracted | by: |

Instrument Used: DA-ICPMS-003 Running on: 09/12/22 15:13:06 Batch Date: 09/10/22 11:28:41

Dilution: 100

Reagent: 082422.R03; 090622.R21; 080222.R36; 090722.R67; 090922.R19; 083122.R54; 090922.R17; 090922.R18; 090622.R22; 090622.R23

Consumables: 179436; 210508058; 210803-059 Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/13/22



Kaycha Labs

Beach Crasher Pre-Roll 1 x 1g Beach Crasher

Matrix : Flower



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20909012-009 Harvest/Lot ID: 20220622-BC-H

Batch#:1000038139 Sampled: 09/09/22 Ordered: 09/09/22

Sample Size Received: 26 gram Total Batch Size: 502 units Completed: 09/13/22 Expires: 09/13/23 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture



| Analyte Filth and Foreign Material | LOD Units 0.5 % | Result ND | P/F Action Level PASS 1 | Analyte Moisture Content | | LOD 1 | Units % | Result 12.15 | P/F PASS | Action Level |
|--|--------------------|---------------------|--|---|-------------------|----------|----------------------------------|-----------------------------|-------------|--------------------|
| Analyzed by: Weight: 3404, 1879 NA | Extraction N/A | date: | Extracted by: N/A | Analyzed by: 3404, 2926, 585 | Weight: 0.494g | | xtraction 6 9/13/22 14 | | | tracted by: 926 |
| Analysis Method: SOP.T.30.074, SOF Analytical Batch: DA049641FIL Instrument Used: Filth/Foreign Mate | | | On: 09/12/22 13:34:33 te: 09/12/22 13:14:26 | Analysis Method: SOP.7 Analytical Batch: DA04 Instrument Used: DA-0 | 9588MOI | Analyze | | Reviewed Or Batch Date : | | |

Running on: 09/12/22 13:16:51

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Dilution: N/A Reagent: 101920.06

Running on: 09/13/22 14:31:17

Consumables : PS-14 Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

PASSED

Batch Date: 09/10/22 13:47:12

| | | | 4 | / | |
|---|---------------|-------|-----------------------|----------------------|---------------|
| Analyte | LOD | Units | Result | P/F | Action Level |
| Water Activity | 0.1 | aw | 0.491 | PASS | 0.65 |
| Analyzed by: 3404, 1879, 2926, 585, 53 | Weight: NA | | Extraction dat N/A | Extracted by: N/A | |
| Analysis Method : SOP.T.40.019 Analytical Batch : DA049586WAT | | | Reviewed O | n · 09/13 | 3/22 17:48:26 |

Analytical Batch: DA049586WAT

Instrument Used : DA-028 Rotronic Hygropalm **Running on :** $09/13/22 \ 07:16:47$

Dilution : N/A Reagent: 121421.21 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/13/22