

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

# Certificate of Analysis

**Kaycha Labs** 

710 Labs Randy Watzon #3 Live Rosin 710 Labs Randy Watzon #3 Matrix: Derivative



Sample: DA20720001-024 Harvest/Lot ID: 20220617-710RW3-H

> Batch#: 1000027571 Cultivation Facility: N/A Processing Facility: N/A

Seed to Sale# LFG-00000383 Batch Date: 07/18/22

Sample Size Received: 16 gram Total Batch Size: 282 units

> Retail Product Size: 1 gram Ordered: 07/19/22 Sampled: 07/19/22

Completed: 07/22/22 Sampling Method: SOP.T.20.010

PASSED

Page 1 of 6

Jul 22, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

**#FLOWERY** 

PRODUCT IMAGE

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED** 



Microbials PASSED PASSED



PASSED



PASSED



Water Activity PASSED



Moisture



MISC.

**TESTED** 

**PASSED** 

CBC

0.337

3.37

%

0.001



#### Cannabinoid

**Total THC** 

.818%



**Total CBD** 0.244%

Total CBD/Container: 2.44 mg



**Total Cannabinoids** 85.868%

Total Cannabinoids/Container: 858.68



Reviewed On: 07/21/22 10:14:38 Batch Date: 07/20/22 09:28:59

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA047117POT Instrument Used : DA-LC-007

Running on: 07/20/22 14:37:50

LOD

Dilution: 400
Reagent: 071122.R14; 041922.57; 071122.R16
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-092; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



07/22/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

#### **Kaycha Labs**

710 Labs Randy Watzon #3 Live Rosin 710 Labs Randy Watzon #3 Matrix : Derivative



PASSED

# **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20720001-024 Harvest/Lot ID: 20220617-710RW3-H

Batch#:1000027571 Sampled: 07/19/22 Ordered: 07/19/22

Sample Size Received: 16 gram Total Batch Size: 282 units

Completed: 07/22/22 Expires: 07/22/23 Sample Method: SOP.T.20.010

Page 2 of 6



#### **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	91.58	9.158		CAMPHOR		0.007	ND	ND		
TOTAL TERPINEOL	0.007	1.23	0.123		BORNEOL		0.013	0.54	0.054		
CAMPHENE	0.007	0.38	0.038		GERANIOL		0.007	< 0.2	< 0.02		
BETA-MYRCENE	0.007	0.95	0.095		PULEGONE		0.007	ND	ND		
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE		0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE		0.007	8.43	0.843		
CIMENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	1.5	0.15		
UCALYPTOL	0.007	ND	ND		GUAIOL		0.007	ND	ND		
INALOOL	0.007	11.25	1.125		Analyzed by:	Weight:	Evi	traction date:			Extracted by:
ENCHONE	0.007	< 0.2	< 0.02		3404, 2651	0.8437g		/21/22 09:45:2	25		2651
SOPULEGOL	0.007	< 0.2	< 0.02		Analysis Method : SOP.T.3	0.061A.FL, SOP.T.40.061A.F					
SOBORNEOL	0.007	ND	ND		Analytical Batch : DA0471					7/21/22 16:59:39	
HEXAHYDROTHYMOL	0.007	ND	ND		Instrument Used: DA-GCN Running on: N/A	S-005		Batch	Date: 07/	20/22 09:08:15	
IEROL	0.007	ND	ND		Dilution: 10						
ERANYL ACETATE	0.007	ND	ND		Reagent: 032322.18						
ETA-CARYOPHYLLENE	0.007	34.9	3.49		Consumables : 210414634	; MKCN9995; CE0123					
ALENCENE	0.007	ND	ND		Pipette : N/A						
IS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performe	d utilizing Gas Chromatography	Mass Spectr	ometry.			
EDROL	0.007	ND	ND								
ARYOPHYLLENE OXIDE	0.007	0.27	0.027								
ARNESENE	0	< 0.01	ND								
LPHA-BISABOLOL	0.007	5.39	0.539								
LPHA-PINENE	0.007	1.82	0.182								
ABINENE	0.007	ND	ND								
ETA-PINENE	0.007	2.83	0.283								
LPHA-TERPINENE	0.007	ND	ND								
IMONENE	0.007	20.41	2.041								
AMMA-TERPINENE	0.007	ND	ND								
ERPINOLENE	0.007	0.25	0.025								
ABINENE HYDRATE	0.007	< 0.2	< 0.02								
ENCHYL ALCOHOL	0.007	1.43	0.143								
					A - 1 - 1 - 1	I/-I/-	-	1		AA_	
otal (%)			9.158								

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/22/22



Kaycha Labs

710 Labs Randy Watzon #3 Live Rosin 710 Labs Randy Watzon #3 Matrix : Derivative



**Certificate of Analysis** 

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

**DAVIE, FL, 33314, US** 

Sample : DA20720001-024 Harvest/Lot ID: 20220617-710RW3-H

Batch#:1000027571 Sampled: 07/19/22 Ordered: 07/19/22

Sample Size Received: 16 gram Total Batch Size: 282 units Completed: 07/22/22 Expires: 07/22/23 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

#### **PASSED**

_											
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND		0.01		3	PASS	ND
OTAL SPINETORAM	0.01	PPM	0.2	PASS	ND	PIPERONYL BUTOXIDE		ppm			
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRETHRINS	0.01	ppm	0.5	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	mag	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	111-1-11111		1.1	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm			
DSCALID	0.01	PPM	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBOFURAN	0.01		1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE		ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm		PASS		CAPTAN *	0.01	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2		ND						
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extra	ction date:		Extracte	d hv:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	<b>3404, 585, 3379</b> 0.2566g		/22 17:20:0!	5	585	
OFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL, SOP.T.3	30.102.FL, S	OP.T.30.15	1.FL, SOP.T.4	0.101.FL, SOP	.T.40.10
TOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL					
NHEXAMID	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA047132PES			On:07/21/2		
NOXYCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	te:07/20/22	10:06:42	
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Running on :07/20/22 16:44:08					
PRONIL	0.01	ppm	0.1	PASS	ND	Dilution: 250	2 027, 072	022 001. 00	2020 50		
ONICAMID	0.01	ppm	0.1	PASS	ND	Reagent: 071822.R01; 071222.R23; 07052 Consumables: 6676024-02	Z.KZ/; U/Z	UZZ.RU1; US	2020.39		
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed ut	ilizina Liauio	Chromatog	raphy Triple-	Quadrupole Ma	SS
IAZALIL	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatography Triple					
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	64ER20-39.					
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracte	d by:
ALATHION	0.01	ppm	0.2	PASS	ND	<b>3404, 585, 450</b> 0.2566g		22 17:20:08		585	
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.060, SOP.T.40.0		/. \.	07/01/00	1 17 50	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA047133VOL			1:07/21/22		
ETHOMYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006 Running on : N/A	В	accn Date :	07/20/22 10	.06:33	
EVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution: 25					
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent: 071222.R23; 092820.59; 071522	R30: 0715	22 R31			
ALED	0.01	ppm	0.25	PASS	ND	Consumables: 6676024-02; 14725401					
XAMYL	0.01	ppm	0.5	PASS	ND	Pipette : DA-080; DA-146					
/	0.01	Ph	0.5	7/		Testing for agricultural agents is performed ut Spectrometry and Gas Chromatography Triple 64FR20-39.					

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/22/22



**DAVIE, FL, 33314, US** 

#### Kaycha Labs

710 Labs Randy Watzon #3 Live Rosin 710 Labs Randy Watzon #3 Matrix : Derivative



PASSED

# **Certificate of Analysis**

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20720001-024

Harvest/Lot ID: 20220617-710RW3-H

Batch#:1000027571 Sampled: 07/19/22 Ordered: 07/19/22

Sample Size Received: 16 gram Total Batch Size: 282 units Completed: 07/22/22 Expires: 07/22/23

Sample Method: SOP.T.20.010

Reviewed On: 07/22/22 15:48:25

Batch Date: 07/21/22 11:08:45

Page 4 of 6



#### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: Weight: **Extraction date:** Extracted by:

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA047208SOL Instrument Used : DA-GCMS-003 Running on: 07/22/22 12:53:08

Dilution: 1

Reagent: 030420.09 Consumables : 27296: KF140

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/22/22



#### Kaycha Labs

710 Labs Randy Watzon #3 Live Rosin 710 Labs Randy Watzon #3 Matrix : Derivative



## **Certificate of Analysis**

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

**DAVIE, FL, 33314, US** 

Sample: DA20720001-024

Harvest/Lot ID: 20220617-710RW3-H

Batch#:1000027571 Sampled: 07/19/22 Ordered: 07/19/22

Reviewed On: 07/22/22 09:25:02 Batch Date: 07/20/22 08:34:11

Sample Size Received: 16 gram Total Batch Size: 282 units Completed: 07/22/22 Expires: 07/22/23 Sample Method: SOP.T.20.010

Page 5 of 6



#### Microbial

#### PASSED



### **Mycotoxins**

#### **PASSED**

Extracted by:

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by:	Weight:		ion date:	Extract	ed by:
3404, 3621, 2682, 3336, 53	0.8871g	07/20/2	22 12:38:02	2682	

Analysis Method: SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL

Analytical Batch : DA047114MIC Instrument Used: PathogenDx Scanner DA-111

Running on: N/A Dilution: N/A

Reagent: 051922.29; 071122.R04; 052422.04

Consumables: N/A

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39..

Analyzed by: 3404, 2682, 3390, 53

07/20/22 12:38:02 0.8871a 2682 Analysis Method: SOP.T.40.041 Reviewed On: 07/22/22 15:14:22 Analytical Batch: DA047162TYM Instrument Used: Incubator (25-27C) DA-097 Batch Date: 07/20/22 12:45:25 Running on : N/A

Dilution: N/A

Reagent: 051922.29; 071122.R04; 052422.04

Consumables: 006107

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

080					
Analyte	LOD	Units	Result	Pass / Fail	Action
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

**Extraction date:** 

Analyzed by: 3404, 585, 3379, 2023 07/20/22 15:13:20 Analysis Method: SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA047134MYC Reviewed On: 07/21/22 10:55:04 Batch Date: 07/20/22 10:08:37

Instrument Used: DA-LCMS-003 (MYC) Running on: 07/20/22 16:44:32

Dilution: 230 Reagent: 071822.R01; 071222.R23; 070522.R27; 072022.R01; 092820.59 Consumables: 6676024-02

Weight:

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### **Heavy Metals**

### **PASSED**

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LO	OAD METALS	0.11	PPM	ND	PASS	1.1
ARSENIC		0.02	PPM	ND	PASS	0.2
CADMIUM		0.02	PPM	ND	PASS	0.2
MERCURY		0.02	PPM	ND	PASS	0.2
LEAD		0.05	PPM	ND	PASS	0.5
Analyzed by: 3404, 1022, 3619, 53	<b>Weight:</b> 0.2667g	Extraction 07/20/22	on date: 2 12:48:45	X	Extracte 3619	ed by:

Analysis Method: SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA047126HEA Reviewed On: 07/22/22 09:12:33 Instrument Used: DA-ICPMS-003 Running on: 07/20/22 18:05:17 Batch Date: 07/20/22 09:56:51

Dilution: 100

Reagent: 062322.R23; 071522.R26; 071122.R05; 071522.R05; 071122.R12; 071522.R03; 071522.R04; 071522.R25; 061622.R31

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-216

 $Heavy\ Metals\ analysis\ is\ performed\ using\ Inductively\ Coupled\ Plasma\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$ 

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



07/22/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

#### Kaycha Labs

710 Labs Randy Watzon #3 Live Rosin 710 Labs Randy Watzon #3 Matrix : Derivative



PASSED

Page 6 of 6

### **Certificate of Analysis**

The Flowery

Samples From: Homestead, FL, 33090, US

**Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample: DA20720001-024

Harvest/Lot ID: 20220617-710RW3-H

Batch#:1000027571 Sampled: 07/19/22 Ordered: 07/19/22

Sample Size Received: 16 gram Total Batch Size: 282 units Completed: 07/22/22 Expires: 07/22/23 Sample Method: SOP.T.20.010



### **PASSED**

LOD Units Analyte Result P/F Action Level Filth and Foreign Material % ND PASS 5 **Extraction date:** Extracted by: NA N/A

Analysis Method: SOP.T.30.074, SOP.T.40.074

Analytical Batch: DA047168FIL Instrument Used: Filth/Foreign Material Microscope

Running on: 07/20/22 15:57:18

**Reviewed On:** 07/20/22 15:58:47 **Batch Date:** 07/20/22 15:56:28

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



#### **Water Activity**

### **PASSED**

Reviewed On: 07/20/22 14:25:24

Batch Date: 07/20/22 11:05:56

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.1	aw	0.423	PASS	0.85
Analyzed by: 3404, 1879, 2926	Weight: NA	Extract N/A	ion date:	Ext N/A	racted by:

Analysis Method : SOP.T.40.019
Analytical Batch : DA047150WAT

Instrument Used : DA-028 Rotronic Hygropalm

**Running on :**  $07/20/22\ 11:17:52$ 

Dilution : N/A Reagent : N/A Consumables : N/A Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/22/22