

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA20917002-003

Jokerz Matrix: Flower

Kaycha Labs

Jokerz 1x1g

Harvest/Lot ID: 20220524-JKZ-H Batch#: 1000039576 Cultivation Facility: N/A

Processing Facility: N/A Seed to Sale# LFG-00000616

Batch Date: 09/12/22 Sample Size Received: 26 gram

> Total Batch Size: 495 units Retail Product Size: 1 gram **Ordered**: 09/16/22 Sampled: 09/16/22

Completed: 09/21/22 Sampling Method: SOP.T.20.010

Page 1 of 5

Sep 21, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

#FLOWERY

PRODUCT IMAGE

SAFETY RESULTS







PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



PASSED



Residuals Solvents



PASSED



Water Activity PASSED



Moisture PASSED



MISC.

TESTED

PASSED



Cannabinoid

Total THC



Total CBD 0.045%

Total CBD/Container: 0.45 mg



Total Cannabinoids

Total Cannabinoids/Container: 259.89

			ı									
% mg/unit	_{D9-ТНС} 0.655 6.55 0.001	_	THCA 24.861 248.61 0.001	CBD ND ND 0.001	CBDA 0.052 0.52 0.001	D8-ТНС 0.066 0.66 0.001	CBG 0.057 0.57 0.001	CBGA 0.254 2.54 0.001	CBN ND ND 0,001	THCV ND ND 0.001	CBDV ND ND 0,001	CBC 0.044 0.44 0.001
LOD Analyzed by:	%		%	%	% Weight:	%	% Extraction date	%	%	%	% Extracted by:	%

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA049891POT Instrument Used: DA-LC-002 (Flower) Running on: 09/19/22 15:25:24

Reviewed On: 09/20/22 09:39:56 Batch Date: 09/17/22 23:46:12

Dilution: 400
Reagent: 091522.R46; 070621.18; 091522.R45
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/21/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Jokerz 1x1g

lokerz Matrix: Flower



Certificate of Analysis

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20917002-003 Harvest/Lot ID: 20220524-JKZ-H

Batch#: 1000039576 Sampled: 09/16/22 Ordered: 09/16/22

Sample Size Received: 26 gram Total Batch Size: 495 units

Completed: 09/21/22 Expires: 09/21/23

Sample Method: SOP.T.20.010


PASSED

Page 2 of 5



Terpenes

TESTED



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/21/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Jokerz 1x1g

lokerz Matrix: Flower



PASSED

PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20917002-003 Harvest/Lot ID: 20220524-IKZ-H

Batch#: 1000039576 Sampled: 09/16/22 Ordered: 09/16/22

Sample Size Received: 26 gram Total Batch Size: 495 units

Completed: 09/21/22 Expires: 09/21/23 Sample Method: SOP.T.20.010

Page 3 of 5



METHIOCARB

METHOMYL

MEVINPHOS

NALED

MYCLOBUTANIL

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	OXAMYL	0.01	ppm	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND				0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PHOSMET	0.01	ppm			
TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND		0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID		1711/1			
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND				/ *** \/		\
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3404, 585, 3379, 53 1.0731q		traction day 19/22 13:0		Extract 585	ed by:
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL, SOP.T.30					T 40 102
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL	7.102.1 L, 3	JOF.1.30.13	1.1 L, 30F.1.4	10.101.1 L, 30F	.1.40.102.
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA049906PES		Reviewed	On:09/20/2	22 12:34:41	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	te:09/18/22	20:26:40	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 09/19/22 15:48:06					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250	./. A.	/\.	/. \		
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 091922.R01; 081522.R04; 083022	.R29; 091	522.R01; 09	92820.59		
LONICAMID	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02 Pipette: DA-093; DA-094; DA-219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed util	zina Liauia	Chromator	ranhy Triple	Ouadrunole Ma	cc
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatography Triple-0					
MAZALIL	0.01	ppm	0.1	PASS	ND	64ER20-39.	\ /	\ /	\ '/		
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed by: Weight:		tion date:		Extracte	d by:
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	3404, 585, 450 1.0731g		22 13:05:06		585	
MALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method: SOP.T.30.060, SOP.T.40.00		/ \	0010015		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch: DA049908VOL	R	eviewed Or	n:09/20/22	12:34:35	

Instrument Used : DA-GCMS-006 Batch Date: 09/18/22 20:30:56 Running on : N/A Dilution: 25 Reagent: 091922.R01; 081522.R04; 083022.R29; 091522.R01; 092820.59

Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

0.01

0.01 ppm

0.01 maa

0.01

ppm

0.1

0.1

0.1

PASS

PASS

PASS

PASS

PASS

ND

ND

ND

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/21/22



DAVIE, FL, 33314, US

Kaycha Labs

Jokerz 1x1g

lokerz Matrix: Flower



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20917002-003 Harvest/Lot ID: 20220524-IKZ-H

Batch#: 1000039576 Sampled: 09/16/22 Ordered: 09/16/22

Sample Size Received: 26 gram Total Batch Size: 495 units Completed: 09/21/22 Expires: 09/21/23 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA CO SPP	LI SHIGELLA			Not Present	PASS	
SALMONELLA SP	ECIFIC GENE			Not Present	PASS	
ASPERGILLUS FL	AVUS			Not Present	PASS	
ASPERGILLUS FU	MIGATUS			Not Present	PASS	
ASPERGILLUS TE	RREUS			Not Present	PASS	
ASPERGILLUS NI	GER			Not Present	PASS	
TOTAL YEAST AN	ID MOLD	10	CFU/g	4000	PASS	100000
Analyzed by: 3404, 3621, 53	Weight: 0.8032g		tion date: /22 16:14		Extracted 3621	by:

Analysis Method: SOP.T.40.043 Analytical Batch: DA049874MIC

Instrument Used : DA-265 Gene-UP RTPCR Running on : N/A

Dilution: N/A Reagent: 083022.R54 Consumables: 500124 Reviewed On: 09/21/22 15:01:44 Batch Date: 09/17/22 11:13:07

Reviewed On: 09/20/22 09:42:07

Batch Date: 09/17/22 11:14:48

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 3621, 3390, 585	0.8876g	09/17/22 16:20:24	3621

Analysis Method: SOP.T.40.208, SOP.T.40.209.FL

 $\textbf{Analytical Batch:} \ \mathsf{DA049876TYM}$ Instrument Used : Incubator (25-27C) DA-097

Running on : N/A

Dilution : N/A **Reagent :** 083022.R54; 060722.01 Consumables: 500124; 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3404, 585, 3379, 53	Weight:	Extraction of		PDO	Extracte 585	d by:

Analysis Method: SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch: DA049907MYC
Instrument Used: DA-LCMS-003 (MYC)
Running on: 09/19/22 15:48:16 Reviewed On: 09/20/22 12:34:38 Batch Date: 09/18/22 20:30:52

Dilution: 230 Reagent: 091922.R01; 081522.R04; 083022.R29; 091522.R01; 092820.59 Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOA	AD METALS	0.11	PPM	ND	PASS	1.1
ARSENIC		0.02	PPM	ND	PASS	0.2
CADMIUM		0.02	PPM	ND	PASS	0.2
MERCURY		0.02	PPM	ND	PASS	0.2
LEAD		0.05	PPM	ND	PASS	0.5
Analyzed by: 3404, 1022, 3619, 585	Weight: 0.288g	Extraction 09/19/22	on date: 2 08:54:22		Extracte 3619	ed by:

Instrument Used: DA-ICPMS-003 Running on: 09/19/22 17:21:37 Batch Date: 09/17/22 15:07:12

Dilution: 100

Reagent: 082422.R03; 090622.R21; 090722.R67; 091622.R27; 091222.R22; 091622.R25; 091622.R26; 090622.R22; 090622.R23

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/21/22



DAVIE, FL, 33314, US

Kaycha Labs

Jokerz 1x1g

lokerz Matrix: Flower



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20917002-003 Harvest/Lot ID: 20220524-IKZ-H

Batch#: 1000039576 Sampled: 09/16/22 Ordered: 09/16/22

Sample Size Received: 26 gram Total Batch Size: 495 units

Completed: 09/21/22 Expires: 09/21/23 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED



Moisture



Analyte Filth and Foreign Material

Running on: 09/17/22 16:37:16

LOD 0.5

Result ND

Action Level Analyte 1 Extracted by:

Moisture Content Analyzed by: 3404, 2926, 585

Weight: 0.504g

LOD

1

% 10.12 Extraction date 09/20/22 16:03:31

Result

Units

P/F Action Level PASS 15 Extracted by: 2926

NA

Analytical Batch: DA049887FIL Instrument Used: Filth/Foreign Material Microscope

Extraction date: Analysis Method: SOP.T.30.074, SOP.T.40.074

Units

%

N/A

P/F

PASS

Reviewed On: 09/17/22 16:42:51 Batch Date: 09/17/22 16:31:28

Analysis Method: SOP.T.40.021

Reagent: 101920.06; 091522.03

Analytical Batch : DA049886MOI Instrument Used : DA-003 Moisture Analyzer Running on: 09/20/22 16:01:58

Reviewed On: 09/20/22 16:30:10 **Batch Date:** 09/17/22 16:31:18

Dilution: N/A Reagent: N/A Consumables : N/A

Pipette: N/A

Pipette: N/A

Dilution: N/A

Consumables : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.493	PASS	0.65
Analyzed by:	Weight:	Extracti	on date:	Extr	acted by:

N/A

3404, 2926, 585 Analysis Method : SOP.T.40.019
Analytical Batch : DA049884WAT

Instrument Used : DA-028 Rotronic Hygropalm **Running on:** 09/20/22 13:38:51

Reviewed On: 09/20/22 15:37:36 Batch Date: 09/17/22 16:30:19

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/21/22