

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis

COMPLIANCE FOR RETAIL

Bubba Diagonal Bubba Diagonal Matrix: Flower

Kaycha Labs



Sample: DA20920011-001 Harvest/Lot ID: 20220810-BUD-H

> Batch#: 1000039763 Cultivation Facility: N/A Processing Facility: N/A Seed to Sale# LFG-00000644

Batch Date: 09/16/22

Sample Size Received: 31.5 gram Total Batch Size: 1400 units

> Retail Product Size: 3.5 gram Ordered: 09/20/22 Sampled: 09/20/22

Completed: 09/23/22 Sampling Method: SOP.T.20.010

Page 1 of 5

Sep 23, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

THE FLOWERY

#FLOWERY

PRODUCT IMAGE

SAFETY RESULTS











Microbials

PASSED

PASSED



Residuals Solvents

CBGA

0.637

0.001

Reviewed On: 09/23/22 13:32:52

Batch Date: 09/21/22 09:28:56

22.295



Filth PASSED



THCV

ND

ND

0.001

Water Activity Moisture PASSED PASSED



TESTED

PASSED

CBC

0.063

2.205

0.001

MISC.



Cannabinoid

Total THC

19.865%



CBDA

0.068

2.38

0.001

Weight: 0.2024q

D8-THC

ND.

ND

0.001

Total CBD 0.083% Total CBD/Container: 2.905 mg

0.103

3.605

0.001

Extraction date: 09/21/22 11:10:17



CBN

ND

ND

0.001

Total Cannabinoids

CBDV

ND

ND

%

0.001

Extracted by: 2076

D9-THC THCA 0.479 22,106 16.765 773.71

Analy	zed by	:		
3404,	2076,	3112,	1665,	53

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA050003POT

0.001

Instrument Used : DA-LC-002 (Flower) Running on : 09/21/22 11:29:57

ma/unit

LOD

Reagent: 092022.R03; 071222.01; 092022.R04 Consumables: 239146; CE0123; 12265-115CC; 61633-125C6-125E; R1KB14270 Pipette: N/A

0.001

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.024

0.84

0.001

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/23/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Bubba Diagonal Bubba Diagonal Matrix : Flower



PASSED

Page 2 of 5

Certificate of Analysis

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20920011-001 Harvest/Lot ID: 20220810-BUD-H

Batch#:1000039763 Sampled: 09/20/22 Ordered: 09/20/22

Sample Size Received: 31.5 gram Total Batch Size: 1400 units

Completed: 09/23/22 Expires: 09/23/23

Sample Method: SOP.T.20.010

Terpenes

TESTED

erpenes	(%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/uni	it %	Result (%)	
OTAL TERPENES	0.007	63.42	1.812		CAMPHOR		0.013	ND	ND		
OTAL TERPINEOL	0.007	1.085	0.031		BORNEOL		0.013	ND	ND		
AMPHENE	0.007	< 0.7	< 0.02		GERANIOL		0.007	< 0.7	< 0.02		
ETA-MYRCENE	0.007	11.095	0.317		PULEGONE		0.007	ND	ND		
-CARENE	0.007	ND	ND		ALPHA-CEDRENE		0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE		0.007	3.395	0.097		
CIMENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	0.84	0.024		
UCALYPTOL	0.007	ND	ND		GUAIOL		0.007	ND	ND		
INALOOL	0.007	9.52	0.272		Analyzed by:	Weight:		Extraction d	late:		Extracted by:
ENCHONE	0.007	ND	ND		3404, 2076, 53	0.8918g		09/21/22 11			2076
SOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.06		L				
OBORNEOL	0.007	ND	ND		Analytical Batch : DA050016TE Instrument Used : DA-GCMS-00					09/23/22 15:43:15 /21/22 10:31:40	
EXAHYDROTHYMOL	0.007	ND	ND		Running on: 09/22/22 10:58:2			Bati	cn Date : 09/	/21/22 10:31:40	
EROL	0.007	ND	ND		Dilution : 10						
	0.007	< 0.7	< 0.02		Reagent: 032322.21						
ERANYL ACETATE	0.007										
ERANYL ACETATE ETA-CARYOPHYLLENE	0.007	11.76	0.336		Consumables : 210414634; MK	CN9995; CE0123; 147	25401				
					Consumables : 210414634; MK Pipette : N/A						
ETA-CARYOPHYLLENE ALENCENE	0.007	11.76	0.336		Consumables : 210414634; MK			trometry.			
ETA-CARYOPHYLLENE	0.007 0.007	11.76 ND	0.336 ND		Consumables : 210414634; MK Pipette : N/A			ctrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL	0.007 0.007 0.007	11.76 ND ND	0.336 ND ND		Consumables : 210414634; MK Pipette : N/A			ctrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE	0.007 0.007 0.007 0.007	11.76 ND ND ND	0.336 ND ND ND		Consumables : 210414634; MK Pipette : N/A			ctrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL	0.007 0.007 0.007 0.007 0.007	11.76 ND ND ND <0.7	0.336 ND ND ND ND <0.02		Consumables : 210414634; MK Pipette : N/A			ctrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNOSENE	0.007 0.007 0.007 0.007 0.007	11.76 ND ND ND <0.7 0.315	0.336 ND ND ND <0.02 0.009		Consumables : 210414634; MK Pipette : N/A			ctrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARRHESENE LPHA-BISABOLOL	0.007 0.007 0.007 0.007 0.007 0	11.76 ND ND ND <0.7 0.315 3.325	0.336 ND ND ND <0.02 0.009 0.095		Consumables : 210414634; MK Pipette : N/A			ctrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE	0.007 0.007 0.007 0.007 0.007 0 0.007	11.76 ND ND ND <0.7 0.315 3.325 1.4	0.336 ND ND ND <0.02 0.009 0.095 0.04		Consumables : 210414634; MK Pipette : N/A			itrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE RARNESENE LPHA-BISABOLOL LPHA-PINENE	0.007 0.007 0.007 0.007 0.007 0 0.007 0.007	11.76 ND ND ND <0.7 0.315 3.325 1.4 ND	0.336 ND ND ND <0.02 0.009 0.095 0.04 ND		Consumables : 210414634; MK Pipette : N/A			itrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARRHESENE LPHA-BISABOLOL LPHA-PINENE BABIENE ETA-PINENE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	11.76 ND ND ND <0.7 0.315 3.325 1.4 ND 2.415	0.336 ND ND ND <0.02 0.009 0.095 0.04 ND 0.069		Consumables : 210414634; MK Pipette : N/A			ctrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE LPHA-TERPINENE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	11.76 ND ND ND <0.7 0.315 3.325 1.4 ND 2.415 ND	0.336 ND ND ND <0.02 0.009 0.095 0.04 ND 0.069 ND		Consumables : 210414634; MK Pipette : N/A			ctrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARRNESENE LPHA-BISABOLOL LPHA-PINENE BABINENE ETA-PINENE HA-A-TERPINENE HOMBENE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	11.76 ND ND ND <0.7 0.315 3.325 1.4 ND 2.415 ND 16.52	0.336 ND ND ND <0.02 0.009 0.095 0.04 ND 0.069 ND 0.472		Consumables : 210414634; MK Pipette : N/A			ctrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARRHESENE LPHA-BISABOLOL LPHA-PINENE BABINENE ETA-PINENE LPHA-TERPINENE MONENE AMMA-TERPINENE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	11.76 ND ND ND <0.7 0.315 3.325 1.4 ND 2.415 ND 16.52 ND	0.336 ND ND ND <0.02 0.009 0.095 0.04 ND 0.069 ND 0.472 ND		Consumables : 210414634; MK Pipette : N/A			itrometry.			
ETA-CARYOPHYLLENE ALENCENE IS-NEROLIDOL EDROL ARYOPHYLLENE OXIDE ARNESENE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE MONENE MONENE AMMA-TERPINENE ERPINOLENE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	11.76 ND ND ND <0.7 0.315 3.325 1.4 ND 2.415 ND 16.52 ND	0.336 ND ND ND <0.02 0.009 0.095 0.04 ND 0.069 ND 0.472 ND		Consumables : 210414634; MK Pipette : N/A			ctrometry.			

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/23/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Bubba Diagonal Bubba Diagonal Matrix : Flower



PASSED

Certificate of Analysis The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20920011-001 Harvest/Lot ID: 20220810-BUD-H

Batch#:1000039763 Sampled: 09/20/22 Ordered: 09/20/22

Sample Size Received: 31.5 gram Total Batch Size: 1400 units Completed: 09/23/22 Expires: 09/23/23 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
0.01	PPM		PASS	ND	X	0.01		Level	DACC	ND
										ND
	1.1.				PHOSMET	0.01	ppm			ND
					PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
					PRALLETHRIN	0.01	ppm	0.1	PASS	ND
					PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
					PROPOXUR	0.01	ppm	0.1	PASS	ND
								0.2	PASS	ND
							A			ND
							17 1/1/			
					SPIROTETRAMAT					ND
					SPIROXAMINE	0.01	ppm	0.1	PASS	ND
					TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
					THIACLOPRID	0.01	ppm	0.1	PASS	ND
					THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
							A			ND
										ND
										ND
0.01	ppm									
0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
0.01	ppm	0.1	PASS	ND			house abbe on the		F. due of	
0.01	ppm	0.1	PASS	ND						ea by:
0.01	ppm	0.1	PASS	ND						T 40 10
0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL	JO.102.11 L, .	501.11.50.15	71.1 L, 301.11.5	10.101.1 L, 301	.11.40.10
0.01	ppm	0.1	PASS	ND	Analytical Batch : DA049995PES		Reviewed	d On: 09/23/2	22 13:03:32	
0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Da	te:09/21/22	08:52:56	
0.01	ppm	0.1	PASS	ND	Running on : 09/22/22 18:40:20					
0.01	ppm	0.1	PASS	ND	Dilution: N/A					
0.01	ppm	0.1	PASS	ND		0.59; 0920	22.R28; 092	2222.R02		
		0.1	PASS	ND						
			PASS			Material Const	d Ch	one or book Tarles Inc.	O	
						Quadrapon	c Muss spec	donica y in de	eordance with	r.s. rearc
			PASS		Analyzed by: Weight:	Extrac	tion date:		Extracte	d by:
					3404, 585, 450 0.9413g	09/21/2	22 15:50:56	5	585	7
					Analysis Method: SOP.T.30.060, SOP.T.40.	060				
					Analytical Batch : DA049998VOL					
					Instrument Used : DA-GCMS-006	В	atch Date	:09/21/22 08	:55:21	
						.K31; 0919	22.R32			
0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed u					
	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 PPM	Color Colo		Content Cont	December December	December December	December Color C	Name	Level

64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/23/22



Kaycha Labs

Bubba Diagonal Bubba Diagonal Matrix: Flower



DAVIE, FL, 33314, US

Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20920011-001 Harvest/Lot ID: 20220810-BUD-H

Batch#:1000039763 Sampled: 09/20/22 Ordered: 09/20/22

Reviewed On: 09/23/22 12:58:40

Reviewed On: 09/23/22 13:04:06

Batch Date: 09/21/22 08:52:44

Batch Date: 09/21/22 08:08:08

Sample Size Received: 31.5 gram Total Batch Size: 1400 units Completed: 09/23/22 Expires: 09/23/23 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial

PASSED



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELI SPP	LA		Not Present	PASS	
SALMONELLA SPECIFIC GEN	NE		Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000
Analyzed by: 3404, 3336, 3621, 53	Weight: 1.0753a	Extraction d		Extracte 3336	d by:

Analysis Method: SOP.T.40.043 Analytical Batch: DA049987MIC Instrument Used : DA-265 Gene-UP RTPCR

Running on : N/A Dilution: N/A

Reagent: 083022.R54 Consumables: 500124 Pipette: N/A

			//
Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 3729, 3621, 53	0.9552g	09/21/22 12:27:37	3729

Analysis Method: SOP.T.40.208, SOP.T.40.209.FL Analytical Batch: DA049994TYM

Instrument Used : Incubator (25-27C) DA-097

Running on : N/A

Dilution: N/A Reagent: 071422.05 Consumables: 006107 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

مگه	
o()o	
مکه	

	LOD	Units	Result	Pass / Fail	Action Level
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
Weight:			PPX	Extracted 3379	d by:
		0.002 0.002 0.002 0.002 0.002 Weight: Extraction of	0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm	0.002 ppm ND Weight: Extraction date:	0.002 ppm ND PASS 0.002 ppm ND PASS Weight: Extraction date: Extracted

Analysis Method: SOP.T.30.101.FL. SOP.T.40.101.FL. SOP.T.30.102.FL. SOP.T.40.102.FL Analytical Batch: DA049997MYC
Instrument Used: DA-LCMS-003 (MYC)
Running on: 09/22/22 18:41:30 Reviewed On: 09/23/22 13:03:44 Batch Date: 09/21/22 08:55:17

Dilution: 2:30
Reagent: 091922.R01; 081522.R04; 092820.59; 092022.R28; 092222.R02
Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

777	LOD	Units	Result	Pass / Fail	Action Level
INANT LOAD METAL	. S 0.11	PPM	ND	PASS	1.1
	0.02	PPM	ND	PASS	0.2
	0.02	PPM	ND	PASS	0.2
	0.05	PPM	ND	PASS	0.5
	0.02	PPM	ND	PASS	0.2
Weight: 0.2786g					by:
	Weight:	INANT LOAD METALS	NANT LOAD METALS	NANT LOAD METALS	Fail

Analysis Method: SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA049988HEA Reviewed On: 09/23/22 13:20:58 Instrument Used: DA-ICPMS-003 Running on: 09/21/22 17:18:20 Batch Date: 09/21/22 08:40:51

Dilution: 100

Reagent: 082422.R03; 090622.R21; 080222.R36; 091922.R23; 091622.R27; 091222.R22; 091622.R25; 091622.R26; 090622.R22; 090622.R23

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/23/22



Kaycha Labs

Bubba Diagonal Bubba Diagonal Matrix: Flower



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20920011-001 Harvest/Lot ID: 20220810-BUD-H

Batch#:1000039763 Sampled: 09/20/22 Ordered: 09/20/22

Sample Size Received: 31.5 gram Total Batch Size: 1400 units Completed: 09/23/22 Expires: 09/23/23 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

PASSED

Analyte Filth and Foreign Material	0.5	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1	Units %	Result 13.76	P/F PASS	Action Le 15
Analyzed by: Weight 3404, 1879 NA		Extraction d	ate:	Extrac N/A	cted by:	Analyzed by: 3404, 2926, 1879	Weight: 0.494g		Extraction 09/21/22 1			tracted by: 026
Analysis Method: SOP.T.30.074, SOP.T.40.074 Analytical Batch: DA050048FIL Instrument Used: Filth/Foreign Material Microscope Running on: 09/21/22 15:11:15 Reviewed On: 09/22/22 09:48:18 Batch Date: 09/21/22 15:06:34						Analysis Method : SOP.T.40.021 Analytical Batch : DA050025MOI Instrument Used : DA-003 Moisture Analyzer Running on : 09/21/22 14:22:50 Reviewed On : 09/21/22 15:07:42 Batch Date : 09/21/22 11:46:37						
Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A						Dilution: N/A Reagent: 101920.06 Consumables: PS-14 Pipette: DA-066						

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Batch Date: 09/21/22 11:38:09

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.517	PASS	0.65
Analyzed by: 3404, 2926, 1879	Weight: NA	Extract N/A	tion date:	Ext N/A	racted by:
Analysis Method : SOP.T. Analytical Batch : DA050			Reviewed O	n: 09/22/2	2 09:51:45

Analytical Batch: DA050022WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : $09/21/22\ 14:05:10$

Dilution : N/A Reagent: 121421.21 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/23/22