

Certificate of Analysis

Kaycha Labs

Bad Apple Fuzed BA Disposable 1g Bad Apple Matrix: Derivative

Sample: DA20923012-013 Harvest/Lot ID: 20220817-MIX-0009

> Batch#: 1000040843 Cultivation Facility: N/A Processing Facility: N/A

Seed to Sale# LFG-00000673 Batch Date: 09/22/22

Sample Size Received: 16 gram Total Batch Size: 1000 units

Retail Product Size: 1 gram Ordered: 09/23/22 Sampled: 09/23/22 Completed: 09/27/22

Sampling Method: SOP.T.20.010

Page 1 of 6

COMPLIANCE FOR RETAIL

Sep 27, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

#FLOWERY

PRODUCT IMAGE

SAFETY RESULTS









Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



PASSED



Residuals Solvents PASSED

CBGA

ND

ND

%

Reviewed On: 09/27/22 13:23:22 Batch Date: 09/25/22 22:56:38

0.001



Filth PASSED



Water Activity PASSED

THCV

0.444

4.44

0.001

%



Moisture



MISC.

TESTED

PASSED

CBC

0.531

5.31

0.001

%



Cannabinoid

Total THC

84.42%



CBDA

0.026

0.26

0.001

%

D8-THC

0.937

0.001

%

9.37

Total CBD 0.202%Total CBD/Container: 2.02 mg

2.091

20,91

0.001

Extraction date: 09/26/22 11:57:43

%



CBN

0.588

5.88

0.001

Total Cannabinoids

Total Cannabinoids/Container: 892.27

CBDV

ND

ND

%

0.001



mg/unit	843.55	0.75		
LOD	0.001	0.001		
	%	%		
Analyzed by: 3404, 3112, 166	5, 53			

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA050231POT Instrument Used: DA-LC-007 Running on: 09/26/22 14:33:39

Dilution: 400
Reagent: 092022.R01; 071222.01; 092022.R04
Consumables: 239146; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

CBD

0.18

1.8

%

0.001

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/27/22

Signed On

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Bad Apple Fuzed BA Disposable 1g **Bad Apple**

Matrix : Derivative



PASSED

Certificate of Analysis

Samples From: Homestead, FL, 33090, US

Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20923012-013

Harvest/Lot ID: 20220817-MIX-0009

Batch#: 1000040843 Sampled: 09/23/22 Ordered: 09/23/22

Sample Size Received: 16 gram Total Batch Size: 1000 units

Completed: 09/27/22 Expires: 09/27/23 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	t % Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	24.97	2.497	CAMPHOR	0.007	< 0.2	< 0.02		
TOTAL TERPINEOL	0.007	0.32	0.032	BORNEOL	0.013	< 0.4	< 0.04		
CAMPHENE	0.007	< 0.2	<0.02	GERANIOL	0.007	< 0.2	< 0.02		
BETA-MYRCENE	0.007	1.86	0.186	PULEGONE	0.007	< 0.2	< 0.02		
3-CARENE	0.007	< 0.2	<0.02	ALPHA-CEDRENE	0.007	< 0.2	< 0.02		
ALPHA-PHELLANDRENE	0.007	0.3	0.03	ALPHA-HUMULENE	0.007	2.15	0.215		
DCIMENE	0.007	< 0.2	<0.02	TRANS-NEROLIDOL	0.007	< 0.2	< 0.02		
UCALYPTOL	0.007	< 0.2	<0.02	GUAIOL	0.007	< 0.2	< 0.02		
INALOOL	0.007	2.1	0.21	Analyzed by: Weight:		Extraction dat	te:		Extracted by:
ENCHONE	0.007	< 0.2	<0.02	3404, 2076, 53 1.0125g		09/26/22 12:1			2076
SOPULEGOL	0.007	< 0.2	<0.02	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.Fl	L				
SOBORNEOL	0.007	< 0.2	<0.02	Analytical Batch : DA050245TER				9/27/22 18:04:08	
IEXAHYDROTHYMOL	0.007	< 0.2	<0.02	Instrument Used : DA-GCMS-005 Running on : N/A		Batch	Date: 09/	26/22 10:03:55	
EROL	0.007	< 0.2	<0.02	Dilution: 10					
ERANYL ACETATE	0.007	< 0.2	<0.02	Reagent : N/A					
ETA-CARYOPHYLLENE	0.007	8.19	0.819	Consumables : N/A					
ALENCENE	0.007	1.86	0.186	Pipette : N/A					
IS-NEROLIDOL	0.007	< 0.2	<0.02	Terpenoid testing is performed utilizing Gas Chromatography	Mass Spec	trometry.			
EDROL	0.007	< 0.2	<0.02						
ARYOPHYLLENE OXIDE	0.007	0.31	0.031						
ARNESENE	0	< 0.01	<0.0018						
LPHA-BISABOLOL	0.007	1.14	0.114						
LPHA-PINENE	0.007	0.42	0.042						
ABINENE	0.007	< 0.2	<0.02						
ETA-PINENE	0.007	0.79	0.079						
LPHA-TERPINENE	0.007	< 0.2	<0.02						
IMONENE	0.007	5.11	0.511						
AMMA-TERPINENE	0.007	< 0.2	<0.02						
ERPINOLENE	0.007	< 0.2	<0.02						
ABINENE HYDRATE	0.007	< 0.2	<0.02						
FENCHYL ALCOHOL	0.007	0.42	0.042						
otal (%)		-1	2.497				-		

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/27/22



Kaycha Labs

Bad Apple Fuzed BA Disposable 1g Bad Apple

Matrix : Derivative



Certificate of Analysis

Sample : DA20923012-013

Harvest/Lot ID: 20220817-MIX-0009

Batch#:1000040843 Sampled:09/23/22 Ordered:09/23/22 Sample Size Received: 16 gram
Total Batch Size: 1000 units
Completed: 09/27/22 Expires: 09/27/23
Sample Method: SOP.T.20.010

PASSED

Page 3 of 6



The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Pesticides

PASSED

_												
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	Š.	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	0.266	OXAMYL		0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND							
OTAL SPINETORAM	0.01	PPM	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	0.266
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEOUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	mag	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND					0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm			
OSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
OUMAPHOS	0.01	ppm	0.1	PASS	ND			0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *			/ /			
IAZINON	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
ICHLORVOS IMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Ext	raction da	te:	Extract	ed by:
	0.01	ppm	0.1	PASS	ND	3404, 585, 3379, 53	0.2909g		26/22 11:2		585	
ГНОРROPHOS ГОFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.	FL, SOP.T.30.10)2.FL, S	OP.T.30.15	1.FL, SOP.T.4	0.101.FL, SOP	.T.40.102
	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL			David source		2.12.12.56	
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch: DA050222PES Instrument Used: DA-LCMS-003				l On : 09/27/2 t e : 09/25/22		
ENHEXAMID ENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 09/26/22 13:57:36	(1 23)		Duttil Du	103/23/22	20.00.27	
	0.01	ppm	0.1	PASS	ND	Dilution: 250						
ENPYROXIMATE	0.01	mag	0.1	PASS	ND	Reagent: 092622.R01; 081522.F	R04; 092022.R2	8; 0922	222.R02; 09	92820.59		
IPRONIL	0.01	P P	0.1	PASS	ND	Consumables : 6676024-02						
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-21						
LUDIOXONIL			0.1	PASS	ND	Testing for agricultural agents is pe						
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatogr 64ER20-39.	apny Tripie-Qua	arupoie	Mass Spec	trometry in ac	cordance with	r.s. Rule
MAZALIL	0.01	ppm	0.1		ND	Analyzed by:	Weight:	Evtr	action dat	٥.	Extracte	ad by:
MIDACLOPRID	0.01	ppm		PASS	ND ND	3404, 585, 450, 53	0.2909g		6/22 11:21		585	eu by.
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND ND	Analysis Method : SOP.T.30.060,		11,-	//			
ALATHION	0.01	ppm	0.2	PASS		Analytical Batch : DA050224VOL		Re	eviewed O	n:09/27/22 1	3:49:53	
ETALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Ba	atch Date :	09/25/22 20	08:36	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Running on : N/A						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Dilution: 25						
EVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent: 081522.R04; 092820.5		; 09192	22.R32			
IYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02; 147 Pipette: DA-080: DA-146	25401					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is pe Spectrometry and Gas Chromatogr 64ER20-39.						

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/27/22



DAVIE, FL, 33314, US

Kaycha Labs

Bad Apple Fuzed BA Disposable 1g **Bad Apple**

Matrix : Derivative



PASSED

Certificate of Analysis

Sample : DA20923012-013

Harvest/Lot ID: 20220817-MIX-0009

Batch#: 1000040843 Sampled: 09/23/22 Ordered: 09/23/22

Sample Size Received: 16 gram Total Batch Size: 1000 units Completed: 09/27/22 Expires: 09/27/23 Sample Method: SOP.T.20.010

Page 4 of 6



Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: Weight: **Extraction date:** Extracted by:

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA050249SOL Instrument Used: DA-GCMS-002 **Running on:** $09/27/22 \ 15:31:33$

Reviewed On: 09/27/22 15:39:56 Batch Date: 09/26/22 11:09:06

Dilution: 1

Reagent: 030420.09 Consumables: R2017.167; KE136

Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/27/22



Kaycha Labs

Bad Apple Fuzed BA Disposable 1g

Bad Apple Matrix : Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20923012-013

Harvest/Lot ID: 20220817-MIX-0009

Batch#: 1000040843 Sampled: 09/23/22 Ordered: 09/23/22

Sample Size Received: 16 gram Total Batch Size: 1000 units Completed: 09/27/22 Expires: 09/27/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COL	LI SHIGELLA			Not Present	PASS	
SALMONELLA SPE	CIFIC GENE			Not Present	PASS	
ASPERGILLUS FLA	AVUS			Not Present	PASS	
ASPERGILLUS FUI	MIGATUS			Not Present	PASS	
ASPERGILLUS TER	RREUS			Not Present	PASS	
ASPERGILLUS NIC	SER			Not Present	PASS	
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000
Analyzed by: 3404, 3621, 53	Weight:		tion date:		Extracted	by:
3404, 3021, 53	1.014g	09/24	/22 14:36	:30	3621	

Analyzed by: 3404, 3621, 53 Analysis Method: SOP.T.40.043

Analytical Batch: DA050181MIC Instrument Used : DA-265 Gene-UP RTPCR

Running on : N/A Dilution: N/A Reagent: 083022.R54 Consumables: 500124 Reviewed On: 09/27/22 09:09:26 Batch Date: 09/24/22 08:22:32

Reviewed On: 09/26/22 17:24:00

Batch Date: 09/24/22 08:24:06

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 3621, 3390, 53	1.162g	09/24/22 14:28:10	3621

Analysis Method: SOP.T.40.208, SOP.T.40.209.FL $\textbf{Analytical Batch:} \ \mathsf{DA050182TYM}$

Instrument Used : Incubator (25-27C) DA-097

Running on : N/A

Dilution : N/A **Reagent :** 083022.R54; 071422.19

Consumables : 500124; 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	LOD	Units	Result	Pass / Fail	Action Level
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
	0.002	ppm	ND	PASS	0.02
Weight: g			1990	Extracte 585	d by:
		0.002 0.002 0.002 0.002 0.002 Weight: Extraction	0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm 0.002 ppm	0.002 ppm ND Weight: Extraction date:	Fail

Analysis Method: SOP.T.30.101.FL. SOP.T.40.101.FL. SOP.T.30.102.FL. SOP.T.40.102.FL Analytical Batch: DA050223MYC Instrument Used: DA-LCMS-003 (MYC) Running on: 09/26/22 13:58:08 Reviewed On: 09/27/22 09:18:37 Batch Date: 09/25/22 20:08:32

Dilution: 230 Reagent: 092622.R01; 081522.R04; 092022.R28; 092222.R02; 092820.59 Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAN	IINANT LOAD META	LS 0.11	PPM	ND	PASS	1.1
ARSENIC		0.02	PPM	ND	PASS	0.2
CADMIUM		0.02	PPM	ND	PASS	0.2
LEAD		0.05	PPM	ND	PASS	0.5
MERCURY		0.02	PPM	ND	PASS	0.2
Analyzed by: 3404, 1022, 53	Weight: 0.2866g	Extraction da 09/26/22 11:			Extracted 1022	by:

Analysis Method: SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA050211HEA Reviewed On: 09/27/22 13:52:02 Instrument Used: DA-ICPMS-003 Running on: 09/26/22 15:47:19 Batch Date: 09/25/22 10:23:05

Dilution: 100

Reagent: 092122.R42; 092222.R39; 080222.R36; 091922.R23; 092322.R27; 092122.R43; 092322.R25; 092322.R26; 090622.R22; 090622.R23

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/27/22



Kaycha Labs

Bad Apple Fuzed BA Disposable 1g **Bad Apple**

Matrix : Derivative



PASSED

Page 6 of 6

Certificate of Analysis

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20923012-013 Harvest/Lot ID: 20220817-MIX-0009

Batch#: 1000040843 Sampled: 09/23/22 Ordered: 09/23/22

Reviewed On: 09/24/22 13:42:51 **Batch Date:** 09/24/22 13:25:24

Reviewed On: 09/26/22 11:01:51 Batch Date: 09/24/22 14:01:14

Sample Size Received: 16 gram Total Batch Size: 1000 units Completed: 09/27/22 Expires: 09/27/23 Sample Method: SOP.T.20.010



Filth/Foreign **Material**

PASSED

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS **Extraction date:** Extracted by: NA

Analysis Method: SOP.T.30.074, SOP.T.40.074

Analytical Batch: DA050199FIL Instrument Used: Filth/Foreign Material Microscope

Running on: 09/24/22 13:31:36

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte Water Activity		LOD 0.1	Units aw	Result 0.479	P/F PASS	Action Leve 0.85
Analyzed by: 3404, 1879	Weight: NA			date:	Extra N/A	cted by:

Analysis Method : SOP.T.40.019
Analytical Batch : DA050205WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : $09/24/22 \ 15:43:52$

Dilution : N/A Reagent: 072721.08 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/27/22