

Kaycha Labs

Blood Orange Fuzed BO Disposable 1g **Blood Orange** Matrix: Derivative



Sample: DA20923012-014 Harvest/Lot ID: 20220804-MIX-0005

> Batch#: 1000040937 Cultivation Facility: N/A Processing Facility: N/A Seed to Sale# LFG-00000674

Batch Date: 09/23/22

Sample Size Received: 16 gram Total Batch Size: 1000 units Retail Product Size: 1 gram Ordered: 09/23/22

Sampled: 09/23/22 Completed: 09/27/22

Sampling Method: SOP.T.20.010

Page 1 of 6

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sep 27, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

#FLOWERY

PRODUCT IMAGE

SAFETY RESULTS









Heavy Metals **PASSED**



Microbials

PASSED

PASSED



Residuals Solvents PASSED



Filth PASSED



Water Activity PASSED



Moisture



MISC.

TESTED

PASSED

3.09

0.001

%



Cannabinoid

Total THC

84.582%



CBDA

0.003

0.03

0.001

%

Weight: 0.0945g

D8-THC

0.342

3.42

0.001

%

Total CBD 0.095%

2.257

22.57

0.001

Extraction date: 09/26/22 11:57:43

%

Total CBD/Container: 0.95 mg



3,39

0.001

Total Cannabinoids

Total Cannabinoids/Container: 882.56



	D9-THC	THCA
%	84.55	0.037
mg/unit	845.5	0.37
LOD	0.001	0.001
	%	%

Analyzed by: 3404, 3112, 1665, 53

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA050231POT Instrument Used: DA-LC-007 Running on: 09/26/22 14:33:39

Dilution: 400
Reagent: 092022.R01; 071222.01; 092022.R04
Consumables: 239146; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

CBD

0.093

0.93

0.001

%

CBN THCV CBDV CBC 0.339 0.326 ND 0.309

ND

0/0

0.001

3.26

0.001

%

Reviewed On: 09/27/22 13:23:37 Batch Date: 09/25/22 22:56:38

CBGA

ND

ND

%

0.001

Jorge Segredo

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Lab Director



09/27/22

Signed On

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Blood Orange Fuzed BO Disposable 1g Blood Orange

Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA20923012-014 Harvest/Lot ID: 20220804-MIX-0005

Batch#:1000040937

Sampled: 09/23/22 Ordered: 09/23/22 Sample Size Received: 16 gram
Total Batch Size: 1000 units

Completed: 09/27/22 Expires: 09/27/23 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	47.9	4.79		CAMPHOR		0.007	< 0.2	< 0.02		
OTAL TERPINEOL	0.007	< 0.2	< 0.02		BORNEOL		0.013	< 0.4	< 0.04		
AMPHENE	0.007	< 0.2	< 0.02		GERANIOL		0.007	< 0.2	< 0.02		
ETA-MYRCENE	0.007	< 0.2	< 0.02		PULEGONE		0.007	< 0.2	< 0.02		
-CARENE	0.007	< 0.2	< 0.02		ALPHA-CEDRENE		0.007	< 0.2	< 0.02		
LPHA-PHELLANDRENE	0.007	< 0.2	< 0.02		ALPHA-HUMULENE		0.007	0.4	0.04		
CIMENE	0.007	< 0.2	< 0.02		TRANS-NEROLIDOL		0.007	0.22	0.022		
UCALYPTOL	0.007	< 0.2	< 0.02		GUAIOL		0.007	< 0.2	< 0.02		
INALOOL	0.007	< 0.2	< 0.02		Analyzed by:	Weight:		Extraction data	e:		Extracted by:
ENCHONE	0.007	< 0.2	< 0.02		3404, 2076, 53	0.9562g		09/26/22 12:1			2076
SOPULEGOL	0.007	< 0.2	< 0.02		Analysis Method : SOP.T.30.06		FL				
SOBORNEOL	0.007	< 0.2	< 0.02		Analytical Batch : DA050245TE					9/27/22 18:04:34 26/22 10:03:55	
EXAHYDROTHYMOL	0.007	< 0.2	< 0.02		Instrument Used : DA-GCMS-00 Running on : N/A	05		Batch	Date: 09/.	26/22 10:03:55	
EROL	0.007	< 0.2	< 0.02		Dilution: 10						
ERANYL ACETATE	0.007	< 0.2	< 0.02		Reagent : N/A						
ETA-CARYOPHYLLENE	0.007	2.17	0.217		Consumables : N/A						
ALENCENE	0.007	< 0.2	< 0.02		Pipette : N/A						
IS-NEROLIDOL	0.007	< 0.2	< 0.02		Terpenoid testing is performed util	lizing Gas Chromatograph	y Mass Spec	trometry.			
EDROL	0.007	< 0.2	< 0.02		/ / /						
ARYOPHYLLENE OXIDE	0.007	< 0.2	< 0.02								
ARNESENE	0	< 0.01	< 0.0018								
LPHA-BISABOLOL	0.007	1.03	0.103								
LPHA-PINENE	0.007	0.43	0.043								
ABINENE	0.007	< 0.2	< 0.02								
ETA-PINENE	0.007	0.69	0.069								
LPHA-TERPINENE	0.007	< 0.2	< 0.02								
IMONENE	0.007	42.67	4.267								
AMMA-TERPINENE	0.007	0.29	0.029								
ERPINOLENE	0.007	< 0.2	< 0.02								
ABINENE HYDRATE	0.007	< 0.2	< 0.02								
ENCHYL ALCOHOL	0.007	< 0.2	< 0.02								

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/27/22



Kaycha Labs

Blood Orange Fuzed BO Disposable 1g Blood Orange



Matrix : Derivative

Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA20923012-014 Harvest/Lot ID: 20220804-MIX-0005

Batch#: 1000040937

Sampled: 09/23/22 Ordered: 09/23/22 Sample Size Received: 16 gram
Total Batch Size: 1000 units

Completed: 09/27/22 Expires: 09/27/23 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

_												
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	Š.	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	0.171	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND							
OTAL SPINETORAM	0.01	PPM	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	0.171
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEOUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND					0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm			
OSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE ((PCNB) *	0.01	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND			0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *			/ / /			
AZINON	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
ICHLORVOS IMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Ext	raction da	te:	Extract	ed by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	3404, 585, 3379, 53	0.2924g		26/22 11:2		585	
TOFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.F	FL, SOP.T.30.10	2.FL, S	OP.T.30.15	1.FL, SOP.T.4	0.101.FL, SOP	.T.40.10
			0.1	PASS	ND	SOP.T.40.151.FL			Davidson.		2 12 14 27	
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA050222PES Instrument Used : DA-LCMS-003	(DES)			l On :09/27/2 te :09/25/22		
ENHEXAMID			0.1	PASS	ND	Running on : 09/26/22 13:57:36	(I L3)		Dattii Da	ie .03/23/22	20.00.27	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 092622.R01; 081522.R	R04; 092022.R2	8; 0922	222.R02; 0	92820.59		
IPRONIL		ppm	0.1	PASS	ND	Consumables : 6676024-02						
LONICAMID	0.01	ppm		PASS	ND	Pipette: DA-093; DA-094; DA-219						
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is pe						
EXYTHIAZOX	0.01	ppm				Spectrometry and Gas Chromatogra 64ER20-39.	apny Triple-Quad	arupole	e Mass Spec	trometry in ac	cordance with	F.S. Rule
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Evte	action dat	01	Extract	nd by
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	3404, 585, 450, 53	0.2924q		26/22 11:21		585	eu by.
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.060,		05/2	.0,22 22.22		303	
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA050224VOL		Re	eviewed O	n:09/27/22 1	13:50:02	
ETALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Ва	atch Date	09/25/22 20	:08:36	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Running on : N/A						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Dilution: 25			\/			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent: 081522.R04; 092820.5		; 09192	22.R32			
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02; 1477 Pipette: DA-080: DA-146	25401					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is pe Spectrometry and Gas Chromatogra 64ER20-39.						

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/27/22



Kaycha Labs

Blood Orange Fuzed BO Disposable 1g **Blood Orange**

Matrix : Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20923012-014

Harvest/Lot ID: 20220804-MIX-0005

Batch#: 1000040937 Sampled: 09/23/22 Ordered: 09/23/22

Sample Size Received: 16 gram Total Batch Size: 1000 units Completed: 09/27/22 Expires: 09/27/23

Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: Weight: **Extraction date:** Extracted by:

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA050249SOL Instrument Used: DA-GCMS-002 **Running on:** $09/27/22 \ 15:31:33$

Reviewed On: 09/27/22 15:40:09 Batch Date: 09/26/22 11:09:06

Dilution: 1

Reagent: 030420.09 Consumables: R2017.167; KE136 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/27/22



Kaycha Labs

Blood Orange Fuzed BO Disposable 1g **Blood Orange**

Matrix : Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA20923012-014

Harvest/Lot ID: 20220804-MIX-0005

Batch#: 1000040937 Sampled: 09/23/22 Ordered: 09/23/22

Sample Size Received: 16 gram Total Batch Size: 1000 units Completed: 09/27/22 Expires: 09/27/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Mycotoxins

PASSED

Extracted by:

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA CO	LI SHIGELLA			Not Present	PASS	
SALMONELLA SPI	ECIFIC GENE			Not Present	PASS	
ASPERGILLUS FL	AVUS			Not Present	PASS	
ASPERGILLUS FU	MIGATUS			Not Present	PASS	
ASPERGILLUS TE	RREUS			Not Present	PASS	
ASPERGILLUS NIC	GER			Not Present	PASS	
TOTAL YEAST AN	D MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3404, 3621, 53	Weight: 1.0214g		tion date /22 14:34		Extracted 3621	by:

Analysis Method: SOP.T.40.043 Analytical Batch: DA050183MIC

Instrument Used : DA-265 Gene-UP RTPCR Running on : N/A

Dilution: N/A Reagent: 083022.R54 Reviewed On: 09/27/22 12:28:16 Batch Date: 09/24/22 08:24:40

Reviewed On: 09/26/22 17:24:40

Batch Date: 09/24/22 09:41:22

Consumables: 500124 Pipette: N/A

Analyzed by: 3404, 3621, 3390, 53 Weight: Extraction date: Extracted by: 09/24/22 14:29:56 0.8766a

Analysis Method: SOP.T.40.208, SOP.T.40.209.FL Analytical Batch: DA050191TYM

Instrument Used : Incubator (25-27C) DA-097

Running on : N/A

Dilution : N/A **Reagent :** 083022.R54; 071422.19 Consumables : 500124; 004103

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

0 4 0						
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN	B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN	B1	0.002	ppm	ND	PASS	0.02
OCHRATOXI	N A	0.002	ppm	ND	PASS	0.02
AFLATOXIN	G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN	G2	0.002	ppm	ND	PASS	0.02

Extraction date:

09/26/22 11:06:40

Analysis Method: SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA050223MYC Reviewed On: 09/27/22 09:18:53 Instrument Used: DA-LCMS-003 (MYC) Running on: 09/26/22 13:58:08 Batch Date: 09/25/22 20:08:32

Analyzed by: 3404, 585, 3379, 53

Dilution: 230 Reagent: 092622.R01; 081522.R04; 092022.R28; 092222.R02; 092820.59 Consumables: 6676024-02

Weight:

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAN	INANT LOAD META	LS 0.11	PPM	ND	PASS	1.1
ARSENIC		0.02	PPM	ND	PASS	0.2
CADMIUM		0.02	PPM	ND	PASS	0.2
LEAD		0.05	PPM	ND	PASS	0.5
MERCURY		0.02	PPM	ND	PASS	0.2
Analyzed by: 3404, 1022, 53	Weight: 0.2596g	Extraction da 09/26/22 11:			Extracted 1022	by:

Analysis Method: SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA050211HEA Reviewed On: 09/27/22 13:52:12 Instrument Used: DA-ICPMS-003 Running on: 09/26/22 15:47:19 Batch Date: 09/25/22 10:23:05

Dilution: 100

Reagent: 092122.R42; 092222.R39; 080222.R36; 091922.R23; 092322.R27; 092122.R43; 092322.R25; 092322.R26; 090622.R22; 090622.R23

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-216

 $Heavy\ Metals\ analysis\ is\ performed\ using\ Inductively\ Coupled\ Plasma\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



09/27/22



Kaycha Labs

Blood Orange Fuzed BO Disposable 1g **Blood Orange** Matrix : Derivative

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US

Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA20923012-014

Harvest/Lot ID: 20220804-MIX-0005

Batch#: 1000040937 Sampled: 09/23/22 Ordered: 09/23/22

Sample Size Received: 16 gram Total Batch Size: 1000 units Completed: 09/27/22 Expires: 09/27/23 Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



Filth/Foreign Material

PASSED

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS

Extraction date: Extracted by: NA

Analysis Method: SOP.T.30.074, SOP.T.40.074

Reviewed On: 09/24/22 13:42:52 **Batch Date:** 09/24/22 13:25:24 Analytical Batch: DA050199FIL Instrument Used: Filth/Foreign Material Microscope

Running on: 09/24/22 13:31:36

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 09/26/22 11:01:52

Batch Date: 09/24/22 14:01:14

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.472	PASS	0.85

Analyzed by: 3404, 1879

Analysis Method : SOP.T.40.019
Analytical Batch : DA050205WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on : $09/24/22 \ 15:43:52$

Dilution : N/A Reagent: 072721.08 Consumables: PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/27/22