



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA20923012-016  
Harvest/Lot ID: 20220822-MIX-0012  
Batch#: 1000040839  
Cultivation Facility: N/A  
Processing Facility: N/A  
Seed to Sale# LFG-0000669  
Batch Date: 09/22/22  
Sample Size Received: 16 gram  
Total Batch Size: 1000 units  
Retail Product Size: 1 gram  
Ordered: 09/23/22  
Sampled: 09/23/22  
Completed: 09/29/22  
Sampling Method: SOP.T.20.010

Sep 29, 2022 | The Flowery  
Samples From:  
Homestead, FL, 33090, US

THE FLOWERY

**PASSED**

Page 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
NOT TESTED



Terpenes  
**TESTED**

MISC.

**Cannabinoid**

**PASSED**



Total THC  
**86.658%**  
Total THC/Container : 866.58 mg



Total CBD  
**0.653%**  
Total CBD/Container : 6.53 mg



Total Cannabinoids  
**90.795%**  
Total Cannabinoids/Container : 907.95 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.58	0.09	0.653	ND	0.537	2.002	ND	0.282	0.405	ND	0.246
mg/unit	865.8	0.9	6.53	ND	5.37	20.02	ND	2.82	4.05	ND	2.46
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3404, 3112, 1665, 53

Weight:  
0.0987g

Extraction date:  
09/26/22 11:57:44

Extracted by:  
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA050231POT  
Instrument Used : DA-LC-007  
Running on : 09/26/22 14:33:39

Reviewed On : 09/27/22 13:24:04  
Batch Date : 09/25/22 22:56:38

Dilution : 400  
Reagent : 092022.R01; 071222.01; 092022.R04  
Consumables : 239146; CE0123; 61633-125CG-125E; R1KB45277  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature

09/29/22

Signed On



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: osivan@moozacapital.com

Sample : DA20923012-016  
Harvest/Lot ID: 20220822-MIX-0012  
Batch# : 1000040839  
Sample Size Received : 16 gram  
Sampled : 09/23/22  
Ordered : 09/23/22  
Total Batch Size : 1000 units  
Completed : 09/29/22 Expires: 09/29/23  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED					
Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	39.29	3.929		CAMPHOR	0.013	<0.4	<0.04	
TOTAL TERPINEOL	0.007	0.45	0.045		BORNEOL	0.013	0.44	0.044	
CAMPENE	0.007	<0.2	<0.02		GERANIOL	0.007	0.52	0.052	
BETA-MYRCENE	0.007	3.39	0.339		PULEGONE	0.007	<0.2	<0.02	
3-CARENE	0.007	<0.2	<0.02		ALPHA-CEDRENE	0.007	<0.2	<0.02	
ALPHA-PHELLANDRENE	0.007	0.62	0.062		ALPHA-HUMULENE	0.007	2.19	0.219	
OCIMENE	0.007	0.32	0.032		TRANS-NEROLIDOL	0.007	0.43	0.043	
EUCALYPTOL	0.007	<0.2	<0.02		GUAIOL	0.007	0.46	0.046	
LINALOOL	0.007	1.64	0.164						
FENCHONE	0.007	<0.2	<0.02						
ISOPULEGOL	0.007	<0.2	<0.02						
ISOBORNEOL	0.007	<0.2	<0.02						
HEXAHYDROTHYMOL	0.007	0.38	0.038						
NEROL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	0.45	0.045						
BETA-CARYOPHYLLENE	0.007	7.63	0.763						
VALENCENE	0.007	6.68	0.668						
CIS-NEROLIDOL	0.007	<0.2	<0.02						
CEDROL	0.007	<0.2	<0.02						
CARYOPHYLLENE OXIDE	0.007	0.81	0.081						
FARNESENE	0	0.05	0.005						
ALPHA-BISABOLOL	0.007	3.17	0.317						
ALPHA-PINENE	0.007	0.42	0.042						
SABINENE	0.007	<0.2	<0.02						
BETA-PINENE	0.007	1.09	0.109						
ALPHA-TERPINENE	0.007	<0.2	<0.02						
LIMONENE	0.007	6.87	0.687						
GAMMA-TERPINENE	0.007	<0.2	<0.02						
TERPINOLENE	0.007	0.31	0.031						
SABINENE HYDRATE	0.007	<0.2	<0.02						
FENCHYL ALCOHOL	0.007	0.97	0.097						
<b>Total (%)</b>			<b>3.929</b>						

Analyzed by: 3404, 2076, 53 Weight: 1.0664g Extraction date: N/A Extracted by: N/A  
 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL  
 Analytical Batch : DA0502477ER Reviewed On : 09/29/22 07:45:07  
 Instrument Used : DA-GCMS-004 Batch Date : 09/26/22 10:08:04  
 Running on : N/A  
 Dilution : 10  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A  
 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.





# Certificate of Analysis

**PASSED**

The Flowery

Sample : DA20923012-016  
Harvest/Lot ID : 20220822-MIX-0012

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: osivan@moozacapital.com

Batch# : 1000040839  
Sample Size Received : 16 gram  
Sampled : 09/23/22  
Total Batch Size : 1000 units  
Ordered : 09/23/22  
Completed : 09/29/22 Expires: 09/29/23  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
<b>TOTAL CONTAMINANT LOAD (PESTICIDES)</b>	0.01	PPM	5	PASS	0.127	<b>OXAMYL</b>	0.01	ppm	0.5	PASS	ND
<b>TOTAL DIMETHOMORPH</b>	0.01	PPM	0.2	PASS	ND	<b>PACLOBUTRAZOL</b>	0.01	ppm	0.1	PASS	ND
<b>TOTAL PERMETHRIN</b>	0.01	ppm	0.1	PASS	ND	<b>PHOSMET</b>	0.01	ppm	0.1	PASS	ND
<b>TOTAL PYRETHRINS</b>	0.01	ppm	0.5	PASS	ND	<b>PIPERONYL BUTOXIDE</b>	0.01	ppm	3	PASS	0.127
<b>TOTAL SPINETORAM</b>	0.01	PPM	0.2	PASS	ND	<b>PRALLETHRIN</b>	0.01	ppm	0.1	PASS	ND
<b>TOTAL SPINOSAD</b>	0.01	ppm	0.1	PASS	ND	<b>PROPICONAZOLE</b>	0.01	ppm	0.1	PASS	ND
<b>ABAMECTIN B1A</b>	0.01	ppm	0.1	PASS	ND	<b>PROPOXUR</b>	0.01	ppm	0.1	PASS	ND
<b>ACEPHATE</b>	0.01	ppm	0.1	PASS	ND	<b>PYRIDABEN</b>	0.01	ppm	0.2	PASS	ND
<b>ACEQUINOCYL</b>	0.01	ppm	0.1	PASS	ND	<b>SPIROMESIFEN</b>	0.01	ppm	0.1	PASS	ND
<b>ACETAMIPRID</b>	0.01	ppm	0.1	PASS	ND	<b>SPIROTETRAMAT</b>	0.01	ppm	0.1	PASS	ND
<b>ALDICARB</b>	0.01	ppm	0.1	PASS	ND	<b>SPIROXAMINE</b>	0.01	ppm	0.1	PASS	ND
<b>AZOXYSTROBIN</b>	0.01	ppm	0.1	PASS	ND	<b>TEBUCONAZOLE</b>	0.01	ppm	0.1	PASS	ND
<b>BIFENAZATE</b>	0.01	ppm	0.1	PASS	ND	<b>THIACLOPRID</b>	0.01	ppm	0.1	PASS	ND
<b>BIFENTHRIN</b>	0.01	ppm	0.1	PASS	ND	<b>THIAMETHOXAM</b>	0.01	ppm	0.5	PASS	ND
<b>BOSCALID</b>	0.01	PPM	0.1	PASS	ND	<b>TRIFLOXYSTROBIN</b>	0.01	ppm	0.1	PASS	ND
<b>CARBARYL</b>	0.01	ppm	0.5	PASS	ND	<b>PENTACHLORONITROBENZENE (PCNB) *</b>	0.01	PPM	0.15	PASS	ND
<b>CARBOFURAN</b>	0.01	ppm	0.1	PASS	ND	<b>PARATHION-METHYL *</b>	0.01	PPM	0.1	PASS	ND
<b>CHLORANTRANILIPROLE</b>	0.01	ppm	1	PASS	ND	<b>CAPTAN *</b>	0.07	PPM	0.7	PASS	ND
<b>CHLORMEQUAT CHLORIDE</b>	0.01	ppm	1	PASS	ND	<b>CHLORDANE *</b>	0.01	PPM	0.1	PASS	ND
<b>CHLORPYRIFOS</b>	0.01	ppm	0.1	PASS	ND	<b>CHLORFENAPYR *</b>	0.01	PPM	0.1	PASS	ND
<b>CLOFENTEZINE</b>	0.01	ppm	0.2	PASS	ND	<b>CYFLUTHRIN *</b>	0.05	PPM	0.5	PASS	ND
<b>CUMAPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>CYPERMETHRIN *</b>	0.05	PPM	0.5	PASS	ND
<b>DAMINOZIDE</b>	0.01	ppm	0.1	PASS	ND						
<b>DIAZINON</b>	0.01	ppm	0.1	PASS	ND	<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>		
<b>DICHLORVOS</b>	0.01	ppm	0.1	PASS	ND	3404, 585, 3379, 53	0.2532g	09/26/22 11:24:13	585		
<b>DIMETHOATE</b>	0.01	ppm	0.1	PASS	ND						
<b>ETHOPROPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>Analysis Method :</b>					
<b>ETOFENPROX</b>	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL					
<b>ETOXAZOLE</b>	0.01	ppm	0.1	PASS	ND	<b>Analytical Batch :</b>					
<b>FENHEXAMID</b>	0.01	ppm	0.1	PASS	ND	DA050225PES					
<b>FENOXYCARB</b>	0.01	ppm	0.1	PASS	ND	<b>Instrument Used :</b>					
<b>FENPYROXIMATE</b>	0.01	ppm	0.1	PASS	ND	DA-LCMS-003 (PES)					
<b>FIPRONIL</b>	0.01	ppm	0.1	PASS	ND	<b>Running on :</b>					
<b>FLONICAMID</b>	0.01	ppm	0.1	PASS	ND	09/26/22 13:57:35					
<b>FLUDIOXONIL</b>	0.01	ppm	0.1	PASS	ND	<b>Dilution :</b>					
<b>HEXYTHIAZOX</b>	0.01	ppm	0.1	PASS	ND	250					
<b>IMAZALIL</b>	0.01	ppm	0.1	PASS	ND	<b>Reagent :</b>					
<b>IMIDACLOPRID</b>	0.01	ppm	0.4	PASS	ND	092622.R01; 081522.R04; 092022.R28; 092222.R02; 092820.59					
<b>KRESOXIM-METHYL</b>	0.01	ppm	0.1	PASS	ND	<b>Consumables :</b>					
<b>MALATHION</b>	0.01	ppm	0.2	PASS	ND	6676024-02					
<b>METALAXYL</b>	0.01	ppm	0.1	PASS	ND	<b>Pipette :</b>					
<b>METHIOCARB</b>	0.01	ppm	0.1	PASS	ND	DA-093; DA-094; DA-219					
<b>METHOMYL</b>	0.01	ppm	0.1	PASS	ND						
<b>MEVINPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
<b>MYCLOBUTANIL</b>	0.01	ppm	0.1	PASS	ND	<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>		
<b>NALED</b>	0.01	ppm	0.25	PASS	ND	3404, 585, 450	0.2532g	09/26/22 11:24:17	585		
						<b>Analysis Method :</b>					
						SOP.T.30.060, SOP.T.40.060					
						<b>Analytical Batch :</b>					
						DA050227VOL					
						<b>Instrument Used :</b>					
						DA-GCMS-006					
						<b>Running on :</b>					
						N/A					
						<b>Dilution :</b>					
						25					
						<b>Reagent :</b>					
						081522.R04; 092820.59; 091922.R31; 091922.R32					
						<b>Consumables :</b>					
						6676024-02; 14725401					
						<b>Pipette :</b>					
						DA-080; DA-146					
						<b>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					





# Certificate of Analysis

**PASSED**
**The Flowery**

 Samples From:  
 Homestead, FL, 33090, US  
**Telephone:** (321) 266-2467  
**Email:** osivan@moozacapital.com

**Sample : DA20923012-016**  
**Harvest/Lot ID: 20220822-MIX-0012**  
**Batch# : 1000040839**      **Sample Size Received : 16 gram**  
**Sampled : 09/23/22**      **Total Batch Size : 1000 units**  
**Ordered : 09/23/22**      **Completed : 09/29/22 Expires: 09/29/23**  
**Sample Method : SOP.T.20.010**
**Page 4 of 6**



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: N/A	Weight: N/A	Extraction date: N/A	Extracted by: N/A
---------------------	----------------	-------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA050249SOL Instrument Used : DA-GCMS-002 Running on : 09/27/22 15:31:33	Reviewed On : 09/27/22 15:40:43 Batch Date : 09/26/22 11:09:06
--	---

Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.167; KE136  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





# Certificate of Analysis


**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: osivan@moozacapital.com

Sample : DA20923012-016  
Harvest/Lot ID : 20220822-MIX-0012  
Batch# : 1000040839  
Sample Size Received : 16 gram  
Sampled : 09/23/22  
Total Batch Size : 1000 units  
Ordered : 09/23/22  
Completed : 09/29/22 Expires: 09/29/23  
Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins																																									
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level																																				
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																				
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																				
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																				
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																				
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																				
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 3404, 585, 3379, 53      Weight: g      Extraction date: 09/26/22 11:25:02      Extracted by: 585 Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : DA050226MYC      Reviewed On : 09/27/22 09:20:21 Instrument Used : DA-LCMS-003 (MYC)      Batch Date : 09/25/22 20:13:30 Running on : 09/26/22 13:58:05 Dilution : 250 Reagent : 092622.R01; 081522.R04; 092022.R28; 092222.R02; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																									
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3404, 3621, 53      Weight: 0.9809g      Extraction date: 09/24/22 14:34:39      Extracted by: 3621 Analysis Method : SOP.T.40.4043      Reviewed On : 09/27/22 12:28:45 Analytical Batch : DA050183MIC      Batch Date : 09/24/22 08:24:40 Instrument Used : DA-265 Gene-UP RTPCR Running on : N/A Dilution : N/A Reagent : 083022.R54 Consumables : 500124 Pipette : N/A																																									
Analyzed by: 3404, 3621, 3390, 53      Weight: 1.017g      Extraction date: 09/24/22 14:29:56      Extracted by: 3621 Analysis Method : SOP.T.40.208, SOP.T.40.209.FL      Reviewed On : 09/26/22 17:24:54 Analytical Batch : DA050191TYM      Batch Date : 09/24/22 09:41:22 Instrument Used : Incubator (25-27C) DA-097 Running on : N/A Dilution : N/A Reagent : 083022.R54; 071422.19 Consumables : 500124; 004103 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						<div style="border: 1px solid black; padding: 5px; display: inline-block;">  </div> <h2>Heavy Metals</h2> <p><b>PASSED</b></p> <table border="1"> <thead> <tr> <th>Metal</th> <th>LOD</th> <th>Units</th> <th>Result</th> <th>Pass / Fail</th> <th>Action Level</th> </tr> </thead> <tbody> <tr> <td>TOTAL CONTAMINANT LOAD METALS</td> <td>0.11</td> <td>PPM</td> <td>ND</td> <td>PASS</td> <td>1.1</td> </tr> <tr> <td>ARSENIC</td> <td>0.02</td> <td>PPM</td> <td>ND</td> <td>PASS</td> <td>0.2</td> </tr> <tr> <td>CADMIUM</td> <td>0.02</td> <td>PPM</td> <td>ND</td> <td>PASS</td> <td>0.2</td> </tr> <tr> <td>LEAD</td> <td>0.05</td> <td>PPM</td> <td>ND</td> <td>PASS</td> <td>0.5</td> </tr> <tr> <td>MERCURY</td> <td>0.02</td> <td>PPM</td> <td>ND</td> <td>PASS</td> <td>0.2</td> </tr> </tbody> </table> <p>                     Analyzed by: 3404, 1022, 53      Weight: 0.2602g      Extraction date: 09/26/22 11:54:54      Extracted by: 1022                      Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL                      Analytical Batch : DA050211HEA      Reviewed On : 09/27/22 13:52:29                      Instrument Used : DA-ICPMS-003      Batch Date : 09/25/22 10:23:05                      Running on : 09/26/22 15:47:19                      Dilution : 100                      Reagent : 092122.R42; 092222.R39; 080222.R36; 091922.R23; 092322.R27; 092122.R43; 092322.R25; 092322.R26; 090622.R22; 090622.R23                      Consumables : 179436; 210508058; 210803-059                      Pipette : DA-061; DA-216                      Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.                 </p>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.11	PPM	ND	PASS	1.1	ARSENIC	0.02	PPM	ND	PASS	0.2	CADMIUM	0.02	PPM	ND	PASS	0.2	LEAD	0.05	PPM	ND	PASS	0.5	MERCURY	0.02	PPM	ND	PASS	0.2
Metal	LOD	Units	Result	Pass / Fail	Action Level																																										
TOTAL CONTAMINANT LOAD METALS	0.11	PPM	ND	PASS	1.1																																										
ARSENIC	0.02	PPM	ND	PASS	0.2																																										
CADMIUM	0.02	PPM	ND	PASS	0.2																																										
LEAD	0.05	PPM	ND	PASS	0.5																																										
MERCURY	0.02	PPM	ND	PASS	0.2																																										



# Certificate of Analysis

**PASSED**

The Flowery

Samples From:  
Homestead, FL, 33090, US  
Telephone: (321) 266-2467  
Email: osivan@moozacapital.com

Sample : DA20923012-016  
Harvest/Lot ID: 20220822-MIX-0012  
Batch# : 1000040839  
Sampled : 09/23/22  
Ordered : 09/23/22  
Sample Size Received : 16 gram  
Total Batch Size : 1000 units  
Completed : 09/29/22 Expires: 09/29/23  
Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 1879	NA	N/A	N/A

Analysis Method : SOP.T.30.074, SOP.T.40.074  
 Analytical Batch : DA050199FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Running on : 09/24/22 13:31:36  
 Reviewed On : 09/24/22 13:42:56  
 Batch Date : 09/24/22 13:25:24

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.537	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 1879	NA	N/A	N/A

Analysis Method : SOP.T.40.019  
 Analytical Batch : DA050205WAT  
 Instrument Used : DA-028 Rotronic HygroPalm  
 Running on : 09/24/22 15:43:52  
 Reviewed On : 09/26/22 11:01:53  
 Batch Date : 09/24/22 14:01:14

Dilution : N/A  
 Reagent : 072721.08  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.