

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Grease Lightning Infused Distillate 510 Cart 0.5g Grease Lightning

Matrix: Derivative



Certificate of Analysis

Sample: DA21019002-025 Harvest/Lot ID: 20221005-HYB-0022

Batch#: 1000045994

Cultivation Facility: Homestead Processing Facility: Homestead Seed to Sale# LFG-00000757

Batch Date: 10/17/22

Sample Size Received: 15.5 gram

Total Batch Size: 474 units Retail Product Size: 0.5 gram

Ordered: 10/18/22 Sampled: 10/18/22

Completed: 10/22/22

Sampling Method: SOP.T.20.010

Page 1 of 6

COMPLIANCE FOR RETAIL

Oct 22, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

≢FLOWERY

PRODUCT IMAGE

SAFETY RESULTS























TESTED

MISC.

Pesticides PASSED

Heavy Metals **PASSED**

Microbials PASSED

PASSED

Residuals Solvents PASSED

Filth PASSED

Water Activity PASSED

Moisture

PASSED

CBC

0.575

2.875

0.002

%



Cannabinoid





Total CBD 0.269%

Total CBD/Container: 1.345 mg



Total Cannabinoids

CBDV

ND

ND

%

0.002

Total Cannabinoids/Container: 452.185



	D9-THC	
%	85.778	
	400.00	

mg/unit	420.09
LOD	0.002
	%
Analyzed by: 3404, 3336, 166	65, 53

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA051268POT Instrument Used: DA-LC-003 (Derivatives) Running on: 10/20/22 08:00:01

0.126

0.63

%

0.002

Weight: 0.0968g

0.002

CBDA

ND

ND

%

D8-THC

0.497

2,485

0.002

%

2.331

11,655

0.002

%

CBGA

ND

ND

%

0.002

CBN

0.334

1.67

0.002

%

Reviewed On: 10/21/22 07:53:33 Batch Date: 10/19/22 11:44:07

THCV

0.527

2,635

0.002

%

Dilution: 400
Reagent: 101722.R34; 070121.27; 101722.R33
Consumables: 239146; 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.269

1.345

0.002

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



10/22/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Grease Lightning Infused Distillate 510 Cart 0.5g Grease Lightning

Matrix : Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21019002-025

Harvest/Lot ID: 20221005-HYB-0022

Batch#: 1000045994 Sampled: 10/18/22 Ordered: 10/18/22

Sample Size Received: 15.5 gram Total Batch Size: 474 units

Completed: 10/22/22 Expires: 10/22/23 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	30.3	6.06		CAMPHOR	0.007	ND	ND		
OTAL TERPINEOL	0.007	ND	ND		BORNEOL	0.013	ND	ND		
AMPHENE	0.007	ND	ND		GERANIOL	0.007	ND	ND		
BETA-MYRCENE	0.007	14.935	2.987		PULEGONE	0.007	ND	ND		
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	< 0.1	< 0.02		
OCIMENE	0.007	4.275	0.855		TRANS-NEROLIDOL	0.007	ND	ND		
EUCALYPTOL	0.007	ND	ND		GUAIOL	0.007	ND	ND		
LINALOOL	0.007	< 0.1	< 0.02		Analyzed by: Wei	ght:	Extraction dat	۵.		Extracted by:
FENCHONE	0.007	ND	ND		3404, 2076, 53	078g	10/19/22 17:4			2076
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.4	0.061A.FL				
ISOBORNEOL	0.007	ND	ND		Analytical Batch : DA051285TER				0/22/22 18:37:07	
HEXAHYDROTHYMOL	0.007	ND	ND		Instrument Used : DA-GCMS-005 Running on : 10/20/22 10:36:13		Batch	Date: 10/1	19/22 13:09:32	
NEROL	0.007	ND	ND		Dilution : 10					
GERANYL ACETATE	0.007	ND	ND		Reagent: 081021.12					
BETA-CARYOPHYLLENE	0.007	0.2	0.04		Consumables: 210414634; MKCN9995; CE03	L23; R1KB14270				
ALENCENE	0.007	ND	ND		Pipette : N/A					
CIS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chrom	atography Mass Spect	rometry.			
CEDROL	0.007	ND	ND							
CARYOPHYLLENE OXIDE	0.007	ND	ND							
ARNESENE	0	0.015	0.003							
ALPHA-BISABOLOL	0.007	0.19	0.038							
ALPHA-PINENE	0.007	0.255	0.051							
SABINENE	0.007	ND	ND							
BETA-PINENE	0.007	0.195	0.039							
ALPHA-TERPINENE	0.007	ND	ND							
IMONENE	0.007	10.235	2.047							
GAMMA-TERPINENE	0.007	ND	ND							
FERPINOLENE	0.007	<0.1	< 0.02							
SABINENE HYDRATE	0.007	ND.	ND.							
FENCHYL ALCOHOL	0.007	ND	ND							
	0.007								$\Delta - \Delta$	
otal (%)			6.06							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



10/22/22



Kaycha Labs

Grease Lightning Infused Distillate 510 Cart 0.5g

Grease Lightning Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21019002-025

Harvest/Lot ID: 20221005-HYB-0022

Batch#: 1000045994 Sampled: 10/18/22 Ordered: 10/18/22

Sample Size Received: 15.5 gram Total Batch Size: 474 units

Completed: 10/22/22 Expires: 10/22/23 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
	0.01		Level 5	PASS	<0.05				Level		
OTAL CONTAMINANT LOAD (PESTICIDES) OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
	0.01		0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN		ppm	0.1	PASS	ND ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.3	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	< 0.05
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm		PASS		PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1		ND		0.01	ppm	0.2	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		/ · · · / · · / · ·			
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND		0.01	PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *					
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND			traction da	***	Eutun et	
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight 3404, 585, 3379, 53 0.2466		/19/22 15:4		Extract 3379	ed by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL. SOP.T.	, ,				T 40 10
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL	J0.102.1 L, .	501.11.50.15)1.1 L, 301.1	10.101.1 L, 301	.11.40.10
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA051247PES		Reviewed	d On:10/20/2	2 12:20:53	
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Da	te:10/19/22	10:18:35	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :10/19/22 15:45:23					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250	/\	/\.	/\		
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 101722.R17; 101722.R19; 1011	22.R30; 101	.922.R01; 0	92820.59		
LONICAMID	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02 Pipette: DA-093; DA-094; DA-219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	tilizina Liqui	d Chromato	graphy Triple	Quadrupole Ma	cc
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatography Tripl					
1AZALIL	0.01	ppm	0.1	PASS	ND	64ER20-39.		\ /			
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed by: Weight:	Extrac	tion date:		Extracte	d by:
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	3404, 450, 585 0.2466g	10/19/2	22 15:41:06	5	3379	
ALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method: SOP.T.30.060, SOP.T.40					
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA051249VOL			n:10/20/22		
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001	В	atch Date	:10/19/22 10	:20:22	
ETHOMYL	0.01	ppm	0.1	PASS	ND	Running on : N/A					
EVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 101722.R19; 092820.59; 09292	2 222 0020	22 020			
	0.01	ppm	0.1	PASS	ND	Consumables: 6676024-02; 14725401	z.nzz; 0930	ZZ.RZU			
YCLOBUTANIL	0.01	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146					
IALED	0.01	ppiii	0.23	PAGG	MD	Testing for agricultural agents is performed u Spectrometry and Gas Chromatography Tripl					

64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



10/22/22



Kaycha Labs

Grease Lightning Infused Distillate 510 Cart 0.5g Grease Lightning

Matrix : Derivative



Certificate of Analysis

PASSED

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample: DA21019002-025

Harvest/Lot ID: 20221005-HYB-0022

Batch#:1000045994 Sampled:10/18/22 Ordered:10/18/22 Sample Size Received: 15.5 gram
Total Batch Size: 474 units
Completed: 10/22/22 Expires: 10/22/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	<30
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 N/Δ
 N/Δ
 N/Δ

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA051346SOL Instrument Used : DA-GCMS-002 Running on : 10/21/22 11:03:40

Reviewed On : 10/21/22 11:34:20 **Batch Date :** 10/20/22 14:52:47

Dilution: 1

Reagent: 030420.09 Consumables: R2017.167; KF140

Consumables : R2017.167; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



10/22/22



Kaycha Labs

Grease Lightning Infused Distillate 510 Cart 0.5g

Grease Lightning Matrix : Derivative



Certificate of Analysis

PASSED

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21019002-025

Harvest/Lot ID: 20221005-HYB-0022

Batch#: 1000045994 Sampled: 10/18/22 Ordered: 10/18/22

Reviewed On: 10/21/22 07:39:16

Batch Date: 10/19/22 10:30:17

Reviewed On: 10/21/22 13:48:08

Batch Date: 10/19/22 13:25:44

Sample Size Received: 15.5 gram Total Batch Size: 474 units

Completed: 10/22/22 Expires: 10/22/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Analy

Mycotovino

PASSED

Action Level

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COI	LI SHIGELLA			Not Present	PASS	
SALMONELLA SPE	ECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLA	AVUS			Not Present	PASS	
ASPERGILLUS FU	MIGATUS			Not Present	PASS	
ASPERGILLUS TEI	RREUS			Not Present	PASS	
ASPERGILLUS NIC	GER			Not Present	PASS	
TOTAL YEAST AN	D MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3404, 3336, 53	Weight: 0.936a		tion date: /22 13:24:		Extracted 3336	by:

Analysis Method: SOP.T.40.043

Analytical Batch: DA051255MIC Instrument Used : PathogenDx Scanner DA-111

Running on : N/A

Dilution: N/A Reagent: 071422.18; 052422.09

Consumables : N/A

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 3621, 3336, 3390, 585	0.936a	10/19/22 13:24:47	3336

Analysis Method: SOP.T.40.208, SOP.T.40.209.FL

Analytical Batch : DA051290TYM Instrument Used : Incubator (25-27C) DA-097

Running on : N/A

Dilution: N/A Reagent: 071422.18 Consumables: 004103 Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

کر	Mycotoxin	5		ı	P <i>F</i>
yte		LOD	Units	Result	Pa Fai
TOXIN B	2	0.002	ppm	ND	PA
TOXIN B	1	0.002	ppm	ND	PA

AFLATOXIN B2 0.002 ppm ND PASS 0.02 AFLATOXIN B1 0.002 ppm ND PASS 0.02 OCHRATOXIN A 0.002 ppm ND PASS 0.02 AFLATOXIN G1 0.002 ppm ND PASS 0.02 AFLATOXIN G2 0.002 ppm ND PASS 0.02 Analyzed by: Weight: Extraction date: Extracted by:	3404, 3379, 585, 53	0.2466g	10/19/22			3379	eu by:	
AFLATOXIN B1 0.002 ppm ND PASS 0.02 OCHRATOXIN A 0.002 ppm ND PASS 0.02 AFLATOXIN G1 0.002 ppm ND PASS 0.02	Analyzed by:	Weight:	Extraction	date		Evtracto	ad hv	
AFLATOXIN B1 0.002 ppm ND PASS 0.02 OCHRATOXIN A 0.002 ppm ND PASS 0.02	AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1 0.002 ppm ND PASS 0.02	AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
5105Z Pp 115	OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B2 0.002 ppm ND PASS 0.02	AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	
	AFLATOXIN B2		0.002	ppm	ND	PASS	0.02	

Analysis Method: SOP.T.30.101.FL. SOP.T.40.101.FL. SOP.T.30.102.FL. SOP.T.40.102.FL Analytical Batch : DA051248MYC Reviewed On: 10/20/22 12:20:01 Instrument Used : DA-LCMS-003 (MYC) Running on : 10/19/22 15:45:55 Batch Date: 10/19/22 10:20:20

Dilution: 230 Reagent: 101722.R17; 101722.R19; 101122.R30; 101922.R01; 092820.59 Consumables: 6676024-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAM	INANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
MERCURY		0.02	ppm	ND	PASS	0.2
Analyzed by: 3404, 1022, 53	Weight: 0.436g	Extraction dat 10/19/22 14:5			Extracted 1022	by:

Analysis Method: SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : DA051269HEA Reviewed On: 10/21/22 07:51:22 Instrument Used: DA-ICPMS-003 Batch Date: 10/19/22 11:54:01 Running on: 10/19/22 16:20:05

Dilution: 50

Reagent: 092122.R42; 092222.R39; 080222.R36; 101422.R21; 101222.R53; 101422.R19; 101422.R20; 092722.R40; 100322.R25; 100622.35

Consumables: 179436; 210508058; 210803-059

Pipette: DA-061; DA-106; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



10/22/22



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Grease Lightning Infused Distillate 510 Cart 0.5g

Grease Lightning Matrix : Derivative



Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US

Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21019002-025

Harvest/Lot ID: 20221005-HYB-0022

Batch#: 1000045994 Sampled: 10/18/22 Ordered: 10/18/22

Sample Size Received: 15.5 gram Total Batch Size: 474 units Completed: 10/22/22 Expires: 10/22/23

Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



Filth/Foreign Material

PASSED

LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS

Extraction date: Extracted by: NA N/A

Analysis Method: SOP.T.30.074, SOP.T.40.074

Analytical Batch: DA051302FIL Instrument Used: Filth/Foreign Material Microscope

Reviewed On: 10/19/22 19:07:34 **Batch Date:** 10/19/22 15:31:00 Running on: 10/19/22 18:58:45

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LO	D Units	Result	P/F	Action Leve
Water Activity	0.1	L aw	0.474	PASS	0.85
Analyzed by: 3404, 2926, 1879	Weight: 0.417g	Extraction 10/20/22	on date: 2 08:18:45		ktracted by: 926

Analysis Method : SOP.T.40.019
Analytical Batch : DA051288WAT

Reviewed On: 10/20/22 14:42:01 Batch Date: 10/19/22 13:22:02 Instrument Used : DA-028 Rotronic Hygropalm

Running on: $10/20/22 \ 07:25:11$

Dilution : N/A Reagent: 121421.21 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



10/22/22