

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

710 Labs 710 Pod Gak Smoovie #5 710 Labs Gak Smoovie #5 Matrix: Derivative




PASSED

Sample:DA21014011-002 Harvest/Lot ID: 20220810-710GS5-H Batch#: 1000045263 **Cultivation Facility: Homestead Processing Facility : Homestead** Seed to Sale# LFG-00000740 Batch Date: 10/11/22 Sample Size Received: 15.5 gram Total Batch Size: 336 units Retail Product Size: 0.5 gram Ordered : 10/14/22 Sampled : 10/14/22 Completed: 10/19/22 Sampling Method: SOP.T.20.010

Oct 19, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

FLOWERY



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PILA Testing 97164

10/19/22

Signature



710 Labs 710 Pod Gak Smoovie #5 710 Labs Gak Smoovie #5 Matrix : Derivative



PASSED

TESTED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21014011-002 Harvest/Lot ID: 20220810-710GS5-H Batch# : 1000045263 Sample Sampled : 10/14/22 Total Ba Ordered : 10/14/22 Comple

.0G55-H Sample Size Received : 15.5 gram Total Batch Size : 336 units Completed : 10/19/22 Expires: 10/19/23 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

Terpenes

Ferpenes L	.OD %)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES 0.	.007	31.02	6.204		CAMPHOR	0.007	ND	ND				
TOTAL TERPINEOL 0.	.007	0.415	0.083		BORNEOL	0.013	ND	ND				
CAMPHENE 0.	.007	0.1	0.02		GERANIOL	0.007	<0.1	< 0.02				
BETA-MYRCENE 0.	.007	9.425	1.885		PULEGONE	0.007	ND	ND				
-CARENE 0.	.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND				
ALPHA-PHELLANDRENE 0.	.007	ND	ND		ALPHA-HUMULENE	0.007	1.515	0.303				
OCIMENE 0.	.007	ND	ND		TRANS-NEROLIDOL	0.007	0.205	0.041				
UCALYPTOL 0.	.007	ND	ND		GUAIOL	0.007	0.905	0.181				
INALOOL 0.	.007	3.92	0.784		Analyzed by: Weight:		Extraction da			Extracted b		
ENCHONE 0.	.007	ND	ND		3404, 2076, 53 0.8601g		10/17/22 12:	43:38		2076		
SOPULEGOL 0.	.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A	.FL						
SOBORNEOL 0.	.007	ND	ND		Analytical Batch : DA051154TER Instrument Used : DA-GCMS-005		Reviewed On : 10/19/22 07:09:04 Batch Date : 10/17/22 09:39:59					
IEXAHYDROTHYMOL 0.	.007	ND	ND		Running on : 10/17/22 16:15:43		Batci	Date: 10/1	1/22 09:39:59			
VEROL 0.	.007	ND	ND		Dilution : 10							
GERANYL ACETATE 0.	.007	ND	ND		Reagent: 081021.12							
ETA-CARYOPHYLLENE 0.	.007	4.89	0.978		Consumables : 210414634; MKCN9995; CE0123; R1	KB14270						
	.007	< 0.1	< 0.02		Pipette : N/A							
ALENCENE 0.	.007											
	.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograph	ny Mass Spec	trometry.					
IS-NEROLIDOL 0.		ND ND	ND ND		Terpenoid testing is performed utilizing Gas Chromatograph	ny Mass Spec	trometry.					
IS-NEROLIDOL 0. EDROL 0.	.007				Terpenoid testing is performed utilizing Gas Chromatograph	ny Mass Spec	trometry.					
IS-NEROLIDOL 0. EDROL 0. ARYOPHYLLENE OXIDE 0.	.007 .007 .007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograph	ny Mass Spec	trometry.					
CIS-NEROLIDOL 0. CEDROL 0. CARYOPHYLLENE OXIDE 0. CARNESENE 0.	.007 .007 .007	ND <0.1	ND <0.02		Terpenoid testing is performed utilizing Gas Chromatograph	ny Mass Spec	trometry.					
CIS-NEROLIDOL 0 CEOROL 0 CARYOPHYLLENE OXIDE 0 ARNESENE 0 NLPHA-BISABOLOL 0	.007 .007 .007	ND <0.1 0.105	ND <0.02 0.021		Terpenold testing is performed utilizing Gas Chromatograph	ny Mass Spec	trometry.					
IS-NEROLIDOL 0 LEDROL 0 ARNOPHYLLENE OXIDE 0 VARNESENE 0 ULPHA-BISABOLOL 0 ULPHA-PINENE 0	.007 .007 .007	ND <0.1 0.105 1.11	ND <0.02 0.021 0.222		Terpenold testing is performed utilizing Gas Chromatograph	hy Mass Spec	trometry.					
CIS-NEROLIDOL 0 vEDROL 0 ARNOPHYLLENE OXIDE 0 VARNESENE 0 ULPHA-BISABOLOL 0 LIPHA-PINENE 0 GABINENE 0	.007 .007 .007 .007 .007	ND <0.1 0.105 1.11 0.81	ND <0.02 0.021 0.222 0.162		Terpenold testing is performed utilizing Gas Chromatograph	hy Mass Spec	trometry.					
CIS-NEROLIDOL 0 CEOROL 0 ARYOPHYLLENE OXIDE 0 JULPHA-BISABOLOL 0 LIPHA-BISABOLOL 0 MLPHA-BISABNENE 0 SAMIESNE 0 BETA-PINENE 0 DETA-PINENE 0	.007 .007 .007 .007 .007 .007	ND <0.1 0.105 1.11 0.81 ND	ND <0.02 0.021 0.222 0.162 ND		Terpenold testing is performed utilizing Gas Chromatograph	hy Mass Spec	trometry.					
CIS-NEROLIDOL 0 VEDROL 0 ARNOPHYLLENE OXIDE 0 ARNOESENE 0 ULPHA-BISABOLOL 0 LIPHA-FINENE 0 ABRINENE 0 JETA-PINENE 0 JETA-PINENE 0 JETA-PINENE 0	.007 .007 .007 .007 .007 .007	ND <0.1 0.105 1.11 0.81 ND 0.26	ND <0.021 0.222 0.162 ND 0.052		Terpenold testing is performed utilizing Gas Chromatograph	ny Mass Spec	trometry.					
CIS-NEROLIDOL 0 CEOROL 0 ARNOSENE 0 ARNESENE 0 ULPHA-BISABOLOL 0 JEPA-PINENE 0 JETA-PINENE 0 ULPHA-TERPINENE 0 ULPHA-TERPINENE 0 ULPHA-TERPINENE 0	.007 .007 .007 .007 .007 .007 .007	ND <0.1 0.105 1.11 0.81 ND 0.26 ND	ND <0.02 0.222 0.162 ND 0.052 ND		Terpenold testing is performed utilizing Gas Chromatograph	ny Mass Spec	(trometry)					
IS-NEROLIDOL 0 YEDROL 0 ARNOSHYLLENE OXIDE 0 JARYOPHYLLENE OXIDE 0 JUHA-BISABOLOL 0 LIPHA-BISABOLOL 0 LIPHA-BISABOLOL 0 LIPHA-BISABOLOL 0 LIPHA-BISABOLOL 0 LIPHA-BISABOLOL 0 JUDINENE 0 JIMONENE 0 JIMONENE 0 JIMONENE 0	.007 .007 .007 .007 .007 .007 .007 .007	ND <0.1 0.105 1.11 0.81 ND 0.26 ND 6.87	ND <0.021 0.222 0.162 ND 0.052 ND 1.374		Terpenold testing is performed utilizing Gas Chromatograph	ny Mass Spec	trometry.					
CIS-NEROLIDOL 0 VEDROL 0 ARNOPHYLLENE OXIDE 0 ARNOPHYLLENE OXIDE 0 ARNOPHYLLENE OXIDE 0 ARNESENE 0 ARNENENE 0 SABINENE 0 JETA-PINENE 0 JMONENE 0 JMONENE 0 JMONENE 0 FepINOLENE 0	.007 .007 .007 .007 .007 .007 .007 .007	ND <0.1 0.105 1.11 0.81 ND 0.26 ND 6.87 ND	ND <0.021 0.222 0.162 ND 0.052 ND 1.374 ND		Terpenold testing is performed utilizing Gas Chromatograph	ny Mass Spee	trometry.					
CIS-NEROLIDOL 0 CEOROL 0 CEOROL 0 ARNOSENE 0 ARNESENE 0 LPHA-BISABOLOL 0 LPHA-PINENE 0 JADRAENE 0 JADRAENE 0 JADRAENE 0 JAMMA-TERPINENE 0 JAMMA-TERPINENE 0 GABINENE HYDRATE 0	.007 .007 .007 .007 .007 .007 .007 .007	ND <0.1 0.105 1.11 0.81 ND 0.26 ND 6.87 ND <0.1	ND <0.02 0.021 0.222 0.162 ND 0.052 ND 1.374 ND <0.02		Terpenold testing is performed utilizing Gas Chromatograph	ny Mass Spee	trometry.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, Oppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOO) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

-

Signature

10/19/22

State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



..... 710 Labs 710 Pod Gak Smoovie #5 710 Labs Gak Smoovie #5 Matrix : Derivative



PASSED

Certificate of Analysis

The Flowery

0

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21014011-002 Harvest/Lot ID: 20220810-710GS5-H Batch# : 1000045263 Sampled : 10/14/22

Ordered : 10/14/22 Sample Method : SOP.T.20.010

Sample Size Received : 15.5 gram Total Batch Size : 336 units Completed : 10/19/22 Expires: 10/19/23

Page 3 of 6

PASSED

ND

ND

ND

ND

ND

Pass/Fail Result

PASS

PASS

PASS

PASS

PASS

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	OXAMYL	0.01
TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND	PACLOBUTRAZOL	0.01
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01
TOTAL SPINETORAM	0.01	PPM	0.2	PASS	ND		0.01
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN	
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01
BOSCALID	0.01	PPM	0.1	PASS	ND		0.01
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05
DICHLORVOS	0.01	ppm	0.1	PASS	ND		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3404, 585, 3379, 53 0.2147g	Extr 10/1
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL, SOP.T.30	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL	1.102.1 L, 3C
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA051136PES	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :10/17/22 11:47:46	
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250	/ \
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 101022.R01; 101022.R04; 101122	.R30; 1012
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219	
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utili	zina Liquid
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatography Triple-C	
IMAZALIL	0.01	maa	0.1	PASS	ND	64ER20-39.	
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed by: Weight:	Extracti
KRESOXIM-METHYL	0.01	maa	0.1	PASS	ND	3404, 450, 585 0.2147g	10/17/22
MALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method : SOP.T.30.060, SOP.T.40.06	
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA051138VOL	Re
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001 Running on :N/A	Ba
METHOCARD	0.01	ppm	0.1	PASS	ND	Dilution : 250	
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent : 101022.R04; 092820.59; 092922.F	22.09302
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables : 6676024-02; 14725401	
NALED	0.01	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146	
				17		Testing for agricultural agents is performed utili Spectrometry and Gas Chromatography Triple-C	

.01 ppm 0.1 PASS ND 01 ppm 0.1 PASS ND 01 ppm 0.2 PASS ND .01 ppm 0.1 PASS ND .01 ppm 0.1 PASS ND 01 ppm 0.1 PASS ND .01 ppm 0.1 PASS ND .01 0.1 PASS ND ppm .01 ppm 0.5 PASS ND .01 0.1 PASS ND ppm .01 PPM 0.15 PASS ND .01 PPM 0.1 PASS ND .07 PPM 0.7 PASS ND PPM PASS ND .01 0.1 .01 PPM 0.1 PASS ND PPM PASS ND .05 0.5 .05 PPM 0.5 PASS ND Extracted by: 585 Extraction date: 10/17/22 11:47:22 FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, Reviewed On :10/18/22 12:16:29 Batch Date : 10/16/22 18:44:55 101222.R03; 092820.59 iquid Chromatography Triple-Quadrupole Mass Ipole Mass Spectrometry in accordance with F.S. Rule raction date: Extracted by: 17/22 11:47:22 Reviewed On :10/18/22 12:16:21 Batch Date :10/16/22 18:47:22

Units

maa

ppm

ppm

ppm

ppm

Action Level

0.5

0.1

0.1

3

01

93022.R20

iquid Chromatography Triple-Quadrupole Mass pole Mass Spectrometry in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/19/22



710 Labs 710 Pod Gak Smoovie #5 710 Labs Gak Smoovie #5 Matrix : Derivative



PASSED

PASSED

Certificate of Analysis

The Flowery

Ĩ

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21014011-002 Harvest/Lot ID: 20220810-710GS5-H Batch# : 1000045263 Sample Sampled : 10/14/22 Total Ba Ordered : 10/14/22 Complet

10655-H Sample Size Received : 15.5 gram Total Batch Size : 336 units Completed : 10/19/22 Expires: 10/19/23 Sample Method : SOP.T.20.010

Page 4 of 6

Residual Solvents

Solvents	LO	DD Unit	ts Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.	8 ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.	2 ppm	2	PASS	ND				
2-PROPANOL	50	ppm	500	PASS	ND				
ACETONE	75			PASS	ND				
ACETONITRILE	6	ppm	60	PASS	ND				
BENZENE	0.	1 ppm	1	PASS	ND				
BUTANES (N-BUTANE)	50	0 ppm	5000	PASS	ND				
CHLOROFORM	0.	2 ppm	2	PASS	ND				
DICHLOROMETHANE	12			PASS	ND				
ETHANOL	50			PASS	ND				
ETHYL ACETATE	40			PASS	ND				
ETHYL ETHER	50			PASS	ND				
THYLENE OXIDE	0.			PASS	ND				
HEPTANE	50			PASS	ND				
METHANOL	25			PASS	ND				
I-HEXANE	25			PASS	ND				
PENTANES (N-PENTANE)	75			PASS	ND				
PROPANE	50			PASS	ND				
OLUENE	15			PASS	ND				
OTAL XYLENES	15	1.1		PASS	ND				
TRICHLOROETHYLENE	2.			PASS	ND				
Analyzed by: N/A	Weight: N/A	Extractio N/A	n date:	Extracted by N/A	•				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA051173SOL nstrument Used : DA-GCMS-002 Running on : 10/18/22 13:17:55			Reviewed On : 10/18/22 14:08:50 Batch Date : 10/17/22 15:24:29						

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. DD=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/19/22



710 Labs 710 Pod Gak Smoovie #5 710 Labs Gak Smoovie #5 Matrix : Derivative



PASSED

DAVIE, FL, 33314, US

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA21014011-002 Harvest/Lot ID: 20220810-710GS5-H Batch# : 1000045263 Sample Sampled : 10/14/22 Total Ba

Ordered : 10/14/22

Sample Size Received : 15.5 gram Total Batch Size : 336 units Completed : 10/19/22 Expires: 10/19/23 Sample Method : SOP.T.20.010

Page 5 of 6

-(0 k	Microb	oial			PAS	SED	Ş	Мус	otoxin	S			PAS	SEC
Analyte	$\langle \rangle$	LOD	Units	Result	Pass / Fail	Action Level	Analyte		8	LOD	Units	Result	Pass / Fail	Action
	A COLI SHIGELLA			Not Present	PASS		AFLATOXIN B			0.002	ppm	ND	PASS	0.02
SPP				Not Drosont	PASS		AFLATOXIN B			0.002	ppm	ND	PASS	0.02
ASPERGILLU	A SPECIFIC GENE			Not Present Not Present	PASS		OCHRATOXIN AFLATOXIN G			0.002	ppm	ND ND	PASS	0.02
	IS FUMIGATUS			Not Present	PASS		AFLATOXIN G			0.002	ppm ppm	ND	PASS	0.02
ASPERGILLU	IS TERREUS			Not Present	PASS		Analyzed by:		Weight:	Extraction			Extracte	
ASPERGILLU				Not Present	PASS		3404, 585, 3379	9, 53	0.2147g	10/17/22			585	u by.
	T AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Metho							.FL
Analyzed by: Weight: Extraction date: Extracted by: 3404, 3702, 3336, 585 1.172g 10/15/22 14:37:39 3702							Analytical Batch : DA051137MYC Reviewed On : 10/18/22 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 10/16/22 1 Running on : 10/17/22 11:47:42 Batch Date : 10/16/22 1							
Analytical Bate	od : SOP.T.40.043 ch : DA051098MIC ed : PathogenDx Sc I/A	canner DA-11		viewed On : 10/1 tch Date : 10/15			Dilution : 250 Reagent : 1010 Consumables : 0 Pipette : DA-09	22.R01; 1010 6676024-02	22.R04; 10112	2.R30; 1012	222.R03; 0)92820.59	H	F
Reagent : 071 Consumables Pipette : N/A	422.18; 072122.30 : N/A	$ \rightarrow $					Mycotoxins testin accordance with			bhy with Triple	e-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: Weight: Extraction date: Extracted by: 3404, 3729, 53 1.172g 10/15/22 14:37:39 3702							Нд	Heav	y Met	als			PAS	SEI
		SOP.T.40.209	Reviewed O	n : 10/18/22 07 : 10/15/22 08:5			Metal			LOD	Units	Result	Fail	Action Level
Dilution : N/A							TOTAL CONTA	AMINANT LO	AD METALS	0.11	PPM	ND	PASS	1.1
Reagent : 071							ARSENIC CADMIUM			0.02 0.02	PPM PPM	ND ND	PASS PASS	0.2 0.2
Consumables : Pipette : N/A	:004103						LEAD			0.02	PPM	ND	PASS	0.2
	mold testing is perfor	med utilizina N	1PN and tradit	ional culture base	d techniques	in	MERCURY			0.02	PPM	ND	PASS	0.2
accordance with	n F.S. Rule 64ER20-39.		in the choice		a teeninque		Analyzed by: 3404, 1022, 361	19, 53	Weight: 0.4773g	Extractio 10/17/22	n date: 10:15:00	V	Extracte 3619	d by:
							Analysis Method Analytical Batch Instrument Use Running on : 10	1 : DA051133 d : DA-ICPMS-	HEA 003	Review	ed On : 10	81.FL, SOF /18/22 14 6/22 18:3	30:54	.FL
							Dilution : 50 Reagent : 0921 101422.R20; 09 Consumables : 3 Pipette : DA-06	92722.R40; 10 179436; 2105	0322.R25; 10 08058; 21080	0622.35	22.R21; 1	101222.R5	3; 101422	2.R19;
							Heavy Metals an with F.S. Rule 64		ned using Induct	ively Coupled	Plasma Ma	ss Spectron	netry in acc	cordance

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

10/19/22

Si



710 Labs 710 Pod Gak Smoovie #5 710 Labs Gak Smoovie #5 Matrix : Derivative



Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

 Sample : DA21014011-002

 Harvest/Lot ID: 20220810-710G55-H

 Batch# : 1000045263
 Sample

 Sampled : 10/14/22
 Total Batch#

 Ordered : 10/14/22
 Complex

 Sample
 Sample

0GS5-H Sample Size Received : 15.5 gram Total Batch Size : 336 units Completed : 10/19/22 Expires: 10/19/23 Sample Method : SOP.T.20.010



Page 6 of 6

PASSED

Filth/Foreign PASSED Material LOD Analyte Units Result P/F Action Level **Filth and Foreign Material** 0.5 % ND PASS 1 Analyzed by: 3404, 1879 Weight: Extraction date: Extracted by: NA N/A N/A Analysis Method : SOP.T.30.074, SOP.T.40.074 **Reviewed On :** 10/16/22 16:29:43 **Batch Date :** 10/15/22 13:24:30 Analytical Batch : DA051120FIL Instrument Used : Filth/Foreign Material Microscope Running on : 10/16/22 13:57:57 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. PASSED Water Activity LOD Units Analyte Result P/F Action Level Water Activity 0.453 PASS 0.1 aw 0.85 Analyzed by: 3404, 1879 Weight: 0.334g Extraction date: 10/16/22 14:04:43 Extracted by: 1879 Analysis Method : SOP.T.40.019 Analytical Batch : DA051123WAT Reviewed On : 10/16/22 15:44:42 Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 10/15/22 13:28:17 Running on : 10/16/22 13:58:57 Dilution : N/A Reagent : 121421.21 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

10/19/22

c N LA- Signature