

710 Hot Lixz #14 + 710 RYLU Persy Rosin 710 Hot Lixz #14 + 710 RYLU Matrix: Derivative



PASSED

Pages 1 of 6


# Certificate of Analysis

Sample:DA21115015-002 Harvest/Lot ID: 20221028-710X19-H Batch#: 1000050427 Cultivation Facility: Homestead Processing Facility : Homestead Seed to Sale# LFG-00000867 Batch Date: 11/08/22 Sample Size Received: 16 gram Total Amount: 369 units Retail Product Size: 1 gram Ordered : 11/15/22 Sampled : 11/15/22 Completed: 11/18/22 Sampling Method: SOP.T.20.010

## Nov 18, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

FLOWERY



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director State License # CMTL-0002

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Testing 97164

AL.

Signature

11/18/22



710 Hot Lixz #14 + 710 RYLU Persy Rosin 710 Hot Lixz #14 + 710 RYLU Matrix : Derivative



PASSED

**TESTED** 

DAVIE, FL, 33314, US

## **Certificate of Analysis**

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA21115015-002 Harvest/Lot ID: 20221028-710X19-H Batch# : 1000050427 Sample Sampled : 11/15/22 Total Ar Ordered : 11/15/22 Comple

10X19-H Sample Size Received : 16 gram Total Amount : 369 units Completed : 11/18/22 Expires: 11/18/23 Sample Method : SOP.T.20.010

Page 2 of 6

## $\bigcirc$

## Terpenes

	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	61.5	6.15		CAMPHOR		0.013	ND	ND		
OTAL TERPINEOL	0.007	1.19	0.119		BORNEOL		0.013	0.41	0.041		
AMPHENE	0.007	0.45	0.045		GERANIOL		0.007	0.55	0.055		
ETA-MYRCENE	0.007	6.72	0.672		PULEGONE	10	0.007	ND	ND		
-CARENE	0.007	ND	ND		ALPHA-CEDRENE		0.007	< 0.2	< 0.02		
LPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE		0.007	3.89	0.389		
CIMENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	0.7	0.07		
UCALYPTOL	0.007	ND	ND		GUAIOL		0.007	ND	ND		
INALOOL	0.007	6.76	0.676		Analyzed by:	Weight:	Extr	action date:			Extracted by:
ENCHONE	0.007	<0.2	< 0.02		2076, 585	1.1905g		16/22 12:06:1	1		2076
SOPULEGOL	0.007	<0.2	< 0.02		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL					
SOBORNEOL	0.007	ND	ND		Analytical Batch : DA052446TER					/18/22 16:34:37	
IEXAHYDROTHYMOL	0.007	ND	ND		Instrument Used : DA-GCMS-004 Running on : 11/18/22 15:37:13			Batch	Date : 11/1	.6/22 09:38:59	
IEROL	0.007	ND	ND		Dilution : 10						
SERANYL ACETATE	0.007	ND	ND		Reagent: 081021.15						
BETA-CARYOPHYLLENE	0.007	16.07	1.607		Consumables : 210414634; MKCN999	95; CE0123; R1KB14	270				
ALENCENE	0.007	ND	ND		Pipette : N/A						
IS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed utilizing Ga	as Chromatography Ma	ss Spectro	ometry.			
EDROL	0.007	ND	ND								
ARYOPHYLLENE OXIDE	0.007	0.2	0.02								
ARNESENE	0	1.17	0.117								
	0.007	2.79	0.279								
LPHA-BISABOLOL	0.007	1.6	0.16								
	0.007	1.0	0.10								
LPHA-PINENE	0.007	ND	ND								
ILPHA-BISABOLOL ILPHA-PINENE SABINENE DETA-PINENE											
ALPHA-PINENE	0.007	ND	ND								
ALPHA-PINENE SABINENE DETA-PINENE	0.007	ND 2.38	ND 0.238								
LPHA-PINENE ABINENE ETA-PINENE LPHA-TERPINENE IMONENE	0.007 0.007 0.007	ND 2.38 ND	ND 0.238 ND								
ALPHA-PINENE GABINENE DETA-PINENE ALPHA-TERPINENE	0.007 0.007 0.007 0.007	ND 2.38 ND 15	ND 0.238 ND 1.5	_	717						
LPHA-PINENE ABINENE IETA-PINENE LIPHA-TERPINENE JAMMA-TERPINENE	0.007 0.007 0.007 0.007 0.007	ND 2.38 ND 15 ND	ND 0.238 ND 1.5 ND	_	717						
LPHA-PINENE ADINENE ETA-PINENE LIPHA-TERPINENE IMONENE ERPINOLENE	0.007 0.007 0.007 0.007 0.007 0.007	ND 2.38 ND 15 ND <0.2	ND 0.238 ND 1.5 ND <0.02	-							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOO) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/18/22



710 Hot Lixz #14 + 710 RYLU Persy Rosin 710 Hot Lixz #14 + 710 RYLU Matrix : Derivative



PASSED

**Certificate of Analysis** 

Sample : DA21115015-002

Batch# : 1000050427

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sampled : 11/15/22 Ordered : 11/15/22

Harvest/Lot ID: 20221028-710X19-H Sample Size Received : 16 gram Total Amount : 369 units Completed : 11/18/22 Expires: 11/18/23 Sample Method : SOP.T.20.010

Page 3 of 6

PASSED

R	
0	Pe

## sticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	t Pesticide			Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	maa	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND					0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm			
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND						PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1		
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITRO		0.01	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND		Weight:			/ ··· /	Fisher et al.	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379	0.2538g	Extractio 11/16/22			Extracted 585	by:
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP				1 EL SOPTA		T 40 10
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL		50.102.1 L, 5	01.1.50.15	1.1 2, 301.1.4	10.101.1 E, 501	.1.40.10.
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0	52454PES		Reviewed	I On :11/17/2	2 10:52:09	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-			Batch Da	te:11/16/22	09:55:17	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :11/16/22	15:51:40					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250						
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 111422.R21 Consumables : 667602		22.R24; 111	622.R01; 09	92820.59		
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-0						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural a		tilizina Liquia	Chromator	aranhy Trinle.	Quadrupole Ma	cc
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas C						
IMAZALIL	0.01	ppm	0.1	PASS	ND	64ER20-39.						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted	by:
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	450, 53	0.2538g	11/16/22 1	L3:29:59		585	
MALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method : N/A		· .		11/17/00 1	1 12 10	
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0 Instrument Used : DA-				n:11/17/22 1		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Running on : N/A	3CM3-001	в	attri Date	:11/16/22 09:	.57.07	
METHOMYL	0.01	ppm	0.1	PASS	ND	Dilution : 250						
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent : 110422.R18	092820.59: 111022	2.R38: 1110	22.R27			
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables : 667602						
NALED	0.01	ppm	0.25	PASS	ND	Pipette : DA-080; DA-1						
						Testing for agricultural a Spectrometry and Gas C 64ER20-39.						

matography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/18/22



710 Hot Lixz #14 + 710 RYLU Persy Rosin 710 Hot Lixz #14 + 710 RYLU Matrix : Derivative



## PASSED

PASSED

**Certificate of Analysis** 

The Flowery

Ĩ

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21115015-002 Harvest/Lot ID: 20221028-710X19-H Batch# : 1000050427 Sample Sampled : 11/15/22 Total Ar Ordered : 11/15/22 Comple

10X19-H Sample Size Received : 16 gram Total Amount : 369 units Completed : 11/18/22 Expires: 11/18/23 Sample Method : SOP.T.20.010

Page 4 of 6

## **Residual Solvents**

Solvents		LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE		0.8	ppm	8	PASS	ND		
1,2-DICHLOROETHANE		0.2	ppm	2	PASS	ND		
2-PROPANOL		50	ppm	500	PASS	ND		
ACETONE		75	ppm	750	PASS	ND		
ACETONITRILE		6	ppm	60	PASS	ND		
BENZENE		0.1	ppm	1	PASS	ND		
BUTANES (N-BUTANE)		500	ppm	5000	PASS	ND		
CHLOROFORM		0.2	ppm	2	PASS	ND		
DICHLOROMETHANE		12.5	ppm	125	PASS	ND		
THANOL		500	ppm	5000	PASS	ND		
THYL ACETATE		40	ppm	400	PASS	ND		
ETHYL ETHER		50	ppm	500	PASS	ND		
THYLENE OXIDE		0.5	ppm	5	PASS	ND		
IEPTANE		500	ppm	5000	PASS	ND		
METHANOL		25	ppm	250	PASS	ND		
I-HEXANE		25	ppm	250	PASS	ND		
PENTANES (N-PENTANE)		75	ppm	750	PASS	ND		
ROPANE		500	ppm	5000	PASS	ND		
OLUENE		15	ppm	150	PASS	ND		
TOTAL XYLENES		15	ppm	150	PASS	ND		
TRICHLOROETHYLENE		2.5	ppm	25	PASS	ND		
Analyzed by: 850, 585	<b>Weight:</b> 0.0261g		Extraction date: 11/17/22 12:29:37		<b>Ext</b> 85	t <b>racted by:</b> D		
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA052486SOL Instrument Used : DA-GCMS-002 Running on : 11/17/22 12:59:14			<b>Reviewed On :</b> 11/17/22 14:27:07 <b>Batch Date :</b> 11/16/22 14:14:29					
Aunning on : 11/1//22 12:39:14 Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; KF140 Pipette : DA-309 25uL Syringe 350	22	1		XX	W			

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. DD=Not Detected, ppm=Parts Per Million, Dpb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/18/22



710 Hot Lixz #14 + 710 RYLU Persy Rosin 710 Hot Lixz #14 + 710 RYLU Matrix : Derivative



DAVIE, FL, 33314, US

## PASSED

## **Certificate of Analysis**

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com Sample : DA21115015-002 Harvest/Lot ID: 20221028-710X19-H Batch# : 1000050427 Sampled : 11/15/22 Ordered : 11/15/22

Sample Size Received : 16 gram Total Amount : 369 units Completed : 11/18/22 Expires: 11/18/23 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microbi	al		PAS	SED	ڳ	Mycotox	kins			PAS	SE
Analyte	$\langle \rangle$	LOD Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Acti
ESCHERICHI	A COLI SHIGELLA		Not Present	PASS		AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02
SPP						AFLATOXIN B		0.002	ppm	ND	PASS	0.0
	A SPECIFIC GENE		Not Present	PASS		OCHRATOXIN	A	0.002	ppm	ND	PASS	0.0
ASPERGILLU			Not Present	PASS		AFLATOXIN G		0.002	ppm	ND	PASS	0.0
	JS FUMIGATUS		Not Present	PASS		AFLATOXIN G	2	0.002	ppm	ND	PASS	0.0
	JS TERREUS		Not Present	PASS		Analyzed by:	Weight:	Extraction date:			Extracted	by:
ASPERGILLU	ST AND MOLD	10 CFU/g	Not Present <10	PASS	100000	585, 3379	0.2538g	11/16/22 13:29:	59		585	
nalyzed by: 621, 3336, 53 nalysis Meth		Extraction date: 11/16/22 13:22:	06 wed On : 11/18	Extracted 3390		Analytical Batch	I: SOP.T.30.101.FL, SC : DA052455MYC I: DA-LCMS-004 (MYC /16/22 15:51:48	Revie	wed On :	11/17/22 1/16/22 09	10:34:23	1
ilution : N/A eagent : 100 onsumables ipette : N/A	122.R04; 091422.05; : 500124	070122.44	1		/	Hg	Heavy M	letals			PAS	SE
nalyzed by: 336, 585	Weight: 0.8911g	Extraction date: 11/16/22 13:22:17		xtracted by	/:	Metal	XX	LOD	Units	Result	Pass / Fail	Act Lev
	od : SOP.T.40.208, SO	1.11		,550,5550			MINANT LOAD MET		ppm	ND	PASS	1.1
	ch : DA052439TYM		iewed On : 11/1	18/22 12:13	8:09	ARSENIC		0.02	ppm	ND	PASS	0.2
nstrument Us	ed : Incubator (25-270	C) DA-097 Bat	ch Date : 11/16	/22 08:46:5	9	CADMIUM		0.02	ppm	ND	PASS	0.2
unning on : N	N/A				/	LEAD		0.05	ppm	< 0.25	PASS	0.5 0.2
ilution:10 eagent:091 onsumables						MERCURY Analyzed by: 1022, 53	Weight: 0.4042g	0.02 Extraction date: 11/16/22 10:02:1	ppm L0		Extracted I 3619	
ipette : N/A otal yeast and mold testing is performed utilizing MPN and traditional culture base accordance with F.S. Rule 64ER20-39.				ed technique	s in	Analysis Method : SOP.T.30.081.FL, Analytical Batch : DA052444HEA Instrument Used : DA-ICPMS-003 Running on : 11/16/22 14:46:56 Dilution : 50		L, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Reviewed On : 11/17/22 07:32:51 Batch Date : 11/16/22 09:24:23				
						Reagent : 10212 101722.R39; 11 Consumables : 1	22.R23; 080222.R36; 1 1522.R25; 100622.35 79436; 210508058; 2 ; DA-106; DA-216		22.R30; 1	L11122.R2	5; 111122	2.R26
						Heavy Metals ana with F.S. Rule 64E	alysis is performed using ER20-39.	Inductively Coupled I	Plasma Ma	ass Spectron	netry in acc	corda

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

11/18/22



710 Hot Lixz #14 + 710 RYLU Persy Rosin 710 Hot Lixz #14 + 710 RYLU Matrix : Derivative



**Certificate of Analysis** 

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21115015-002 Harvest/Lot ID: 20221028-710X19-H Batch# :1000050427 Sampled : 11/15/22 Ordered : 11/15/22 Comple Sample

0X19-H Sample Size Received : 16 gram Total Amount : 369 units Completed : 11/18/22 Expires: 11/18/23 Sample Method : SOP.T.20.010



Page 6 of 6

PASSED

Filth/Foreign PASSED Material LOD Units Analyte Result P/F Action Level **Filth and Foreign Material** 0.5 % ND PASS 1 Analyzed by: 1879 Weight: Extraction date: Extracted by: NA N/A N/A Analysis Method : N/A Analytical Batch : DA052472FIL Instrument Used : Filth/Foreign Material Microscope **Reviewed On :** 11/16/22 15:30:04 **Batch Date :** 11/16/22 12:41:54 Running on : 11/16/22 15:27:13 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. PASSED Water Activity LOD Units Analyte Result P/F Action Level Water Activity 0.479 PASS 0.1 aw 0.85 Analyzed by: 2926, 1879 Weight: 0.964g Extraction date: 11/16/22 13:27:23 Extracted by: 2926 Analysis Method : SOP.T.40.019 Analytical Batch : DA052459WAT Reviewed On : 11/16/22 14:57:16 Batch Date : 11/16/22 10:27:37 Instrument Used : DA-028 Rotronic Hygropalm Running on : 11/16/22 13:25:50 Dilution : N/A Reagent : 121421.21 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director State License # CMTL-0002

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Testing 97164

Signature

11/18/22