



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA21223002-006
Harvest/Lot ID: 20221115-710KIM-F7H4
Batch#: 1000059495
Cultivation Facility: Homestead
Processing Facility : Homestead
Seed to Sale# LFG-00001023
Batch Date: 12/15/22
Sample Size Received: 16 gram
Total Amount: 186 units
Retail Product Size: 1.0 gram
Ordered : 12/22/22
Sampled : 12/22/22
Completed: 12/27/22
Sampling Method: SOP.T.20.010

Dec 27, 2022 | The Flowery

Samples From:
 Homestead, FL, 33090, US


THE FLOWERY
PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS


Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
 NOT TESTED



Terpenes
TESTED

MISC.

Cannabinoid
PASSED

Total THC
71.048%

Total THC/Container : 710.48 mg


Total CBD
0.276%

Total CBD/Container : 2.76 mg


Total Cannabinoids
89.346%

Total Cannabinoids/Container : 893.46 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	7.979	71.915	0.056	0.251	0.19	0.757	7.92	0.059	0.069	ND	0.15
mg/unit	79.79	719.15	0.56	2.51	1.9	7.57	79.2	0.59	0.69	ND	1.5
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
%											

Analyzed by:
 1665, 585, 1440, 53

Weight:
 0.1053g

Extraction date:
 12/23/22 14:12:45

Extracted by:
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA053950POT

Instrument Used : DA-LC-003 (Derivatives)

Running on : 12/23/22 15:00:44

Reviewed On : 12/26/22 11:29:50

Batch Date : 12/23/22 10:32:24

Dilution : 400

Reagent : 122122.R30; 070621.18; 120622.R25

Consumables : 239146; 280670723; CE123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA21223002-006
Harvest/Lot ID: 20221115-710KIM-F7H4
Batch# : 1000059495
Sampled : 12/22/22
Ordered : 12/22/22
Sample Size Received : 16 gram
Total Amount : 186 units
Completed : 12/27/22 Expires: 12/27/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	46.19	4.619		CAMPOR	0.013	ND	ND	
TOTAL TERPINEOL	0.007	1.12	0.112		BORNEOL	0.013	1.2	0.12	
CAMPENE	0.007	0.42	0.042		GERANIOL	0.007	0.86	0.086	
BETA-MYRCENE	0.007	0.93	0.093		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	1.5	0.15	
OCIMENE	0.007	0.35	0.035		TRANS-NEROLIDOL	0.007	0.91	0.091	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	0.56	0.056	
LINALOOL	0.007	4.19	0.419		Analyzed by: 2076, 53, 1440 Weight: 0.8757g Extraction date: 12/26/22 19:02:47 Extracted by: 2076				
FENCHONE	0.007	0.5	0.05		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA054001TER Instrument Used : DA-GCMS-004 Running on : 12/26/22 19:47:12 Dilution : 10 Reagent : 120722.08 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Reviewed On : 12/27/22 11:17:51 Batch Date : 12/23/22 15:05:28				
ISOPULEGOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
ISOBORNEOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	0.59	0.059						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	0.64	0.064						
BETA-CARYOPHYLLENE	0.007	4.16	0.416						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	0.65	0.065						
FARNESENE	0	1.11	0.111						
ALPHA-BISABOLOL	0.007	2.13	0.213						
ALPHA-PINENE	0.007	1.94	0.194						
SABINENE	0.007	1.55	0.155						
BETA-PINENE	0.007	1.43	0.143						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	17.27	1.727						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	0.53	0.053						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	1.65	0.165						
Total (%)				4.619					



Certificate of Analysis

PASSED

The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA21223002-006

Harvest/Lot ID: 20221115-710KIM-F7H4

Batch# : 1000059495

Sampled : 12/22/22

Ordered : 12/22/22

Sample Size Received : 16 gram

Total Amount : 186 units

Completed : 12/27/22 Expires: 12/27/23

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 795, 53, 1440 Weight: 0.2326g Extraction date: 12/23/22 17:22:57 Extracted by: 3379,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA053984PES Instrument Used : DA-LCMS-003 (PES) Running on : 12/23/22 23:03:52 Dilution : 250 Reagent : 121922.R01; 121922.R03; 120622.R07; 122122.R01; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOXENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440, 53 Weight: 0.2326g Extraction date: 12/23/22 17:22:57 Extracted by: 3379,585 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA053987VOL Instrument Used : DA-GCMS-006 Running on : N/A Dilution : 250 Reagent : 121922.R03; 092820.59 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA21223002-006

Harvest/Lot ID: 20221115-710KIM-F7H4

Batch# : 1000059495

Sampled : 12/22/22

Ordered : 12/22/22

Sample Size Received : 16 gram

Total Amount : 186 units

Completed : 12/27/22 **Expires:** 12/27/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 53, 585, 1440

Weight:
 0.0275g

Extraction date:
 12/26/22 11:55:12

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA054006SOL

Instrument Used : DA-GCMS-002

Running on : 12/26/22 13:40:22

Reviewed On : 12/26/22 13:52:34

Batch Date : 12/23/22 18:08:19

Dilution : 1

Reagent : 071420.56

Consumables : 27296; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
The Flowery

 Samples From:
 Homestead, FL, 33090, US
Telephone: (321) 266-2467
Email: osivan@moozacapital.com

Sample : DA21223002-006
Harvest/Lot ID: 20221115-710KIM-F7H4
Batch# : 1000059495
Sample Size Received : 16 gram
Sampled : 12/22/22
Total Amount : 186 units
Ordered : 12/22/22
Completed : 12/27/22 **Expires:** 12/27/23
Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ESCHERICHIA COLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3390, 585, 53, 1440 Weight: 0.8371g Extraction date: 12/23/22 14:38:04 Extracted by: 3621, 3390 Analysis Method : SOP.T.40.056B, SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA053952MIC Instrument Used : PathogenDx Scanner DA-111 Running on : 12/23/22 18:55:17 Dilution : N/A Reagent : 071122.R03; 110822.R31; 052422.10 Consumables : N/A Pipette : N/A						Analyzed by: 585, 795, 53, 1440 Weight: 0.2326g Extraction date: 12/23/22 17:22:57 Extracted by: 3379, 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA053986MYC Instrument Used : DA-LCMS-003 (MYC) Running on : 12/23/22 23:04:36 Reviewed On : 12/26/22 12:43:00 Batch Date : 12/23/22 14:19:30 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	0.2						
Analyzed by: 1879, 1440, 53 Weight: 0.5551g Extraction date: 12/23/22 16:13:37 Extracted by: 1879 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA053964HEA Instrument Used : DA-ICPMS-003 Running on : 12/23/22 18:24:35 Dilution : 50 Reagent : 112222.R82; 080222.R36; 121622.R05; 121322.R06; 121622.R03; 121622.R04; 112122.R11; 120922.R06; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-106; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
The Flowery

Samples From:

Homestead, FL, 33090, US

Telephone: (321) 266-2467

Email: osivan@moozacapital.com

Sample : DA21223002-006

Harvest/Lot ID: 20221115-710KIM-F7H4

Batch# : 1000059495

Sampled : 12/22/22

Ordered : 12/22/22

Sample Size Received : 16 gram

Total Amount : 186 units

Completed : 12/27/22 **Expires:** 12/27/23

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign
Material**
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA054033FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 12/24/22 11:09:14

Reviewed On : 12/24/22 11:15:27

Batch Date : 12/24/22 11:08:06

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.454	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 53, 1440	0.814g	12/23/22 16:09:58	2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA053972WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 12/23/22 16:08:14

Reviewed On : 12/23/22 21:35:42

Batch Date : 12/23/22 13:49:06

Dilution : N/A

Reagent : 100522.08

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.