

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

710 Labs 710 Chem Live Rosin 710 Labs 710 Chem Matrix: Derivative




PASSED

Sample:DA21215012-002 Harvest/Lot ID: 20220906-7107C-H Batch#: 1000057861 **Cultivation Facility: Homestead Processing Facility : Homestead** Seed to Sale# LFG-00001001 Batch Date: 12/13/22 Sample Size Received: 16 gram Total Amount: 423 units Retail Product Size: 1 gram Ordered : 12/15/22 Sampled : 12/15/22 Completed: 12/19/22 Sampling Method: SOP.T.20.010

Dec 19, 2022 | The Flowery

Samples From: Homestead, FL, 33090, US

FLOWERY



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

State License # CMTL-0002

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Testing 97164

Signature

12/19/22



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US Kaycha Labs

710 Labs 710 Chem Live Rosin 710 Labs 710 Chem Matrix : Derivative



PASSED

TESTED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US **Telephone:** (321) 266-2467 **Email:** osivan@moozacapital.com Sample : DA21215012-002 Harvest/Lot ID: 20220906-7107C-H Batch# :1000057861 Sample Sampled : 12/15/22 Total / Ordered : 12/15/22 Compl

.07C-H Sample Size Received : 16 gram Total Amount : 423 units Completed : 12/19/22 Expires: 12/19/23 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	71.38	7.138			CAMPHOR		0.013	0.93	0.093		
TOTAL TERPINEOL	0.007	1.1	0.11			BORNEOL		0.013	1.13	0.113		
CAMPHENE	0.007	0.44	0.044			GERANIOL		0.007	<0.2	< 0.02		
BETA-MYRCENE	0.007	9.86	0.986			PULEGONE		0.007	ND	ND		
B-CARENE	0.007	ND	ND			ALPHA-CEDRENE		0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	<0.2	< 0.02			ALPHA-HUMULENE		0.007	6.03	0.603		
DCIMENE	0.007	ND	ND			TRANS-NEROLIDOL		0.007	1.58	0.158		
UCALYPTOL	0.007	ND	ND			GUAIOL		0.007	ND	ND		
INALOOL	0.007	0.22	0.022			Analyzed by:	Weight:		Extraction da	te:		Extracted by:
ENCHONE	0.007	ND	ND			2076, 53, 1440	1.0408g		12/16/22 16:5	6:03		2076
SOPULEGOL	0.007	0.21	0.021			Analysis Method : SOP.T.30.06						
SOBORNEOL	0.007	ND	ND			Analytical Batch : DA053670TE Instrument Used : DA-GCMS-00					2/19/22 08:55:12 16/22 10:57:56	
IEXAHYDROTHYMOL	0.007	0.51	0.051			Running on : 12/17/22 12:16:3			Datch	Date : 12/	10/22 10.37.30	
EROL	0.007	ND	ND			Dilution : 10						
ERANYL ACETATE	0.007	0.54	0.054			Reagent : 120722.08						
ETA-CARYOPHYLLENE	0.007	19.91	1.991			Consumables : 210414634; Mk	CN9995; CE0123; R1KB	14270				
ALENCENE	0.007	ND	ND			Pipette : N/A						
IS-NEROLIDOL	0.007	ND	ND			Terpenoid testing is performed util	izing Gas Chromatography	Mass Spec	trometry.			
EDROL	0.007	ND	ND									
ARYOPHYLLENE OXIDE	0.007	0.58	0.058									
ARNESENE	0	0.24	0.024									
LPHA-BISABOLOL	0.007	3.33	0.333									
LPHA-PINENE	0.007	1.51	0.151		1							
ABINENE	0.007	ND	ND									
ETA-PINENE	0.007	2.25	0.225									
LPHA-TERPINENE	0.007	ND	ND									
IMONENE	0.007	18.47	1.847									
AMMA-TERPINENE	0.007	<0.2	< 0.02									
ERPINOLENE	0.007	0.46	0.046									
ABINENE HYDRATE	0.007	0.29	0.029									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOO) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

12/19/22



..... 710 Labs 710 Chem Live Rosin 710 Labs 710 Chem Matrix : Derivative



PASSED

Certificate of Analysis

The Flowery

0

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21215012-002 Harvest/Lot ID: 20220906-7107C-H Batch#:1000057861 Sampled : 12/15/22 Ordered : 12/15/22

Sample Size Received : 16 gram Total Amount : 423 units Completed : 12/19/22 Expires: 12/19/23 Sample Method : SOP.T.20.010

Page 3 of 6

PASSED

₽; Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LO
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.0
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.0
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.0
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.0
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.0
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.0
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND		
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.0
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.0
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.0
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.0
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.0
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.0
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.0
BOSCALID	0.01	ppm	0.1	PASS	ND	ТНІАМЕТНОХАМ	0.0
CARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.0
CARBOFURAN	0.01	ppm	0.1	PASS	ND		0.0
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.0
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.0
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.0
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.0
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.0
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.0
DICHLORVOS	0.01	ppm	0.1	PASS	ND		E
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 53, 1440 0.2593g	12
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesvi	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	1107, 301
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA053641PES	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :12/16/22 15:48:54	
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250	
		ppm	0.1	PASS	ND	Reagent : 121222.R01; 121222.R02; 120622 Consumables : 6676024-02	.R07; 12
FIPRONIL	0.01					Consumables : bb/b0/24-0/2	
	0.01 0.01	ppm	0.1	PASS	ND		
FLONICAMID			0.1 0.1	PASS	ND ND	Pipette : DA-093; DA-094; DA-219	zina Lia
FLONICAMID FLUDIOXONIL	0.01	ppm				Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utili	
FLONICAMID FLUDIOXONIL HEXYTHIAZOX	0.01 0.01	ppm ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utili Spectrometry in accordance with F.S. Rule 64EF	20-39.
FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL	0.01 0.01 0.01	ppm ppm ppm	0.1 0.1	PASS PASS	ND ND	Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utili Spectrometry in accordance with F.S. Rule 64EF Analyzed by: Weight:	20-39.
FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID	0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm	0.1 0.1 0.1	PASS PASS PASS	ND ND ND	Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utili Spectrometry in accordance with F.S. Rule 64EF Analyzed by: Weight:	20-39. Extract 12/16/2
FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MAI ATHION	0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.4	PASS PASS PASS PASS	ND ND ND ND	Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utili Spectrometry in accordance with F.S. Rule 64EF Analyzed by: Weight: 450, 53, 1440 0.2593g Analysis Method :SOP.T.30.151.FL (Gainesvi Analytical Batch :DA053643VOL	20-39. Extract 12/16/2
FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION	0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.4 0.1 0.2	PASS PASS PASS PASS PASS	ND ND ND ND ND ND	Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utili Spectrometry in accordance with F.S. Rule 64EF Analyzed by: Weight: 450, 53, 1440 0.2593g Analysis Method :SOP.T.30.151.FL (Gainesvi Analytical Batch : DAA053643VOL Instrument Used :DA-GCMS-006	20-39. Extract 12/16/2
FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.1 0.4 0.1	PASS PASS PASS PASS PASS PASS	ND ND ND ND ND	Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utili Spectrometry in accordance with F.S. Rule 64EF Analyzed by: Weight: 450, 53, 1440 0.2593g Analyzed by: Weight: 450, 53, 1440 0.2593g Analyzed by: Weight: 450, 53, 1440 0.2593g Analyzical Batch :DA053643VOL Instrument Used :DA-GCMS-006 Running on :N/A N/A	20-39. Extract 12/16/2
FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB	0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.4 0.1 0.2 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND	Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utili Spectrometry in accordance with F.S. Rule 64ER Analyzed by: Weight: 450, 53, 1440 0.2593g Analysis Method :SOP.T.30.151.FL (Gainesvi Analytical Batch :DA053643VOL Instrument Used :DA-GCMS-006 Running on :N/A Dilution : 250	20-39. Extract 12/16/2 lle), SOI
FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHIOCARB METHOCARB	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.4 0.1 0.2 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND	Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utili Spectrometry in accordance with F.S. Rule 64EF Analyzed by: Weight: 450, 53, 1440 0.2593g Analysis Method :SOP.T.30.151.FL (Gainesvi Analytical Batch :DA053643YOL Instrument Used :DA-GCMS-006 Running on :N/A Dilution : 250 Reagent : 121222.R02; 092820.59; 120122.F	20-39. Extract 12/16/2 lle), SOI
FLONICAMID FLUDIOXONIL HEXYTHIAZOX IMAZALIL IMIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 0.4 0.1 0.2 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utili Spectrometry in accordance with F.S. Rule 64ER Analyzed by: Weight: 450, 53, 1440 0.2593g Analysis Method :SOP.T.30.151.FL (Gainesvi Analytical Batch :DA053643VOL Instrument Used :DA-GCMS-006 Running on :N/A Dilution : 250	20-39. Extract 12/16/2 lle), SOI

Pesticide	8	LOD	Units	Action	Pass/Fail	Result		
				Level				
OXAMYL		0.01	ppm	0.5	PASS	ND		
PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND		
PHOSMET		0.01	ppm	0.1	PASS	ND		
PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND		
PRALLETHRIN		0.01	ppm	0.1	PASS	ND		
PROPICONAZOLE		0.01	ppm	0.1	PASS	ND		
PROPOXUR		0.01	ppm	0.1	PASS	ND		
PYRIDABEN		0.01	ppm	0.2	PASS	ND		
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND		
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND		
SPIROXAMINE		0.01	ppm	0.1	PASS	ND		
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND		
THIACLOPRID		0.01	ppm	0.1	PASS	ND		
THIAMETHOXAM		0.01	ppm	0.5	PASS	ND		
TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND		
PENTACHLORONITROBENZENE (I	PCNB) *	0.01	PPM	0.15	PASS	ND		
PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND		
CAPTAN *		0.07	PPM	0.7	PASS	ND		
CHLORDANE *		0.01	PPM	0.1	PASS	ND		
CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND		
CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND		
CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND		
Analyzed by:	Weight:		action dat		Extracted	l by:		
3379, 585, 53, 1440	0.2593g		6/22 16:21		3379,450			
Analysis Method :SOP.T.30.101.F SOP.T.40.102.FL (Davie) Analytical Batch :DA053641PES instrument Used :DA-LCMS-003 (Running on :12/16/22 15:48:54		ille), SOP.I	Reviewed	. (Davie), SOP d On : 12/19/2 t e : 12/16/22	2 12:29:49	Jainesville		
Dilution : 250 Reagent : 121222.R01; 121222.R0 Consumables : 6676024-02 Pipette : DA-093; DA-094; DA-219								
Festing for agricultural agents is per Spectrometry in accordance with F.S	5. Rule 64EI	R20-39.		graphy Triple-(
Analyzed by: Weigh 450, 53, 1440 0.259		Extractio 12/16/22			Extracted b 3379,450	Extracted by: 3379,450		
Analysis Method :SOP.T.30.151.F Analytical Batch :DA053643VOL Instrument Used :DA-GCMS-006 Running on :N/A	L (Gainesv	Re	eviewed O	L (Davie), SO n :12/19/22 1 :12/16/22 09:	1:00:24			
Dilution : 250 Reagent : 121222.R02; 092820.59 Consumables : 6676024-02; 1472 Pipette : DA-080; DA-146		R67; 12062	22.R24					
			1 1	1 711 0	1 1 1	C 1		

as Chromatography Triple-Quadrupole Mass Spectrometry

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

12/19/22



710 Labs 710 Chem Live Rosin 710 Labs 710 Chem Matrix : Derivative



PASSED

PASSED

Certificate of Analysis

The Flowery

Л

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21215012-002 Harvest/Lot ID: 20220906-7107C-H Batch# :1000057861 Sample Sampled : 12/15/22 Total Ordered : 12/15/22 Compl

Sample Size Received : 16 gram Total Amount : 423 units Completed : 12/19/22 Expires: 12/19/23 Sample Method : SOP.T.20.010

Page 4 of 6

Residual Solvents

olvents	LOD	Units	Action Level	Pass/Fail	Result
1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
PROPANOL	50	ppm	500	PASS	ND
CETONE	75	ppm	750	PASS	ND
ETONITRILE	6	ppm	60	PASS	ND
NZENE	0.1	ppm	1	PASS	ND
ITANES (N-BUTANE)	500	ppm	5000	PASS	ND
ILOROFORM	0.2	ppm	2	PASS	ND
CHLOROMETHANE	12.5	ppm	125	PASS	ND
HANOL	500	ppm	5000	PASS	ND
HYL ACETATE	40	ppm	400	PASS	ND
HYL ETHER	50	ppm	500	PASS	ND
HYLENE OXIDE	0.5	ppm	5	PASS	ND
PTANE	500	ppm	5000	PASS	ND
THANOL	25	ppm	250	PASS	ND
HEXANE	25	ppm	250	PASS	ND
NTANES (N-PENTANE)	75	ppm	750	PASS	ND
OPANE	500	ppm	5000	PASS	ND
LUENE	15	ppm	150	PASS	ND
TAL XYLENES	15	ppm	150	PASS	ND
ICHLOROETHYLENE	2.5	ppm	25	PASS	ND
alyzed by: 0, 53, 1440	Weight: 0.02g	Extraction dat 12/19/22 12:5			Extracted by: 350
alysis Method : SOP.T.40.041.FL alytical Batch : DA053690SOL strument Used : DA-GCMS-002 inning on : 12/19/22 13:38:51			Reviewed On : 12/19/22 14:02:05 Batch Date : 12/16/22 14:27:54	VV	$\mathcal{N}\mathcal{N}$
ilution: 1 eagent: 071420.56 onsumables: R2017.167; KF140 pette: DA-309 25 uL Syringe 35028			TRY	\mathcal{N}	

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. DD=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/19/22



..... 710 Labs 710 Chem Live Rosin 710 Labs 710 Chem Matrix : Derivative



PASSED

Certificate of Analysis

The Flowery

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Sample : DA21215012-002 Harvest/Lot ID: 20220906-7107C-H Batch#:1000057861 Sampled : 12/15/22 Ordered : 12/15/22

Sample Size Received : 16 gram Total Amount : 423 units Completed : 12/19/22 Expires: 12/19/23 Sample Method : SOP.T.20.010

Page 5 of 6

Analyte LOD Units Result Pass / Action Fail Level ESCHERICHIA COLI SHIGELLA SPP SALMONELLA SPECIFIC GENE Not Present PASS ASPERGILLUS FLAVUS NOT Present PASS ASPERGILLUS TERREUS Not Present PASS ASPERGILLUS TERREUS Not Present PASS ASPERGILLUS NIGER Not Present PASS TOTAL YEAST AND MOLD 10 CFU/g <10 PASS 100000	Analyte AFLATOXIN B AFLATOXIN B OCHRATOXIN AFLATOXIN G AFLATOXIN G	1	LOD 0.002 0.002	Units	Result	Pass / Fail PASS	Action Level	
ESCHERICHIA COLI SHIGELLA Not Present PASS SPP Not Present PASS SASPERGILLUS FLAVUS Not Present PASS ASPERGILLUS FUNIGATUS Not Present PASS ASPERGILLUS TERREUS Not Present PASS ASPERGILLUS NIGER Not Present PASS	AFLATOXIN B OCHRATOXIN AFLATOXIN G	1			ND			
ALMONELLA SPECIFIC GENE Not Present PASS ISPERGILLUS FLAVUS Not Present PASS ISPERGILLUS FUMIGATUS Not Present PASS ISPERGILLUS TERREUS Not Present PASS ISPERGILLUS NIGER Not Present PASS	OCHRATOXIN AFLATOXIN G		0.002	0.0.00			0.02	
SPERGILLUS FLAVUS Not Present PASS SPERGILLUS FUMIGATUS Not Present PASS SPERGILLUS TERREUS Not Present PASS SPERGILLUS NIGER Not Present PASS	AFLATOXIN G	A		ppm	ND	PASS	0.02	
SPERGILLUS FUMIGATUS Not Present PASS SPERGILLUS TERREUS Not Present PASS SPERGILLUS NIGER Not Present PASS			0.002	ppm	ND	PASS	0.02	
SPERGILLUS TERREUS Not Present PASS SPERGILLUS NIGER Not Present PASS	AFLATOXIN G	1	0.002	ppm	ND	PASS	0.02	
SPERGILLUS NIGER Not Present PASS		12	0.002	ppm	ND	PASS	0.02	
	Analyzed by:	Weight:	Extraction			Extracted	by:	
	3379, 585, 53, 1	0.2593g	12/16/22	16:21:14		3379,450		
Weight: Extraction date: Extracted by: 221, 3336, 2682, 53, 1440 0.8325g 12/16/22 12:29:52 3621	SOP.T.30.102.F	d : SOP.T.30.101.FL (Gaine L (Davie), SOP.T.40.102.FL	(Davie)		FL (Gainesville),)n : 12/19/22 12:25:17			
izi, joso, zedzi, szi, zete 0.55233 12/10/22 12/29.32 5021 valysis Method : SOP.T.40.0568, SOP.T.40.0568, FL, SOP.T.40.058, FL, SOP.T.40.0209, FL 12/10/22 12/29.32 12/10/22 12/29.32 valysis Method : SOP.T.40.0568, SOP.T.40.0568, FL, SOP.T.40.058, FL, SOP.T.40.0209, FL 12/10/22 12/29.32 12/10/22 12/29.32 valysis Method : SOP.T.40.0568, SOP.T.40.0568, FL No.568, FL, SOP.T.40.058, FL 12/10/22 12/29.32 12/10/22 12/29.32	Instrument Use	n:DA053642MYC d:DA-LCMS-003 (MYC) //16/22 15:49:00			2/16/22 0			
Batch Date: 12/16/22 08:03:03 unning on: 12/16/22 16:05:58 Batch Date: 12/16/22 08:03:33		ng utilizing Liquid Chromatogr F.S. Rule 64ER20-39.	aphy with Tripl	e-Quadrupo	le Mass Spe	ctrometry	in	
lution : N/A aggent : 100122.R04; 091422.08; 100722.13 onsumables : 500124 pette : N/A	Hg	Heavy Me	tals	\mathbf{X}		PAS	SED	
halyzed by: Weight: Extraction date: Extracted by: 336, 2682, 53, 1440 0.8983g 12/16/22 16:01:00 3621,3336,2682	Metal		LOD	Units	Result	Pass /	Action	
halysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	TOTAL CONT	AMINANT LOAD METALS	0.11	ppm	ND	Fail PASS	Level	
nalytical Batch : DA053692TYM Reviewed On : 12/18/22 17:21:38	ARSENIC	AMINANT LOAD METALS	0.11	ppm	ND	PASS	0.2	
strument Used : Incubator (25-27C) DA-097 Batch Date : 12/16/22 15:54:56	CADMIUM		0.02	ppm	ND	PASS	0.2	
nning on : 12/16/22 16:03:31	LEAD		0.05	ppm	ND	PASS	0.5	
lution : 10 agent : 092022.25	MERCURY		0.02	ppm	ND	PASS	0.2	
pette : N/A	Analyzed by: 1022, 53, 1440		xtraction dat 2/16/22 12:1			tracted b 022,3619	y:	
otal yeast and mold testing is performed utilizing MPN and traditional culture based techniques in cordance with F.S. Rule 64ER20-39.	Analytical Batch Instrument Use	d: SOP.T.30.082.FL, SOP.T n: DA053652HEA d: DA-ICPMS-003 /16/22 14:05:12	Review		/18/22 06: 6/22 10:23		X	
	112122.R11; 12 Consumables :	22.R82; 080222.R36; 1209 20922.R06 179436; 210508058; 2108 1; DA-106; DA-216		822.R05; 1	120922.R0	1; 120922	2.R02;	
	Heavy Metals an with F.S. Rule 64	alysis is performed using Indu ER20-39.	ctively Coupled	l Plasma Ma	iss Spectror	netry in acc	ordance	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

12/19/22



710 Labs 710 Chem Live Rosin 710 Labs 710 Chem Matrix : Derivative



PASSED

Certificate of Analysis Sample : DA21215012-002

The Flowery

Consumables : PS-14 Pipette : N/A

Samples From: Homestead, FL, 33090, US Telephone: (321) 266-2467 Email: osivan@moozacapital.com

DAVIE, FL, 33314, US

Filth/Foreign

Harvest/Lot ID: 20220906-7107C-H Batch# : 1000057861 Sampled : 12/15/22 Ordered : 12/15/22

Sample Size Received : 16 gram Total Amount : 423 units Completed : 12/19/22 Expires: 12/19/23 Sample Method : SOP.T.20.010



PASSED Material LOD Analyte Units Result P/F Action Level Filth and Foreign Material 0.5 % ND PASS 1 Analyzed by: 585, 1879, 1440 Weight: Extraction date: Extracted by: NA N/A N/A Analysis Method : SOP.T.40.090 **Reviewed On :** 12/16/22 13:40:39 **Batch Date :** 12/16/22 12:41:20 Analytical Batch : DA053683FIL Instrument Used : Filth/Foreign Material Microscope Running on : N/A Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. PASSED Water Activity LOD Units Analyte Result P/F Action Level Water Activity 0.436 PASS 0.1 aw 0.85 Analyzed by: 2926, 1879, 1440 Weight: 0.72g Extraction date: Extracted by: 2926 12/16/22 14:51:27 Analysis Method : SOP.T.40.019 Analytical Batch : DA053686WAT Reviewed On : 12/16/22 17:20:14 Batch Date : 12/16/22 13:27:56 Instrument Used : DA-028 Rotronic Hygropalm Running on : 12/16/22 14:46:03 Dilution : N/A Reagent : 121421.21

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/19/22